# WYOMING




CROP-REPORTING DISTRICTS

U.S. DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

# W Y O M I N G

# A G R I C U L T U R A L  S T A T I S T I C S

Compiled
by
WYOMING CROP AND LIVESTOCK REPORTING SERVICE
Box 1148
Cheyenne, Wyoming 82003

Samuel J. Hundley, Statistician in Charge
Linda L. Simpson, Assistant Statistician
Gus J. Meier, Jr., Agricultural Statistician
Ronald G. Tilly, Agricultural Statistician
Joel D. Moore, Agricultural Statistician
Byron (Buck) McVeigh, Agricultural Statistician (State)
Charline J. Frew, Support Group Supervisor

Issued Cooperatively by

| WYOMING DEPARTMENT OF AGRICULTURE | THE UNIVERSITY OF WYOMING | UNITED STATES DEPARTMENT OF AGRICULTURE |
|---|---|---|
| John Orton, Commissioner | Harold J. Tuma, Dean College of Agriculture | STATISTICIAL REPORTING SERVICE |
| BOARD MEMBERS | Andrew Vanvig, Head, Div. of Agricultural Economics | William E. Kibler, Administrator |
| Robert E. Curry, Veteran<br>Millard Gowin, Casper<br>James Magagna, Rock Springs<br>Kaz Uriu, Worland<br>Bruce W. Gose, Upton<br>Governor Ed Herschler<br>Harold J. Tuma, Laramie | | Wilbert H. Walther, Deputy Administrator and Chairman, Crop Reporting Board<br><br>Raymond R. Hancock, Director State Statistical Offices |

Admission, employment, and programs of the University of Wyoming are offered to all eligible people without regard to race, color, national origin, sex, religion, or political belief.

TABLE OF CONTENTS


PREFACE . . . . . 3

REPORTS ISSUED DURING YEAR . . . . . 4

GENERAL . . . . . 5-22
Wyoming agriculture 1981 . . . . . 6
Wyoming's rank in agriculture . . . . . 7
Rank of Wyoming's counties . . . . . 7
Number of farms and ranches . . . . . 8
Real estate value and taxes . . . . . 9
Income from farming . . . . . 10
Cash receipts . . . . . 11
Farm production expenses . . . . . 12
Value of production by commodities . . . 13
Number of farm workers . . . . . 14
Weather-temperatures . . . . . 15
Weather-precipitation . . . . . 16
Temperature extremes . . . . . 17
Spring freeze hazard table . . . . . 18-19
Fall freeze hazard table . . . . . 20-21
Map of river drainage areas . . . . . 22

LIVESTOCK . . . . . 23-49
CATTLE . . . . . 24-34
Inventory . . . . . 24
Supply and disposition . . . . . 25
Production and income . . . . . 26
Inventory by classes . . . . . 27
Cattle moved on brand certificates . 28-29
Milk cows and production . . . . . 30
Milk and cream . . . . . 31
County estimates . . . . . 32-34
Cattle . . . . . 32
All cows . . . . . 33
Milk cows . . . . . 34

SHEEP . . . . . 35-44
Inventory . . . . . 35
Classes and lamb crop . . . . . 36
Production and income . . . . . 37
Wool-supply and disposition . . . . . 38
Sheep moved on brand certificates . 39-40
Sheep and lamb losses by cause . . . 41-43
County estimates - stock sheep . . . . 44

HOGS . . . . . 45-46
Inventory and pig crop . . . . . 45
Supply, disposition and income . . . . 46

LIVESTOCK - Continued

SLAUGHTER . . . . . 47

CHICKENS . . . . . 48- 49
Inventory, disposition and income . . 48
Eggs, disposition and income . . . . 49

BEES-HONEY . . . . . 49

CROPS . . . . . 51- 78
Production index . . . . . 52
Production - State . . . . . 52- 58
Wheat; winter, spring, all . . . . 53
Barley, oats, rye . . . . . 54
Dry beans,sugar beets,potatoes . . 55
All hay, alfalfa, other . . . . . 56
Corn . . . . . 57
All crops by irrigated and non-irrigated . . . . . 58
Winter wheat varieties . . . . . 59
Barley varieties . . . . . 60
Grain stocks . . . . . 61- 65
County estimates . . . . . 67- 78
All wheat . . . . . 68
Winter wheat . . . . . 69
Spring wheat . . . . . 70
Barley . . . . . 71
Oats . . . . . 72
Dry beans . . . . . 73
Sugar beets . . . . . 74
Corn . . . . . 75
All hay . . . . . 76
Alfalfa hay . . . . . 77
Other hay . . . . . 78

PRICES . . . . . 79- 88
Prices received for livestock and crops . . . . . 80- 81
Index numbers of prices received . . . 82
Prices paid by farmers . . . . . 83- 88

SCHEDULE OF REPORTS RELEASED . . . . . 89



Our sincerest thanks to the following who supplied photographs for this publication: Front Cover - Dean Biggins, Sheridan, Wyoming; Back Cover - Wyoming Wildlife. Other photos by the staff of the Wyoming Crop and Livestock Reporting Service.

# PREFACE

This publication presents major agricultural statistics developed by the Wyoming Crop and Livestock Reporting Service. Included are data relating to livestock numbers and production, crop acreages and production, farm income, prices and weather information about Wyoming's agriculture. State estimates are shown for five to ten years, county estimates of livestock for January 1, 1977-82 and county estimates for crops are shown for 1980-81.

I wish to acknowledge the valuable assistance of the many individual voluntary reporters among the Wyoming farming, ranching and agri-business community. They unselfishly gave of their time and effort in reporting various statistics related to their farm or ranch and business activities. This information would not be possible without their devoted service. We would like to thank the Livestock Sanitary Board and the Wyoming Stock Growers Association who provide access to the information used in developing the livestock movement data both into and out of Wyoming.

Collection of data for making these estimates is made possible through the cooperative effort of the Wyoming Department of Agriculture and the Statistical Reporting Service of the U.S. Department of Agriculture. Funds are furnished by both departments which have had a cooperative agreement since 1923. Publication of this report was made possible through the cooperative effort of these two agencies along with the University of Wyoming Agricultural Experiment Station, Division of Agricultural Economics.

The U.S.D.A.'s Statistical Reporting Service on March 10, 1982, initiated program cutbacks due to funding limitations. Of the changes adopted, the following will affect Wyoming: Reports eliminated were: July 1 Lamb Crop and Wool; Sheep and Lambs on Feed - Nov. 1, Jan. 1, and March 1; July 1 Cattle Inventory for Individual States; Annual Honey; Annual Mink; Field Crops - Production - Disposition and Value; Winter Wheat Yield Forecast in December; and Corn, Durum and Spring Wheat Yield Forecasts in July. Reports reduced from monthly to quarterly were Livestock Slaughter and Dairy Products. However, none of the above program modifications will affect those items supported by the cooperative agreement between SRS, USDA and the Wyoming State Department of Agriculture.

The mission of the Wyoming Crop and Livestock Reporting Service remains the same as in the past -- to provide reliable, timely agricultural estimates by using statistically sound sampling and estimating procedures. The accuracy of all estimates in this publication are directly related to the cooperation received from Wyoming farmers, ranchers and agri-businessmen.

A special thanks is extended to the field enumerators, telephone enumerators, and to all members of the office who had a part in carrying out the surveys, evaluating the results and establishing the estimates which are presented in this publication.

Current reports and forecasts issued in accordance with the time schedule published on page 4, may be obtained by checking the release(s) desired on page 89, and sending your request to our office.

Additional copies of this publication are available upon request to the Agricultural Statistician, P. O. Box 1148, Cheyenne, WY 82003. Copies may also be obtained from the Commissioner, Wyoming Department of Agriculture, Cheyenne, WY 82002; or Head, Division of Agricultural Economics, University of Wyoming, Laramie, WY 82071.

Sincerely,

Samuel J. Hundley

Samuel J. Hundley
Statistician in Charge

Reports issued during the year by
Wyoming Crop and Livestock Reporting Service

| Report | Frequency | Approximate Date of Release |
|---|---|---|
| **Crops & Stocks** | | |
| Winter Wheat & Rye Seedings | Annual | December 22 |
| Wheat Variety | Annual | March |
| Barley Variety | Annual | July |
| Monthly Crop Reports | Monthly | May-November, 12th of of month |
| Prospective Plantings | Annual | February 18 |
| June Acreage | Annual | June 29 |
| Summary of Crop Production | Annual | Small Grains-December 22, All Crops-January 14 |
| Stocks of Grains | Quarterly | January, April, June, September, 25th of month |
| Wheat County Estimates | Annual | March |
| Barley County Estimates | Annual | May |
| Hay County Estimates | Annual | June |
| Dry Edible Beans | Bi-Annual | January, August |
| **Livestock, Dairy & Poultry** | | |
| Cattle on Feed (7 States) | Monthly | Mid-Month |
| Cattle Movement | Annual | June |
| Cattle Inventory & Calf Crop | Annual | January 29 |
| Hogs & Pigs | Semi-Annual | June 22, December 22 |
| Sheep on Feed | Semi-Annual | January & March |
| Sheep Inventory & Lamb Crop | Annual | January 26 |
| Sheep Movement | Annual | June |
| Sheep Shorn & Wool Production | Annual | March 26 |
| Sheep & Lamb Loss | Annual | April |
| Range & Pasture Condition | Monthly | April-December |
| Honey Production | Annual | January 15 |
| Livestock Slaughter | Quarterly | 20th of month, April July, Oct. & Jan. |
| Meat Animals-Production, Disposition & Income | Annual | April 2 |
| Milk Production | Quarterly | January, April, July, October, mid-month |
| Egg Production | Quarterly | March, June, September, December, 20th |
| **Weather, Prices & Miscellaneous** | | |
| Agricultural Prices | Monthly | First of Following Month |
| Farm & Ranch Income | Annual | Mid-September |
| "Wyoming Agricultural Statistics" | Annual Bulletin | October |
| Crop-Weather Report | Weekly | Mondays, April-October |
| Farms & Farmland | Annual | August 11 |
| Cost of Production | Annual | Mid-Year |
| Farm Production Expenditures | Annual | June |

# General

## 1981 WYOMING NET FARM INCOME DECLINES, BUT MANY YIELDS SET RECORDS

Wyoming's farmers and ranchers realized one of the smallest ever net farm incomes in 1981, before inventory adjustment. Net farm income totaled $1.1 million compared with $43.7 million in 1980 and $106.6 million in 1979. This averaged only $118 for each of the State's farms and ranches operating in 1981.

A decline in realized gross farm income and higher production expenses resulted in the low net income. Realized gross farm income fell 4% to $711.2 million while production expenses topped $710.1 million, 2% more than in 1980. The picture was improved somewhat by data showing a positive change in net farm inventories of almost $30 million. Total net income after inventory adjustment then reached $30.8 million. This is still less than two-thirds of 1980's $48.2 million. This computes to an average $3,312 per operation.

Cash receipts, one component of realized gross farm income, declined 7% from 1980-81. Whereas receipts for crops rose by this percentage, it was not enough to offset a decline of 11% in livestock and livestock products. Season average prices for barley and oats were above last year, but prices fell substantially for corn, wheat, dry beans and potatoes and moderately for hay. Record yields for many crops helped offset some of the drop in prices.

Both cattlemen and sheep ranchers sustained low prices in 1981. Sheep producers recovered some loss with an average wool price of $1.02 per pound, continuing a five-year trend of steadily rising wool prices.

Farm operating expenses, the negative factor in net farm income, rose from 1980 for seed, fertilizer, and repairs and dropped for replacement livestock, feed, and hired labor.

Wyoming's January 1, 1982 major livestock inventories rose to the highest level in five years. All cattle and calves totaled 1,390,000 head, 40,000 more than the previous January. The January 1, 1982 sheep inventory numbered 1,130,000 head, 20,000 more than on January 1, 1981. Coyotes continue to be the leading cause of sheep and lamb losses from predators.

Minor livestock in Wyoming include hogs and pigs, bees and chickens. The December 1, 1981 hog inventory was 33,000 head. Honey production was slightly over 3.0 million pounds from 44,000 colonies. Each laying pullet laid an average 172 eggs during 1981 for a total production of slightly over eight million eggs.

Wyoming's crop production index (1957-59=100) rose to a record 145, 13 points above 1980. Production of all crops except wheat and potatoes were equal or above the previous year. In addition, record high yields were set by alfalfa hay, corn for grain, barley and dry beans. Acres of wheat harvested fell 31,000 from 1980 to 284,000. Barley growers experienced both high average yields and a favorable price.

Alfalfa hay production reached a record 1,323,000 tons from 540,000 acres. Corn for grain production jumped 41% over 1980. Dry bean harvested acres, at 42,000, was the highest in fifteen years. Production, at 882,000 Cwt., was the highest since 1963. Potatoes yielded a total of 1,060,000 Cwt. Sugar beet acres and production were virtually unchanged from 1980.

Sincerely,

Linda L. Simpson

Linda L. Simpson
Assistant Statistician in Charge

## Wyoming's Rank in the Nation's Agriculture - 1981

| Crop or Livestock Item | Unit | Production or Number | | Rank |
|---|---|---|---|---|
| | | U.S. | Wyo. | |
| | | -----Thousands----- | | |
| All Sheep & Lambs 1/ | Head | 13,116 | 1,130 | 3 |
| Stock Sheep 1/ | Head | 11,552 | 1,000 | 3 |
| Average Size of Farms & Ranches | Acres | 433 2/ | 3,879 2/ | 2 |
| Wool 1/ | Lbs. | 109,753 | 10,150 | 3 |
| Sheep on Feed 1/ | Head | 1,564 | 130 | 4 |
| Sugar Beets | Tons | 27,271 | 1,078 | 8 |
| Dry Beans | Cwt. | 31,814 | 882 | 9 |
| Land in Farms & Ranches | Acres | 1,038,730 | 35,300 | 10 |
| Barley | Bu. | 478,301 | 8,978 | 11 |
| Potatoes (Fall) | Cwt. | 290,684 | 1,060 | 18 |
| Alfalfa Hay | Tons | 83,696 | 1,323 | 21 |
| Oats | Bu. | 508,083 | 2,295 | 25 |
| Beef Cows 1/ | Head | 39,364 | 673 | 22 |
| All Hay | Tons | 143,105 | 2,129 | 25 |
| Winter Wheat | Bu. | 2,098,719 | 8,250 | 29 |
| Cattle & Calves on Feed 1/ | Head | 10,619 | 52 | 24 |
| Corn Silage | Tons | 116,183 | 680 | 31 |
| Cattle & Calves 1/ | Head | 115,691 | 1,390 | 33 |
| Corn for Grain | Bu. | 8,200,951 | 5,060 | 34 |

1/ January 1, 1982
2/ Actual Number

## Rank of Wyoming Counties - 1981 1/

| County | All Cattle | Milk Cows | Stock Sheep | Winter Wheat | Barley | Oats | Dry Beans | Sugar Beets | Corn Grain | All Hay |
|---|---|---|---|---|---|---|---|---|---|---|
| Albany | 14* | 12* | 18* | -- | 18 | 20 | - | - | -- | 8 |
| Big Horn | 16 | 5 | 5* | 12 | 2 | 3 | 4 | 4 | 4 | 9 |
| Campbell | 7 | 14* | 5* | 4 | 9 | 16 | - | - | -- | 21 |
| Carbon | 2 | 14* | 4 | 9 | 20 | 14 | - | - | -- | 3 |
| Converse | 10 | 10* | 3 | 10 | 12 | 6 | 8 | - | 12 | 13 |
| Crook | 12 | 10* | 11 | 5 | 14 | 11 | - | - | 9 | 17 |
| Fremont | 4 | 2 | 9 | -- | 3 | 4 | 5 | - | 6 | 1 |
| Goshen | 1 | 4 | 17* | 2 | 7 | 5 | 1 | 1 | 1 | 5 |
| Hot Springs | 18 | 20* | 16 | -- | 16 | 12 | - | 7 | 10 | 16 |
| Johnson | 11 | 14* | 2 | 14 | 17 | 7 | - | - | -- | 10 |
| Laramie | 13 | 6 | 12 | 1 | 6 | 2 | 6 | 6 | 11 | 12 |
| Lincoln | 21 | 1 | 10 | 15 | 5 | 18 | - | - | -- | 2 |
| Natrona | 14* | 20* | 1 | 8 | 22 | 13 | - | - | 8 | 15 |
| Niobrara | 8* | 14* | 13 | 6 | 13 | 17 | - | - | 7 | 20 |
| Park | 3 | 9 | 15 | 13 | 1 | 1 | 2 | 3 | 5 | 6 |
| Platte | 5 | 8 | 18* | 3 | 10 | 9 | 3 | 5 | 2 | 14 |
| Sheridan | 6 | 3 | 14 | 7 | 8 | 8 | - | - | -- | 7 |
| Sublette | 8* | 12* | 19 | -- | -- | 22 | - | - | -- | 4 |
| Sweetwater | 22 | 20* | 8 | -- | 21 | 21 | - | - | -- | 22 |
| Teton | 23 | 14* | 20 | -- | 15 | 19 | - | - | -- | 19 |
| Uinta | 19* | 7 | 7 | -- | 11 | 23 | - | - | -- | 11 |
| Washakie | 19* | 14* | 6 | 16 | 4 | 10 | 7 | 2 | 3 | 18 |
| Weston | 17 | 20* | 17* | 11 | 19 | 15 | - | - | 13 | 23 |

* Tied with another county
1/ Livestock items 1982

## NUMBER OF FARMS AND RANCHES 1/2/




Number of farms and land in farms, Wyoming, selected years, 1920-82 1/ 2/ 3/, U.S. 1982

| Year | Farms | | Land in Farms | | Average size of farm | |
|---|---|---|---|---|---|---|
| | Old definition 1/ | New definition 2/ | Old definition 1/ | New definition 2/ | Old definition 1/ | New definition 2/ |
| | Number | | 1,000 acres | | Acres | |
| 1920: | 15,800 | | | | | |
| 1930: | 17,900 | | | | | |
| 1940: | 15,400 | | | | | |
| 1950: | 13,100 | | 36,000 | | 2,748 | |
| 1960: | 10,500 | | 36,100 | | 3,438 | |
| 1970: | 8,700 | | 35,500 | | 4,080 | |
| 1975: | 8,300 | 8,100 | 35,300 | 35,100 | 4,253 | 4,333 |
| 1977: | 8,100 | 8,700 | 35,300 | 35,000 | 4,358 | 4,023 |
| 1978: | 8,000 | 8,900 | 35,300 | 35,000 | 4,413 | 3,933 |
| 1979: | 5/ | 9,000 | 5/ | 35,000 | 5/ | 3,889 |
| 1980: | 5/ | 9,100 | 5/ | 35,000 | 5/ | 3,846 |
| 1981: | 5/ | 9,300 | 5/ | 35,300 | 5/ | 3,796 |
| 1982: 4/ | 5/ | 9,100 | 5/ | 35,300 | 5/ | 3,870 |
| U.S. 1982: 4/ | 5/ | 2,400,260 | 5/ | 1,038,730 | 5/ | 430 |

1/ Places of 10 or more acres that had annual sales of agricultural products of $50 or more and places of less than 10 acres that had annual sales of $250 or more. 2/ Places which had annual sales of agricultural products of $1000 or more. Series initiated with 1975. 3/ Data not available for periods blank. 4/ Preliminary. 5/ Series discontinued.

FARM REAL ESTATE VALUES




FARM REAL ESTATE TAX




Real estate value and taxes: Value of land and buildings and taxes levied on farm real estate, Wyoming 1971-82

| Year | Value of land and buildings | | Taxes levied on farm real estate 1/ | | |
|---|---|---|---|---|---|
| | Total | Average per acre | Total | Average per acre | Average taxes per $100 of full value |
| | Million dollars | Dollars | Million dollars | Dollars | Dollars |
| 1971 | 1,491 | 42 | 9.6 | .38 | .79 |
| 1972 | 1,704 | 48 | 10.4 | .41 | .74 |
| 1973 | 1,988 | 55 | 11.4 | .45 | .70 |
| 1974 | 2,556 | 70 | 11.5 | .45 | .55 |
| 1975 | 2,808 | 80 | 11.2 | .45 | .50 |
| 1976 | 3,436 | 98 | 11.9 | .48 | .43 |
| 1977 | 3,864 | 110 | 12.9 | .52 | .41 |
| 1978 | 4,232 | 121 | 12.4 | .50 | .35 |
| 1979 | 5,040 | 144 | 14.6 | .59 | .35 |
| 1980 | 5,357 | 153 | 15.6 | .63 | .35 |
| 1981 | 5,789 | 164 | 2/ | 2/ | 2/ |
| 1982 | 6,035 | 170 | 2/ | 2/ | 2/ |

1/ Taxes levied in specified year relate to values for the following year.
2/ Not available at time of publication.

## FARM AND RANCH INCOME




Realized gross income and net income from farming, Wyoming, 1971-81

| Year | Cash receipts from farm marketings | Government payments | Farm marketing plus government payments | Non-money income | Other farm income |
|---|---|---|---|---|---|
| | Million dollars | | | | |
| 1971 | 260.0 | 14.9 | 274.9 | 18.3 | 3.8 |
| 1972 | 335.6 | 20.6 | 356.2 | 20.8 | 4.1 |
| 1973 | 413.7 | 12.7 | 426.4 | 26.3 | 4.8 |
| 1974 | 351.6 | 4.8 | 356.4 | 31.8 | 5.7 |
| 1975 | 374.1 | 5.3 | 379.4 | 35.2 | 6.8 |
| 1976 | 396.9 | 7.1 | 404.0 | 37.3 | 7.5 |
| 1977 | 455.3 | 10.5 | 465.8 | 39.4 | 8.6 |
| 1978 | 550.7 | 17.3 | 568.0 | 47.2 | 9.4 |
| 1979 | 720.1 | 8.3 | 728.4 | 57.8 | 8.9 |
| 1980 | 665.5 | 7.3 | 672.8 | 61.6 | 9.0 |
| 1981 | 615.8 | 10.7 | 626.5 | 73.9 | 10.8 |

Realized gross income and net income from farming, Wyoming, 1971-81--Continued

| Year | Realized gross farm income | Farm production expenses | Net farm income before inventory adjustment | Net change in farm inventories | Total net income after inventory adjustment |
|---|---|---|---|---|---|
| | Million dollars | | | | |
| 1971 | 297.1 | 252.5 | 44.7 | 9.1 | 53.8 |
| 1972 | 381.1 | 284.1 | 97.0 | - .1 | 96.9 |
| 1973 | 457.6 | 333.9 | 123.7 | - 2.4 | 121.3 |
| 1974 | 393.9 | 354.9 | 39.0 | 16.3 | 55.4 |
| 1975 | 421.4 | 381.1 | 40.3 | -21.1 | 19.2 |
| 1976 | 448.8 | 433.9 | 14.8 | -12.7 | 2.1 |
| 1977 | 513.8 | 436.8 | 77.0 | -73.3 | 3.7 |
| 1978 | 624.6 | 586.6 | 38.0 | 17.3 | 55.3 |
| 1979 | 795.1 | 688.5 | 106.6 | -21.3 | 85.3 |
| 1980 | 743.4 | 699.7 | 43.7 | 4.5 | 48.2 |
| 1981 | 711.2 | 710.1 | 1.1 | 29.7 | 30.8 |

CASH RECEIPTS BY COMMODITIES




Cash Receipts by Commodities and Commodity Groups, Wyoming, 1976-1981

| Commodity | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 |
|---|---|---|---|---|---|---|
| | 1,000 dollars | | | | | |
| All Commodities | 396,891 | 455,432 | 550,658 | 720,084 | 665,516 | 615,800 |
| Livestock & products | 308,254 | 381,892 | 469,653 | 615,685 | 522,175 | 462,768 |
| Meat animals | 285,739 | 358,743 | 446,523 | 589,024 | 491,699 | 430,276 |
| Cattle & calves | 261,025 | 330,018 | 412,503 | 555,660 | 464,828 | 405,283 |
| Sheep & lambs | 21,185 | 25,613 | 30,232 | 29,561 | 22,713 | 20,254 |
| Hogs | 3,529 | 3,112 | 3,788 | 3,803 | 4,158 | 4,739 |
| Dairy products | 10,450 | 11,481 | 11,726 | 14,029 | 16,576 | 17,878 |
| Poultry & eggs | 1,208 | 1,011 | 718 | 484 | 440 | 295 |
| Eggs | 1,160 | 965 | 668 | 440 | 390 | 254 |
| Chickens | 18 | 15 | 15 | 9 | 15 | 6 |
| Misc. livestock | 10,857 | 10,657 | 10,686 | 12,148 | 13,460 | 14,319 |
| Wool | 7,672 | 7,725 | 7,738 | 8,660 | 9,899 | 10,353 |
| Other livestock 1/ | 3,185 | 2,932 | 2,948 | 3,488 | 3,561 | 3,966 |
| Crops | 88,637 | 73,540 | 81,005 | 104,399 | 143,341 | 153,032 |
| Food grains | 19,074 | 15,440 | 14,140 | 23,949 | 27,010 | 32,051 |
| Wheat | 18,964 | 15,345 | 14,076 | 23,889 | 26,935 | 32,051 |
| Rye | 110 | 95 | 64 | 60 | 75 | - |
| Feed crops | 30,914 | 25,117 | 27,544 | 31,108 | 41,140 | 41,659 |
| Hay | 16,980 | 13,288 | 12,374 | 18,088 | 22,216 | 23,280 |
| Barley | 10,975 | 8,820 | 11,805 | 9,663 | 14,732 | 12,081 |
| Oats | 1,251 | 851 | 1,189 | 1,187 | 902 | 1,025 |
| Corn | 1,708 | 2,158 | 2,176 | 2,170 | 3,290 | 5,273 |
| Vegetables | 11,195 | 10,648 | 10,643 | 13,491 | 21,669 | 25,203 |
| Dry beans | 6,631 | 7,111 | 6,821 | 9,756 | 14,229 | 18,206 |
| Potatoes | 4,477 | 3,383 | 3,708 | 3,621 | 7,340 | 6,907 |
| Misc. vegetables 2/ | 87 | 154 | 114 | 114 | 100 | 90 |
| All other crops | 27,454 | 22,335 | 28,678 | 35,851 | 53,522 | 54,119 |
| Sugar beets | 26,258 | 21,163 | 27,199 | 34,428 | 52,122 | 52,427 |
| Other crops 3/ | 1,196 | 1,172 | 1,479 | 1,423 | 1,400 | 1,692 |

1/ Other livestock equals miscellaneous livestock minus wool.
2/ Miscellaneous vegetables equals vegetables minus dry beans and potatoes.
3/ Other crops equals all other crops minus sugar beets.
4/ Census revisions not available.

Farm production expenses, Wyoming, 1971-81 1/

| Year | Feed | Livestock | Seed | Fertilizer and lime | Repairs & operation of capital items | Hired labor | Miscellaneous |
|---|---|---|---|---|---|---|---|
| | Million dollars | | | | | | |
| 1971 | 27.6 | 47.6 | 1.8 | 5.8 | 28.7 | 31.3 | 48.1 |
| 1972 | 32.4 | 60.7 | 1.9 | 6.8 | 25.3 | 32.5 | 51.8 |
| 1973 | 45.9 | 70.0 | 2.7 | 9.0 | 27.7 | 35.7 | 53.1 |
| 1974 | 43.7 | 48.4 | 3.7 | 13.1 | 36.2 | 40.0 | 65.5 |
| 1975 | 39.0 | 52.9 | 3.4 | 17.4 | 42.4 | 42.9 | 73.2 |
| 1976 | 47.4 | 80.8 | 4.2 | 11.5 | 47.9 | 42.9 | 77.7 |
| 1977 | 43.1 | 70.8 | 4.1 | 13.2 | 51.1 | 47.9 | 82.6 |
| 1978 | 51.9 | 158.5 | 10.7 | 14.9 | 66.6 | 49.6 | 92.6 |
| 1979 | 66.9 | 195.6 | 6.0 | 16.0 | 67.6 | 61.1 | 114.2 |
| 1980 | 66.4 | 143.1 | 6.8 | 18.7 | 79.5 | 66.5 | 130.3 |
| 1981 | 55.6 | 118.2 | 8.0 | 30.5 | 88.3 | 57.4 | 148.3 |

Farm production expenses, Wyoming, 1971-81--Continued

| Year | Total current farm operating expenses | Depreciation & other consumption of farm capital | Taxes on farm property | Interest on farm mortgage debt | Net rent to nonfarm landlords | Total production expenses |
|---|---|---|---|---|---|---|
| | Million dollars | | | | | |
| 1971 | 190.0 | 49.4 | 12.9 | 13.0 | 7.5 | 273.8 |
| 1972 | 211.6 | 34.9 | 14.8 | 16.4 | 11.2 | 288.8 |
| 1973 | 244.1 | 38.3 | 16.8 | 19.0 | 15.7 | 333.9 |
| 1974 | 250.6 | 47.9 | 16.8 | 22.1 | 17.6 | 354.9 |
| 1975 | 271.0 | 57.1 | 14.6 | 23.3 | 15.1 | 381.1 |
| 1976 | 312.4 | 63.5 | 15.3 | 26.8 | 15.9 | 433.9 |
| 1977 | 312.9 | 62.5 | 17.7 | 30.4 | 13.3 | 436.8 |
| 1978 | 444.8 | 72.4 | 15.8 | 35.1 | 18.4 | 586.6 |
| 1979 | 527.4 | 81.6 | 20.0 | 40.9 | 18.7 | 688.5 |
| 1980 | 511.3 | 93.0 | 21.3 | 48.9 | 25.0 | 699.7 |
| 1981 | 506.3 | 96.3 | 22.7 | 58.1 | 26.8 | 710.1 |

1/ Details may not add to totals due to rounding

Value of production by commodities, Wyoming, 1972-81

| Commodity | 1972 | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1,000 dollars | | | | | | | | | |
| All commodities | 347,173 | 469,011 | 418,287 | 408,290 | 423,003 | 384,817 | 535,701 | 633,596 | 678,364 | 1/ |
| Total livestock & products | 231,153 | 282,237 | 207,391 | 204,606 | 230,627 | 233,926 | 342,814 | 408,948 | 395,565 | 379,039 |
| Cattle & calves | 195,461 | 236,941 | 165,568 | 166,010 | 186,422 | 186,135 | 290,964 | 355,425 | 339,602 | 324,321 |
| Sheep & lambs | 17,627 | 16,004 | 16,225 | 16,872 | 18,336 | 21,988 | 25,731 | 24,766 | 23,121 | 19,263 |
| Wool | 5,300 | 13,337 | 9,447 | 5,434 | 7,672 | 7,725 | 7,738 | 8,660 | 9,899 | 10,353 |
| Hogs | 2,844 | 4,375 | 3,195 | 3,919 | 4,046 | 3,576 | 3,726 | 3,651 | 4,074 | 4,830 |
| Chickens | 17 | 45 | 15 | 17 | 22 | 15 | 11 | 8 | 22 | 7 |
| Eggs (gross income) | 952 | 1,335 | 1,313 | 1,368 | 1,138 | 896 | 603 | 527 | 482 | 403 |
| Honey | 568 | 905 | 1,321 | 1,339 | 1,634 | 1,315 | 1,141 | 1,750 | 1,601 | 1,774 |
| Milk (farm value) | 8,384 | 9,295 | 10,307 | 9,647 | 11,357 | 12,276 | 12,900 | 14,161 | 16,764 | 18,088 |
| Total crops | 116,020 | 186,774 | 210,896 | 203,684 | 192,376 | 150,891 | 192,887 | 224,648 | 282,799 | 1/ |
| Total crops (excluding sugar beets) | 95,507 | 150,624 | 159,190 | 172,414 | 166,118 | 123,560 | 165,688 | 190,220 | 230,677 | 240,350 |
| Corn-grain | 3,695 | 7,396 | 7,083 | 4,912 | 4,287 | 5,228 | 6,197 | 6,156 | 11,126 | 12,650 |
| All wheat | 14,471 | 27,325 | 29,628 | 29,896 | 18,261 | 12,077 | 20,788 | 22,088 | 32,027 | 28,662 |
| Oats | 2,200 | 3,180 | 3,161 | 3,547 | 3,993 | 2,403 | 4,234 | 3,318 | 4,475 | 4,820 |
| Barley | 7,838 | 12,669 | 17,810 | 18,508 | 18,833 | 16,261 | 21,924 | 22,533 | 25,849 | 28,281 |
| Rye | 102 | 154 | 95 | 106 | 131 | 74 | 84 | 70 | 108 | 2/ |
| All hay | 58,995 | 85,040 | 85,554 | 103,032 | 109,480 | 74,575 | 100,450 | 118,049 | 125,800 | 142,643 |
| Potatoes | 3,751 | 5,795 | 4,584 | 6,038 | 5,868 | 5,380 | 4,752 | 4,919 | 10,988 | 6,360 |
| Dry beans | 4,495 | 9,065 | 11,275 | 6,375 | 5,265 | 7,562 | 7,259 | 13,087 | 20,304 | 17,464 |
| Sugar beets | 20,513 | 36,150 | 51,706 | 31,270 | 26,258 | 27,331 | 27,199 | 34,428 | 52,122 | 1/ |

1/ Sugar beet average price not available until January 1983
2/ Estimates discontinued after 1980 crop

Farm labor: Number of family and hired workers on farms, by months, Wyoming, 1977-82

| Year | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Thousands | | | | | | | | | | | |
| | | | | | | Family Workers | | | | | | |
| 1977 | 10.0 | | | 8.0 | | 9.0 | | | | 7.0 | | |
| 1978 | 8.5 | | | 8.0 | | 12.0 | | | | 7.0 | | |
| 1979 | 7.0 | | | 8.5 | | 12.0 | | | | 6.0 | | |
| 1980 | 6.0 | | | 6.0 | | 8.5 | | | | 6.0 | | |
| 1981 | 10.0 | | | 6.0 | | 1/ | | | | 1/ | | |
| 1982 | 1/ | | | 1/ | | 3/ | | | | 1/ | | |
| | | | | | | Hired Workers | | | | | | |
| 1977 | 3.0 | | | 5.0 | | 8.0 | | | | 5.0 | | |
| 1978 | 3.5 | | | 4.0 | | 8.0 | | | | 5.0 | | |
| 1979 | 4.5 | | | 4.0 | | 9.0 | | | | 6.0 | | |
| 1980 | 5.0 | | | 4.0 | | 8.0 | | | | 6.0 | | |
| 1981 | 4.0 | | | 4.0 | | 1/ | | | | 1/ | | |
| 1982 | 1/ | | | 1/ | | 89.0 2/ | | | | 1/ | | |
| | | | | | | Total Workers | | | | | | |
| 1977 | 13.0 | | | 13.0 | | 17.0 | | | | 12.0 | | |
| 1978 | 12.0 | | | 12.0 | | 20.0 | | | | 12.0 | | |
| 1979 | 11.5 | | | 12.5 | | 21.0 | | | | 12.0 | | |
| 1980 | 11.0 | | | 10.0 | | 16.5 | | | | 12.0 | | |
| 1981 | 14.0 | | | 10.0 | | 1/ | | | | 1/ | | |
| 1982 | 1/ | | | 1/ | | 169.0 2/ | | | | 1/ | | |

1/ Quarterly farm labor surveys were discontinued following April 1981.
2/ An annual survey was conducted in July 1982. Data were published for the Intermountain region which includes: Wyoming, Arizona, Colorado, Idaho, Montana, Nevada, New Mexico and Utah.
3/ Family Worker data series were discontinued.

Average monthly and annual temperatures - Wyoming 1981

| Station | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Annual Average | Annual Change from normal |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NW Dist. | | | | | | | | | | | | | | |
| Basin | 29.3 | 28.4 | 41.0 | 50.1 | 53.0 | 68.5 | 72.2 | 71.8 | 62.0 | 44.8 | 37.0 | 23.5 | 48.9 | 2.7 |
| Cody | 33.1 | 29.8 | 38.9 | 46.4 | 52.1 | 60.7 | 67.4 | 68.1 | 60.7 | 43.6 | 40.9 | 28.2 | 47.5 | 1.7 |
| Lander A.P. | 28.5 | 27.2 | 39.3 | 48.4 | 52.4 | 64.8 | 71.2 | 69.7 | 62.3 | 43.7 | 37.7 | 27.1 | 47.7 | 3.3 |
| Lovell | 28.9 | 28.6 | 39.7 | 49.4 | 54.2 | 60.8 | 73.4 | 72.5 | 61.9 | 44.8 | 38.5 | 23.7 | 48.0 | 3.2 |
| Pavillion | 27.5 | 28.0 | 38.1 | 47.4 | 51.8 | 63.5 | 68.8 | 66.7 | 59.5 | 42.6 | 36.0 | 27.1 | 46.4 | 1.5 |
| Powell F. S. | 28.9 | 28.6 | 37.6 | 46.7 | 53.2 | 60.0 | 68.8 | 68.9 | 59.4 | 41.9 | 36.5 | 25.1 | - | - |
| Riverton | 25.0 | 26.3 | 37.9 | 48.7 | 53.0 | 64.3 | 71.4 | 69.4 | 60.8 | 42.0 | 34.2 | 22.8 | 46.3 | 3.1 |
| Thermopolis | 30.5 | 28.2 | 40.4 | 49.2 | 54.1 | 64.6 | 71.5 | 70.2 | 60.9 | 45.3 | 37.9 | 25.2 | 48.2 | 1.6 |
| Worland | 31.6 | 29.2 | 41.5 | 51.0 | 56.2 | 65.9 | 73.9 | 71.3 | 63.4 | 44.6 | 38.2 | 24.3 | 49.3 | 5.0 |
| NE Dist. | | | | | | | | | | | | | | |
| Alva | 28.8 | 25.8 | 34.9 | 46.0 | 50.4 | 57.9 | 67.3 | 63.6 | 56.8 | 42.9 | 35.5 | 23.4 | 44.4 | - |
| Buffalo | 29.5 | 24.6 | 36.1 | 47.1 | 50.7 | 61.0 | 71.1 | 67.6 | 60.8 | 41.6 | 37.6 | 24.5 | 46.0 | * |
| Gillette-2E | 33.2 | 28.7 | 38.5 | 49.4 | 52.7 | 61.9 | 71.6 | 68.3 | 62.3 | 45.5 | 39.5 | 26.5 | 48.2 | 3.1 |
| Kaycee | 32.3 | 29.7 | 38.6 | 49.0 | 52.9 | 63.6 | 73.3 | 69.5 | 61.8 | 46.0 | 39.7 | 27.0 | 48.6 | 4.2 |
| Moorcroft | 30.2 | 25.7 | 37.2 | 48.4 | 52.3 | 61.4 | 71.4 | 68.3 | 60.6 | 43.6 | 37.7 | 22.9 | 46.6 | - |
| Newcastle | 30.2 | 26.8 | 39.0 | 51.1 | 54.4 | 66.7 | 73.8 | 69.7 | 63.8 | 46.2 | 38.9 | 25.1 | 48.8 | 2.1 |
| Recluse | 30.3 | 27.0 | 37.0 | 48.0 | 53.8 | 61.0 | 71.8 | 68.7 | 58.9 | 41.6 | 32.3 | 20.1 | 45.9 | * |
| Sheridan F. S. | 31.1 | 27.4 | 36.6 | 47.5 | 52.8 | 62.0 | 69.6 | 68.3 | 60.6 | 41.9 | 38.9 | 24.2 | 46.7 | 2.4 |
| Sundance | 32.4 | 25.7 | 38.0 | 48.3 | 51.7 | 61.2 | 70.2 | 66.6 | 61.7 | 44.2 | 38.7 | 24.5 | 46.9 | 3.3 |
| West Dist. | | | | | | | | | | | | | | |
| Afton | 20.0 | 22.9 | 32.1 | 41.5 | 46.0 | 54.7 | 57.4 | 57.3 | 49.2 | 38.5 | 30.2 | 20.6 | 39.2 | 1.2 |
| Border 3N | 21.2 | 23.1 | 35.2 | 44.9 | 49.1 | 57.0 | 63.8 | 64.0 | 56.3 | 41.0 | 32.5 | 23.2 | 42.6 | 4.7 |
| Evanston | 27.9 | 27.4 | 32.4 | 42.7 | 47.0 | 57.5 | 63.9 | 64.2 | 56.9 | 40.1 | 35.0 | 27.7 | 43.6 | 4.2 |
| Jackson | 21.3 | 26.4 | 33.1 | 41.4 | 47.3 | 55.5 | 61.5 | 61.1 | 53.7 | 39.5 | 31.1 | 26.0 | 41.5 | 3.8 |
| Kemmerer | 25.0 | 22.9 | 31.4 | 41.0 | 45.4 | 55.7 | 61.8 | 61.5 | 53.2 | 36.5 | 30.4 | 22.0 | 40.6 | 1.4 |
| Moran | 18.7 | 21.0 | 28.3 | 37.6 | 44.7 | 52.5 | 59.3 | 60.0 | 52.1 | 36.3 | 26.6 | 17.6 | 37.9 | 3.0 |
| Mountain View | 26.2 | 30.2 | 34.2 | 44.7 | 47.7 | 59.9 | 64.5 | 63.6 | 57.0 | 41.1 | 34.1 | 27.6 | 44.2 | * |
| Pinedale | 24.8 | 23.3 | 31.9 | 40.0 | 45.0 | 53.5 | 60.1 | 59.5 | 52.6 | 37.2 | 29.4 | 18.0 | 39.6 | 4.1 |
| SC Dist. | | | | | | | | | | | | | | |
| Casper A. P. | 31.4 | 29.9 | 38.0 | 48.3 | 51.4 | 64.3 | 71.8 | 69.2 | 62.0 | 44.4 | 39.0 | 27.3 | 48.1 | 2.6 |
| Farson | 21.0 | 22.4 | 31.5 | 40.7 | 46.6 | 57.0 | 61.4 | 58.7 | 50.1 | 33.5 | 24.2 | 12.7 | 38.3 | 1.4 |
| Green River | 24.1 | 27.3 | 35.2 | 45.1 | 49.8 | 60.0 | 64.6 | 64.4 | 56.7 | 40.3 | 33.2 | 24.4 | 43.8 | .5 |
| Laramie A. P. | 25.4 | 26.8 | 29.1 | 44.1 | 44.6 | 59.6 | 63.5 | 60.5 | 56.0 | 40.9 | 34.4 | 25.4 | 42.5 | 1.6 |
| Rawlins A. P. | 28.7 | 27.6 | 34.0 | 46.2 | 48.0 | 62.7 | 67.8 | 65.2 | 59.6 | 42.1 | 35.8 | 27.7 | 45.5 | - |
| Rock Springs A. P. | 27.3 | 28.0 | 34.6 | 45.5 | 48.9 | 61.9 | 67.5 | 65.1 | 58.2 | 39.8 | 33.5 | 27.6 | 44.8 | 2.3 |
| Saratoga | 28.2 | 28.4 | 35.1 | 46.7 | 49.0 | 62.3 | 66.6 | 64.5 | 60.0 | 43.0 | 35.3 | 28.1 | 45.6 | 3.1 |
| Wamsutter | - | - | - | 40.9 | 46.3 | 59.7 | 66.1 | 64.1 | 59.2 | 41.0 | 33.6 | 24.4 | - | - |
| SE Dist. | | | | | | | | | | | | | | |
| Albin | 32.7 | 31.7 | 38.2 | 50.7 | 51.7 | 65.6 | 70.7 | 67.6 | 63.1 | 48.0 | 41.8 | 31.8 | 49.5 | 2.7 |
| Carpenter-3E | 31.1 | 29.3 | 37.1 | 49.8 | 50.8 | 64.7 | 70.0 | 66.2 | 62.0 | 46.9 | 40.2 | 29.5 | 48.1 | - |
| Cheyenne A. P. | 33.4 | 32.2 | 36.8 | 50.1 | 50.5 | 63.7 | 69.0 | 65.2 | 61.2 | 46.1 | 40.7 | 30.7 | 48.3 | 2.4 |
| Chugwater | 33.7 | 32.1 | 38.0 | 50.9 | 51.9 | 65.5 | 70.3 | 68.6 | 62.0 | 49.0 | 41.8 | 32.9 | 49.7 | 3.2 |
| Douglas | 30.1 | 29.6 | 38.3 | 50.1 | 51.7 | 65.2 | 71.8 | 68.3 | 61.4 | 45.8 | 40.2 | 28.5 | 48.4 | - |
| Lagrange | 32.0 | 31.1 | 38.3 | 51.4 | 51.7 | 65.3 | 71.4 | 68.2 | 62.2 | 47.4 | 40.6 | 32.0 | 49.3 | 1.3 |
| Torrington | 29.0 | 29.0 | 38.7 | 50.9 | 53.4 | 66.8 | 71.3 | 67.6 | 61.4 | 46.7 | 40.1 | 27.8 | 48.6 | .3 |
| Wheatland-4N | 32.3 | 32.7 | 40.4 | 52.7 | 53.6 | 67.4 | 73.5 | 68.5 | 63.0 | 49.7 | 44.0 | 33.1 | 50.9 | 1.8 |
| Average for river drainage areas | | | | | | | | | | | | | | |
| Yellowstone | 24.6 | 21.7 | 32.0 | 39.1 | 47.1 | 53.1 | 62.3 | 61.8 | 54.9 | 38.8 | 34.0 | 21.6 | 40.9 | 3.2 |
| Snake | 19.1 | 20.7 | 29.4 | 38.0 | 44.0 | 51.7 | 58.1 | 57.9 | 51.2 | 36.1 | 27.2 | 18.2 | 37.6 | .5 |
| Green & Bear | 24.2 | 24.7 | 32.7 | 42.2 | 46.9 | 57.3 | 63.2 | 62.3 | 55.1 | 38.5 | 31.6 | 22.3 | 41.8 | 2.4 |
| Big Horn | 31.2 | 28.3 | 38.6 | 47.2 | 51.7 | 60.8 | 69.0 | 68.6 | 60.1 | 42.8 | 37.8 | 25.4 | 46.8 | 2.0 |
| Powder, Little Mo. & Tongue | 31.0 | 27.2 | 37.1 | 47.1 | 51.1 | 61.9 | 70.8 | 69.1 | 60.5 | 43.1 | 37.3 | 24.6 | 46.7 | 2.3 |
| Belle Fourche | 31.3 | 26.9 | 37.6 | 48.6 | 52.5 | 61.7 | 71.1 | 67.8 | 60.8 | 44.5 | 38.3 | 24.5 | 47.1 | 2.7 |
| Cheyenne & Niobrara | 30.5 | 27.2 | 38.0 | 50.4 | 52.9 | 66.2 | 73.3 | 68.9 | 62.8 | 47.1 | 38.7 | 25.4 | 48.5 | 2.9 |
| Lower Platte | 32.1 | 31.0 | 37.9 | 50.4 | 51.4 | 65.1 | 70.7 | 67.2 | 61.6 | 46.8 | 40.7 | 30.1 | 48.8 | 2.3 |
| Wind River | 27.8 | 27.8 | 38.6 | 48.2 | 52.6 | 63.2 | 69.3 | 67.3 | 60.3 | 42.9 | 36.5 | 26.1 | 46.7 | 2.9 |
| Upper Platte | 28.6 | 27.5 | 33.4 | 45.9 | 47.6 | 61.2 | 65.8 | 63.3 | 58.2 | 42.1 | 35.8 | 26.8 | 44.7 | 3.5 |

Source: Climatological Data, U. S. Dept. of Commerce, NOAA, Environmental Service.
*Unavailable - Missing

Total monthly and annual precipitation, by selected stations, Wyoming, 1981

| Station | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Annual Total | Annual Change from normal |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NW Dist. | | | | | | | | | | | | | | |
| Basin | .04 | .03 | .62 | .18 | 2.74 | .30 | .43 | 1.06 | .33 | 1.09 | T | .59 | 7.41 | .94 |
| Cody | .04 | .53 | .42 | .59 | 4.00 | .69 | 1.23 | .29 | .38 | .68 | .09 | .40 | 9.34 | - .29 |
| Lander A. P. | .67 | .27 | 1.98 | 1.11 | 3.20 | .04 | .88 | .92 | .61 | .61 | .05 | .05 | 10.39 | -3.45 |
| Lovell | .12 | .34 | .66 | .64 | 3.60 | .60 | .26 | .16 | .20 | 1.01 | .01 | .08 | 7.68 | .73 |
| Pavillion | .20 | .06 | .56 | .61 | 2.92 | T | 1.26 | .42 | .20 | .51 | T | T | 6.74 | -2.08 |
| Powell F. S. | .08 | .18 | .30 | .47 | 3.65 | .40 | .22 | .08 | .16 | .31 | .12 | .06 | 6.03 | * |
| Riverton | .18 | .25 | .74 | 1.00 | 1.40 | .12 | .42 | .30 | 1.16 | .62 | .01 | T | 6.20 | -2.36 |
| Thermopolis | .57 | .57 | 2.40 | .43 | 5.53 | .65 | 1.60 | .56 | 1.11 | .84 | .11 | .40 | 14.77 | 3.60 |
| Worland | .06 | .22 | .93 | .25 | 2.87 | .54 | 1.00 | .32 | .74 | 1.22 | .03 | .49 | 8.67 | 1.27 |
| NE Dist. | | | | | | | | | | | | | | |
| Alva | .54 | .34 | .27 | .79 | 4.34 | 2.53 | 4.40 | 2.27 | 1.37 | 1.98 | .46 | .48 | 19.77 | * |
| Buffalo | .06 | .52 | .64 | .16 | 5.99 | .66 | 1.77 | .55 | .62 | .49 | T | .35 | 11.81 | * |
| Gillette-2E | .10 | .33 | .43 | .20 | 3.85 | 1.51 | 3.46 | 1.21 | .45 | 1.24 | .05 | .62 | 13.45 | -2.33 |
| Kaycee | .30 | .33 | 1.35 | .52 | 4.91 | 1.13 | 1.12 | .84 | .37 | .81 | .46 | .55 | 12.69 | 1.14 |
| Moorcroft | .21 | .40 | .33 | .69 | 2.23 | 1.92 | 3.93 | .52 | .26 | 2.08 | .11 | .42 | 13.10 | * |
| Newcastle | .17 | .25 | .41 | .64 | 3.06 | .44 | 3.94 | 2.65 | .40 | .90 | .31 | .83 | 14.00 | - .10 |
| Recluse | .05 | .25 | .38 | .08 | 3.50 | 3.41 | 3.91 | .58 | .68 | .92 | .02 | .18 | 13.96 | * |
| Sheridan F. S. | .28 | .53 | 1.04 | .19 | 3.84 | 2.72 | 2.78 | .82 | .88 | .98 | .10 | .50 | 14.66 | -1.23 |
| Sundance | .31 | .19 | .15 | .42 | 3.06 | 2.93 | 4.89 | 1.27 | .62 | .96 | .24 | .58 | 15.62 | -1.79 |
| West Dist. | | | | | | | | | | | | | | |
| Afton | 1.36 | .62 | 1.49 | .95 | 5.48 | 1.60 | .52 | .65 | .34 | 3.26 | 1.62 | 2.97 | 20.86 | 2.39 |
| Border 3N | .93 | .35 | 1.52 | .40 | 3.57 | .58 | .66 | .46 | .38 | 2.66 | 1.14 | 2.11 | 14.76 | .98 |
| Evanston | .46 | .41 | 2.40 | .59 | 2.23 | .75 | .48 | .07 | .94 | 2.68 | .52 | .90 | 12.43 | 1.45 |
| Jackson | .70 | .41 | .55 | 1.24 | 4.09 | 1.57 | .39 | .85 | .23 | 1.70 | 2.45 | 2.51 | 16.69 | 1.47 |
| Kemmerer | .29 | .31 | 1.31 | .56 | 1.97 | .15 | .75 | .13 | .37 | 1.78 | 1.18 | 1.58 | 10.38 | .85 |
| Moran | .83 | 1.36 | 1.15 | 2.13 | 3.11 | 2.33 | .60 | .34 | .42 | 2.14 | 3.86 | 5.93 | 24.20 | 1.82 |
| Mountain View | .15 | .13 | .23 | .27 | 1.83 | .02 | .54 | .65 | .75 | 1.19 | .50 | .24 | 6.50 | * |
| Pinedale | .59 | .23 | .82 | .68 | 3.49 | .25 | .69 | .61 | .20 | 2.03 | .80 | 1.06 | 11.45 | .22 |
| SC Dist. | | | | | | | | | | | | | | |
| Casper A. P. | .46 | .23 | .77 | 1.56 | 3.51 | .37 | 1.27 | .50 | .23 | .76 | .75 | .43 | 10.84 | - .38 |
| Farson | .28 | .10 | 1.25 | .76 | 2.67 | .04 | 1.18 | .12 | .51 | 1.09 | .30 | .31 | 8.61 | 1.00 |
| Green River | .19 | .09 | .51 | .35 | 1.59 | .01 | .58 | .02 | .72 | 1.25 | .26 | 1.18 | 6.75 | -1.79 |
| Laramie A. P. | .32 | .09 | .79 | .84 | 3.32 | .60 | 1.85 | 1.39 | .28 | 1.04 | .16 | .48 | 11.16 | 1.10 |
| Rawlins A. P. | .15 | .12 | 1.17 | .57 | 2.91 | T | 2.56 | .68 | .52 | 2.06 | .52 | .54 | 11.80 | * |
| Rock Springs A. P. | .43 | .18 | .65 | .66 | 3.54 | .13 | 1.19 | .71 | .57 | 1.38 | .59 | 1.00 | 11.03 | 2.24 |
| Saratoga | .12 | .22 | .59 | .72 | 3.02 | T | 1.46 | .76 | .53 | 1.60 | .41 | .33 | 9.76 | .18 |
| Wamsutter | .04 | .16 | .51 | .12 | 1.92 | .00 | 1.66 | .27 | .46 | 1.74 | .50 | .39 | 7.77 | * |
| SE Dist. | | | | | | | | | | | | | | |
| Albin | .53 | .36 | 1.00 | 1.69 | 4.95 | 1.84 | 4.46 | 2.69 | 1.46 | .94 | .05 | .23 | 20.20 | 1.98 |
| Carpenter-3E | .18 | .24 | 1.23 | .55 | 5.37 | 1.25 | 3.20 | 1.91 | .65 | .49 | T | .20 | 15.27 | * |
| Cheyenne A. P. | .30 | .20 | .70 | .73 | 5.67 | 1.66 | 2.85 | 2.90 | .31 | .85 | .09 | .45 | 16.71 | 2.06 |
| Chugwater | .24 | .32 | 1.04 | 1.45 | 4.58 | 1.61 | 3.49 | 1.51 | .68 | .75 | .25 | .38 | 16.30 | - .08 |
| Douglas | .12 | .17 | .82 | 1.25 | 3.28 | .29 | 1.80 | .40 | .11 | .46 | .58 | .14 | 9.42 | * |
| Lagrange | .44 | .35 | .76 | 1.32 | 4.68 | 2.31 | 2.92 | 1.21 | .64 | .67 | .20 | .24 | 15.74 | .27 |
| Torrington | .44 | .09 | .35 | 1.60 | 3.33 | 1.38 | 3.07 | 1.99 | .59 | .60 | .50 | .13 | 14.07 | .14 |
| Wheatland-4N | .04 | .07 | 1.02 | .96 | 4.09 | .63 | 3.29 | 1.32 | .35 | .91 | .19 | .21 | 13.08 | .61 |
| Average for river drainage areas | | | | | | | | | | | | | | |
| Yellowstone | .31 | 1.02 | .59 | .83 | 3.79 | 2.52 | .65 | .55 | .85 | 1.26 | 1.35 | 1.47 | 15.19 | -1.07 |
| Snake | 1.08 | 1.07 | 1.18 | 1.62 | 4.43 | 2.40 | .84 | .58 | .47 | 2.19 | 2.61 | 3.75 | 22.22 | - .25 |
| Green & Bear | .36 | .18 | .86 | .62 | 2.76 | .33 | .85 | .33 | .48 | 1.85 | .69 | 1.02 | 10.33 | .14 |
| Big Horn | .20 | .40 | 1.06 | .46 | 4.36 | .82 | 1.21 | .49 | .53 | .94 | .19 | .58 | 11.24 | 1.88 |
| Powder, Little Mo. & Tongue | .20 | .43 | .93 | .35 | 4.47 | 1.52 | 2.36 | .72 | .70 | .99 | .24 | .49 | 13.40 | - .93 |
| Belle Fourche | .25 | .45 | .38 | .46 | 3.41 | 2.04 | 4.22 | 1.42 | .61 | 1.34 | .19 | .55 | 15.32 | - .97 |
| Cheyenne & Niobrara | .16 | .20 | .45 | 1.08 | 3.41 | .62 | 3.52 | 1.30 | .34 | 1.24 | .19 | .56 | 13.07 | - .73 |
| Lower Platte | .26 | .22 | .81 | 1.18 | 4.66 | 1.16 | 3.12 | 1.62 | .61 | .80 | .30 | .31 | 15.05 | .79 |
| Wind River | .31 | .15 | 1.00 | .76 | 2.90 | .29 | 1.03 | .85 | .71 | .59 | .12 | .11 | 8.82 | -1.72 |
| Upper Platte | .21 | .23 | 1.07 | .97 | 3.65 | .33 | 1.75 | 1.03 | .67 | 1.29 | .44 | .65 | 12.29 | .34 |

Source: Climatological Data, U. S. Dept. of Commerce, NOAA, Environmental Service.
* = Unavailable
T = Trace

Temperature extremes and freeze data - Wyoming 1981

| Station | Highest | Date | Lowest | Date | Last spring minimum of 28° or below: Date | Temp. | Last spring minimum of 32° or below: Date | Temp. | Last fall minimum of 32° or below: Date | Temp. | Last fall minimum of 28° or below: Date | Temp. | No. of days between days 28° or below | No. of days between days 32° or below |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NW Dist. | | | | | | | | | | | | | | |
| Basin | 110 | 6/30 | -19 | 2/10 | 5/8 | 28 | 5/12 | 30 | 10/1 | 30 | 10/6 | 27 | 151 | 142 |
| Cody | 94 | 7/5 | -22 | 2/10 | 5/12 | 28 | 5/12 | 28 | 9/26 | 31 | 10/5 | 27 | 146 | 137 |
| Lander A.P. | 95 | 7/6 | -18 | 2/10 | 4/14 | 27 | 5/8 | 31 | 9/26 | 31 | 10/9 | 28 | 178 | 141 |
| Lovell | 102 | 7/16 | -20 | 2/10 | 4/15 | 26 | 5/12 | 31 | 9/23 | 32 | 10/6 | 25 | 174 | 134 |
| Pavillion | 94 | 7/6 | -21 | 2/10 | 4/22 | 28 | 5/14 | 29 | 10/5 | 29 | 10/15 | 22 | 176 | 144 |
| Powell F.S. | 97 | 7/7 | -21 | 2/10 | 4/21 | 24 | 5/12 | 31 | 9/25 | 32 | 10/2 | 23 | 164 | 136 |
| Riverton | 101 | 7/7 | - 5 | 12/29 | 5/8 | 28 | 5/19 | 32 | 9/22 | 32 | 10/5 | 28 | 150 | 126 |
| Worland A.P. | 104 | 7/7 | -11 | 2/11+ | 4/15 | 28 | 5/8 | 32 | 10/6 | 30 | 10/15 | 28 | 183 | 151 |
| NE Dist. | | | | | | | | | | | | | | |
| Alva | 102 | 7/6 | -22 | 2/10 | 5/10 | 27 | 6/18 | 31 | 9/1 | 32 | 9/16 | 28 | 129 | 75 |
| Buffalo | 104 | 7/6 | -24 | 2/10 | 4/14 | 24 | 5/23 | 30 | 9/27 | 30 | 10/6 | 24 | 175 | 127 |
| Gillette 2E | 107 | 7/6 | -22 | 2/10 | 4/14 | 22 | 5/12 | 30 | 9/27 | 30 | 10/6 | 25 | 175 | 138 |
| Kaycee | 105 | 7/6 | -22 | 2/10 | 5/12 | 28 | 5/14 | 31 | 9/26 | 32 | 9/27 | 28 | 138 | 135 |
| Moorcroft | 106 | 7/7 | -25 | 2/11+ | 5/30 | 28 | 5/30 | 28 | 9/27 | 29 | 10/9 | 27 | 132 | 120 |
| Newcastle | 104 | 7/7+ | -19 | 2/10 | 4/14 | 23 | 5/14 | 32 | 10/6 | 32 | 10/21 | 18 | 190 | 145 |
| Recluse | 109 | 7/6 | -29 | 2/10 | 5/24 | 28 | 5/24 | 28 | 9/17 | 32 | 9/22 | 28 | 121 | 116 |
| Sheridan F.S. | 101 | 7/6 | -29 | 2/10 | 4/15 | 23 | 5/26 | 30 | 9/16 | 32 | 10/1 | 28 | 169 | 113 |
| Sundance | 101 | 7/7+ | -24 | 2/10 | 4/14 | 20 | 5/14 | 32 | 9/27 | 30 | 10/18 | 25 | 187 | 136 |
| West Dist. | | | | | | | | | | | | | | |
| Afton | 86 | 6/30+ | -18 | 2/4 | 6/18 | 28 | 6/29 | 32 | 7/8 | 26 | 7/8 | 26 | 20 | 9 |
| Border 3N | 90 | 8/28+ | -17 | 2/11 | 6/15 | 25 | 6/16 | 30 | 7/8 | 32 | 9/22 | 28 | 99 | 22 |
| Evanston | 92 | 6/25 | -10 | 12/24 | 6/15 | 26 | - | - | 9/1 | 30 | 9/26 | 22 | 103 | - |
| Jackson | 98 | 8/19 | -23 | 2/10 | 5/16 | 24 | 6/25 | 31 | 7/8 | 32 | 8/23 | 25 | 99 | 13 |
| Kemmerer | 90 | 7/5+ | -10 | 2/11 | 6/15 | 24 | 6/17 | 32 | 8/31 | 30 | 9/1 | 25 | 76 | 75 |
| Moran | 88 | 8/18 | -26 | 2/10 | 5/14 | 26 | 6/18 | 31 | 7/8 | 29 | 9/1 | 27 | 110 | 20 |
| Mountain View | 88 | 7/5 | -5 | 2/10 | 5/13 | 24 | 6/15 | 32 | 9/26 | 23 | 9/26 | 23 | 136 | 103 |
| Pinedale | 87 | 7/5 | -19 | 12/31 | 6/16 | 26 | 6/24 | 32 | 7/8 | 27 | 7/8 | 27 | 22 | 14 |
| SC Dist. | | | | | | | | | | | | | | |
| Casper A.P. | 101 | 7/6 | -19 | 2/10 | 4/14 | 24 | 5/19 | 32 | 9/27 | 28 | 9/27 | 28 | 166 | 131 |
| Farson | 89 | 7/21+ | -36 | 12/31+ | 6/16 | 26 | 6/24 | 30 | 7/8 | 32 | 8/23 | 28 | 68 | 14 |
| Green River | 93 | 8/3 | -14 | 12/28 | 5/14 | 27 | 6/16 | 30 | 9/1 | 32 | 9/26 | 26 | 135 | 77 |
| Laramie A.P. | 90 | 7/6 | -16 | 2/10 | 5/10 | 26 | 6/16 | 31 | 9/17 | 29 | 10/1 | 22 | 144 | 93 |
| Rawlins A.P. | 92 | 7/6 | -15 | 2/10 | 5/14 | 28 | 6/15 | 32 | 9/26 | 31 | 10/1 | 25 | 140 | 103 |
| Rock Springs A.P. | 89 | 7/20+ | -1 | 2/10 | 5/7 | 27 | 5/14 | 32 | 9/26 | 29 | 10/9 | 25 | 155 | 135 |
| Saratoga | 94 | 7/7 | -12 | 2/10 | 5/12 | 28 | 6/15 | 32 | 9/18 | 32 | 10/1 | 25 | 142 | 95 |
| Wamsutter | 91 | 8/6+ | -17 | 2/10 | 5/13 | 28 | 6/16 | 29 | 9/17 | 29 | 9/26 | 25 | 136 | 93 |
| SE Dist. | | | | | | | | | | | | | | |
| Albin | 97 | 7/11 | -15 | 2/11+ | 4/14 | 27 | 5/12 | 32 | 10/1 | 32 | 10/21 | 26 | 190 | 142 |
| Carpenter | 103 | 7/11 | -20 | 2/11 | 5/10 | 28 | 6/16 | 32 | 9/17 | 30 | 10/1 | 28 | 144 | 93 |
| Cheyenne A.P. | 95 | 7/7 | -16 | 2/10 | 4/9 | 28 | 4/23 | 31 | 10/18 | 32 | 10/21 | 27 | 195 | 178 |
| Chugwater | 101 | 7/6 | -13 | 2/10 | 5/12 | 28 | 6/16 | 32 | 9/17 | 30 | 9/27 | 28 | 138 | 93 |
| Lagrange | 100 | 7/11+ | -17 | 2/11 | 4/14 | 26 | 6/15 | 32 | 10/1 | 29 | 10/6 | 28 | 175 | 108 |
| Torrington | 101 | 7/12 | -24 | 2/11 | 4/21 | 28 | 5/14 | 32 | 9/17 | 32 | 9/30 | 27 | 162 | 126 |
| Wheatland 4N | 105 | 7/6 | -17 | 2/11 | 4/5 | 20 | 5/12 | 30 | 9/17 | 31 | 10/1 | 26 | 179 | 128 |

Source: Climatological Data, U. S. Dept. of Commerce, NOAA, Environmental Service

+ = Also on earlier date



## SPRING FREEZE HAZARD TABLE

NOTE: Persons using this table should establish the temperature relationship between one or two of the nearest stations listed and their own locale. This is because the generally rough terrain of Wyoming produces many variations in climate from one point to the next.

PROBABILITY OF TEMPERATURE DROPPING TO 32° AND 28° AFTER DATE SHOWN

| STATION | 32° | | | | | 28° | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 |
| Afton | * | | | | | * | | | | |
| Basin | 6/3 | 5/29 | 5/23 | 5/17 | 5/12 | 5/19 | 5/14 | 5/8 | 5/2 | 4/27 |
| Boysen Dam | 5/27 | 5/22 | 5/17 | 5/11 | 5/5 | 5/13 | 5/8 | 5/2 | 4/27 | 4/21 |
| Casper AP | 6/5 | 6/1 | 5/27 | 5/22 | 5/18 | 5/24 | 5/20 | 5/15 | 5/10 | 5/5 |
| Cheyenne | 6/14 | 6/9 | 6/3 | 5/28 | 5/23 | 6/2 | 5/28 | 5/22 | 5/16 | 5/11 |
| Chugwater | 6/27 | 6/22 | 6/15 | 6/9 | 6/3 | 6/10 | 6/5 | 5/29 | 5/23 | 5/17 |
| Cody AP | 6/12 | 6/7 | 6/2 | 5/27 | 5/22 | 5/30 | 5/25 | 5/20 | 5/14 | 5/9 |
| Colony | 6/4 | 5/30 | 5/25 | 5/19 | 5/14 | 5/22 | 5/17 | 5/12 | 5/6 | 5/1 |
| Diversion Dam | 6/13 | 6/8 | 6/3 | 5/29 | 5/24 | 5/27 | 5/22 | 5/17 | 5/12 | 5/7 |
| Dixon | 7/3 | 6/28 | 6/22 | 6/15 | 6/10 | 6/20 | 6/15 | 6/9 | 6/2 | 5/28 |
| Douglas | 6/13 | 6/8 | 6/2 | 5/27 | 5/21 | 5/30 | 5/25 | 5/19 | 5/12 | 5/7 |
| Dubois | * | | | | | 6/29 | 6/24 | 6/17 | 6/11 | 6/6 |
| Dull Center | 6/8 | 6/4 | 5/29 | 5/24 | 5/19 | 5/26 | 5/22 | 5/16 | 5/11 | 5/6 |
| Evanston-1E | * | | | | | 7/4 | 6/29 | 6/22 | 6/15 | 6/9 |
| Farson | * | | | | | 6/30 | 6/24 | 6/18 | 6/12 | 6/6 |
| Ft. Washakie | 7/1 | 6/26 | 6/19 | 6/13 | 6/7 | 6/9 | 6/3 | 5/28 | 5/21 | 5/16 |
| Gillette-2E | 6/11 | 6/7 | 6/1 | 5/26 | 5/21 | 5/26 | 5/21 | 5/16 | 5/10 | 5/5 |
| Green River | 6/27 | 6/22 | 6/15 | 6/9 | 6/3 | 6/10 | 6/5 | 5/29 | 5/23 | 5/17 |
| Kaycee | 6/18 | 6/13 | 6/8 | 6/3 | 5/29 | 6/2 | 5/28 | 5/23 | 5/18 | 5/13 |
| Kemmerer | * | | | | | 6/21 | 6/16 | 6/10 | 6/3 | 5/28 |
| Kirtley | 6/20 | 6/15 | 6/9 | 6/3 | 5/29 | 6/2 | 5/28 | 5/22 | 5/16 | 5/11 |
| Lagrange | 6/18 | 6/13 | 6/6 | 5/30 | 5/24 | 6/6 | 5/31 | 5/25 | 5/18 | 5/12 |
| Lander | 6/10 | 6/5 | 5/31 | 5/25 | 5/20 | 5/25 | 5/20 | 5/15 | 5/9 | 5/4 |
| Laramie | 6/19 | 6/14 | 6/9 | 6/3 | 5/29 | 6/6 | 6/1 | 5/27 | 5/21 | 5/16 |
| Leo-6SW | 7/1 | 6/25 | 6/19 | 6/13 | 6/7 | 6/13 | 6/7 | 6/1 | 5/26 | 5/20 |
| Lookout-14NE | 6/23 | 6/19 | 6/13 | 6/8 | 6/3 | 6/10 | 6/6 | 5/31 | 5/26 | 5/21 |
| Lovell | 6/2 | 5/29 | 5/24 | 5/18 | 5/14 | 5/22 | 5/18 | 5/13 | 5/8 | 5/3 |
| Lusk | 6/17 | 6/12 | 6/6 | 5/31 | 5/26 | 6/4 | 5/30 | 5/24 | 5/18 | 5/13 |
| Marshall-7SW | * | | | | | 7/5 | 6/29 | 6/23 | 6/16 | 6/10 |
| Metz Ranch | 6/9 | 6/5 | 5/30 | 5/25 | 5/20 | 5/31 | 5/27 | 5/21 | 5/16 | 5/11 |
| Midwest | 6/7 | 6/2 | 5/28 | 5/22 | 5/17 | 5/25 | 5/21 | 5/15 | 5/10 | 5/5 |
| Moose-3NW | * | | | | | * | | | | |
| Moran-5WNW | * | | | | | * | | | | |
| Newcastle | 6/6 | 6/2 | 5/27 | 5/21 | 5/16 | 5/27 | 5/22 | 5/16 | 5/10 | 5/5 |

SPRING FREEZE HAZARD TABLE--CONTINUED

PROBABILITY OF TEMPERATURE DROPPING TO 32° AND 28° AFTER DATE SHOWN

| STATION | 32° | | | | | 28° | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 |
| Pavillion | 6/3 | 5/30 | 5/25 | 5/20 | 5/15 | 5/24 | 5/20 | 5/15 | 5/10 | 5/5 |
| Pine Bluffs | 6/10 | 6/6 | 5/31 | 5/26 | 5/21 | 5/27 | 5/23 | 5/17 | 5/12 | 5/7 |
| Pinedale | * | | | | | * | | | | |
| Powell | 6/9 | 6/4 | 5/29 | 5/23 | 5/18 | 5/24 | 5/20 | 5/14 | 5/8 | 5/3 |
| Riverton | 6/10 | 6/6 | 6/1 | 5/27 | 5/22 | 5/28 | 5/24 | 5/19 | 5/14 | 5/9 |
| Rock Springs AP | 6/15 | 6/11 | 6/6 | 6/1 | 5/27 | 5/30 | 5/26 | 5/21 | 5/16 | 5/11 |
| Rocky Pt.-2SW | 6/13 | 6/8 | 6/2 | 5/27 | 5/22 | 6/4 | 5/30 | 5/24 | 5/18 | 5/13 |
| Ross | 6/17 | 6/13 | 6/7 | 6/1 | 5/27 | 5/28 | 5/24 | 5/18 | 5/12 | 5/7 |
| Saratoga | 7/1 | 6/27 | 6/21 | 6/15 | 6/10 | 6/16 | 6/12 | 6/6 | 5/31 | 5/26 |
| Sheridan Field Stn. | 6/11 | 6/6 | 5/31 | 5/26 | 5/21 | 5/25 | 5/20 | 5/15 | 5/9 | 5/4 |
| So. Pass City | * | | | | | * | | | | |
| Sundance | 6/22 | 6/17 | 6/12 | 6/5 | 5/31 | 6/6 | 6/1 | 5/26 | 5/20 | 5/15 |
| Thermopolis | 6/11 | 6/7 | 6/1 | 5/27 | 5/22 | 5/25 | 5/21 | 5/15 | 5/10 | 5/5 |
| Torrington | 6/8 | 6/3 | 5/29 | 5/23 | 5/18 | 5/27 | 5/22 | 5/17 | 5/11 | 5/6 |
| Wheatland | 6/7 | 6/2 | 5/27 | 5/21 | 5/15 | 5/27 | 5/22 | 5/16 | 5/9 | 5/4 |
| Worland | 5/31 | 5/27 | 5/22 | 5/17 | 5/13 | 5/18 | 5/14 | 5/9 | 5/4 | 4/30 |
| Yellowstone Park | 6/28 | 6/24 | 6/19 | 6/13 | 6/8 | 6/11 | 6/6 | 6/1 | 5/26 | 5/21 |

AP-Airport. *Stations with a good probability of temperature dropping to 32° or 28° throughout the year. Prepared by: National Weather Service Climatologist.

## FALL FREEZE HAZARD TABLE

NOTE: Persons using this table should establish the temperature relationship between one or two of the nearest stations listed and their own locale. This is because the generally rough terrain of Wyoming produces many variations in climate from one point to the next.

PROBABILITY OF TEMPERATURE DROPPING TO 32° AND 28° PRIOR TO DATE SHOWN

| STATION | 32° | | | | | 28° | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 |
| Afton | * | | | | | * | | | | |
| Basin | 9/7 | 9/11 | 9/16 | 9/21 | 9/25 | 9/17 | 9/21 | 9/26 | 9/30 | 10/5 |
| Boysen Dam | 9/16 | 9/21 | 9/27 | 10/3 | 10/8 | 9/30 | 10/5 | 10/11 | 10/17 | 10/22 |
| Casper AP | 9/4 | 9/8 | 9/14 | 9/20 | 9/25 | 9/11 | 9/15 | 9/21 | 9/27 | 10/2 |
| Cheyenne | 9/3 | 9/9 | 9/15 | 9/22 | 9/27 | 9/12 | 9/17 | 9/23 | 9/30 | 10/5 |
| Chugwater | 8/21 | 8/26 | 9/1 | 9/8 | 9/13 | 8/30 | 9/4 | 9/10 | 9/17 | 9/22 |
| Cody AP | 8/28 | 9/2 | 9/8 | 9/14 | 9/19 | 9/9 | 9/14 | 9/20 | 9/26 | 10/1 |
| Colony | 9/7 | 9/12 | 9/17 | 9/23 | 9/28 | 9/17 | 9/22 | 9/27 | 10/3 | 10/8 |
| Diversion Dam | 8/29 | 9/2 | 9/8 | 9/13 | 9/18 | 9/7 | 9/12 | 9/17 | 9/22 | 9/27 |
| Dixon | 8/8 | 8/13 | 8/20 | 8/26 | 9/1 | 8/26 | 8/31 | 9/7 | 9/13 | 9/19 |
| Douglas | 8/26 | 9/1 | 9/7 | 9/13 | 9/19 | 9/6 | 9/12 | 9/18 | 9/24 | 9/30 |
| Dubois | * | | | | | 8/12 | 8/18 | 8/25 | 9/1 | 9/7 |
| Dull Center | 8/23 | 8/29 | 9/6 | 9/13 | 9/20 | 9/2 | 9/8 | 9/16 | 9/23 | 9/30 |
| Evanston-1E | * | | | | | 8/12 | 8/18 | 8/25 | 9/2 | 9/8 |
| Farson | * | | | | | 8/6 | 8/11 | 8/18 | 8/24 | 8/30 |
| Ft. Washakie | 8/22 | 8/27 | 9/1 | 9/7 | 9/11 | 9/3 | 9/8 | 9/13 | 9/19 | 9/24 |
| Gillette-2E | 9/3 | 9/8 | 9/14 | 9/20 | 9/25 | 9/13 | 9/18 | 9/24 | 9/30 | 10/5 |
| Green River | 8/23 | 8/27 | 9/2 | 9/7 | 9/12 | 9/6 | 9/10 | 9/16 | 9/21 | 9/26 |
| Kaycee | 8/23 | 8/27 | 9/2 | 9/8 | 9/13 | 9/3 | 9/7 | 9/13 | 9/19 | 9/24 |
| Kemmerer | * | | | | | 8/21 | 8/27 | 9/3 | 9/11 | 9/17 |
| Kirtley | 8/31 | 9/4 | 9/10 | 9/16 | 9/21 | 9/7 | 9/11 | 9/17 | 9/23 | 9/28 |
| Lagrange | 8/31 | 9/5 | 9/10 | 9/16 | 9/21 | 9/10 | 9/15 | 9/20 | 9/26 | 10/1 |
| Lander | 9/5 | 9/9 | 9/14 | 9/19 | 9/23 | 9/18 | 9/22 | 9/26 | 10/2 | 10/6 |
| Laramie | 8/28 | 9/2 | 9/8 | 9/14 | 9/19 | 9/6 | 9/11 | 9/17 | 9/23 | 9/28 |
| Leo-6SW | 8/5 | 8/11 | 8/17 | 8/24 | 8/30 | 9/1 | 9/7 | 9/13 | 9/20 | 9/26 |
| Lookout-14NE | 8/16 | 8/21 | 8/27 | 9/2 | 9/7 | 9/1 | 9/6 | 9/12 | 9/18 | 9/23 |
| Lovell | 8/31 | 9/5 | 9/10 | 9/16 | 9/21 | 9/12 | 9/17 | 9/22 | 9/28 | 10/3 |
| Lusk | 8/30 | 9/3 | 9/8 | 9/14 | 9/18 | 9/8 | 9/12 | 9/17 | 9/23 | 9/27 |
| Marshall-7SW | * | | | | | 8/4 | 8/10 | 8/18 | 8/26 | 9/1 |
| Metz Ranch | 8/28 | 9/2 | 9/8 | 9/14 | 9/19 | 9/8 | 9/13 | 9/19 | 9/25 | 9/30 |
| Midwest | 8/29 | 9/3 | 9/9 | 9/16 | 9/21 | 9/12 | 9/17 | 9/23 | 9/30 | 10/5 |
| Moose-3NW | * | | | | | * | | | | |
| Moran | * | | | | | * | | | | |
| Newcastle | 9/8 | 9/12 | 9/18 | 9/24 | 9/29 | 9/20 | 9/25 | 9/30 | 10/6 | 10/11 |

FALL FREEZE HAZARD TABLE--CONTINUED

PROBABILITY OF TEMPERATURE DROPPING TO 32° AND 28° PRIOR TO DATE SHOWN

| STATION | 32° | | | | | 28° | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 | 1 yr. in 20 | 2 yrs. in 20 | 4 yrs. in 20 | 7 yrs. in 20 | 10 yrs. in 20 |
| Pavillion | 9/4 | 9/9 | 9/14 | 9/19 | 9/24 | 9/16 | 9/21 | 9/26 | 10/1 | 10/6 |
| Pine Bluffs | 8/30 | 9/4 | 9/10 | 9/16 | 9/21 | 9/9 | 9/14 | 9/20 | 9/26 | 10/1 |
| Pinedale | * | | | | | * | | | | |
| Powell | 9/3 | 9/8 | 9/13 | 9/19 | 9/24 | 9/14 | 9/19 | 9/24 | 9/30 | 10/5 |
| Riverton | 9/2 | 9/6 | 9/11 | 9/16 | 9/20 | 9/10 | 9/14 | 9/19 | 9/24 | 9/28 |
| Rock Springs AP | 8/29 | 9/2 | 9/8 | 9/14 | 9/19 | 9/8 | 9/12 | 9/18 | 9/24 | 9/29 |
| Rocky Pt.-2SW | 8/31 | 9/5 | 9/11 | 9/17 | 9/22 | 9/8 | 9/13 | 9/19 | 9/25 | 9/30 |
| Ross | 8/21 | 8/27 | 9/2 | 9/9 | 9/15 | 9/5 | 9/10 | 9/17 | 9/24 | 9/30 |
| Saratoga | 8/6 | 8/11 | 8/17 | 8/23 | 8/29 | 8/24 | 8/29 | 9/4 | 9/11 | 9/16 |
| Sheridan Field Stn. | 8/30 | 9/4 | 9/10 | 9/16 | 9/21 | 9/10 | 9/14 | 9/20 | 9/26 | 10/1 |
| So. Pass City | * | | | | | * | | | | |
| Sundance | 8/26 | 8/31 | 9/6 | 9/12 | 9/18 | 9/9 | 9/14 | 9/20 | 9/26 | 10/1 |
| Thermopolis | 8/29 | 9/2 | 9/7 | 9/12 | 9/17 | 9/8 | 9/12 | 9/17 | 9/22 | 9/27 |
| Torrington | 9/3 | 9/7 | 9/12 | 9/17 | 9/22 | 9/12 | 9/16 | 9/21 | 9/26 | 10/1 |
| Wheatland | 9/4 | 9/9 | 9/14 | 9/20 | 9/25 | 9/16 | 9/21 | 9/26 | 10/2 | 10/7 |
| Worland | 9/3 | 9/8 | 9/13 | 9/18 | 9/23 | 9/14 | 9/19 | 9/24 | 9/29 | 10/4 |
| Yellowstone Park | 8/15 | 8/20 | 8/26 | 9/2 | 9/7 | 8/27 | 9/1 | 9/7 | 9/12 | 9/19 |

AP-Airport. *Stations with a good probability of temperature dropping to 32° or 28° throughout the year. Prepared by: National Weather Service Climatologist.


WYOMING
STATUTE MILES
10 0 10 20 30 40
ALBERS EQUAL AREA PROJECTION
STANDARD PARALLELS AT 29½ AND 45½
STATION LEGEND
Soil Temperature
Precipitation only
Precipitation, storage
Precipitation and Temperature
Precipitation, Temperature and Evaporation
Type of gage
Non-recording
Recording
Both types
Double circle combinations indicate the availability of more detailed meteorological data
ALL WYOMING STATIONS USE 105TH MERIDIAN TIME ZONE
YELLOWSTONE DRAINAGE
SNAKE RIVER DRAINAGE
BIG HORN
WIND RIVER
GREEN AND BEAR DRAINAGE
UPPER PLATTE
LITTLE MISSOURI AND TONGUE DRAINAGE
POWDER
BELLE FOURCHE
CHEYENNE AND NIOBRARA DRAINAGE
LOWER PLATTE

# Livestock

# CATTLE AND CALVES ON FARMS JANUARY 1




Cattle and calves: Number of farms with cattle 1973-1981, and number and value of cattle on farms and ranches, Wyoming, January 1, 1973-1982, U.S. 1981-1982

| Year | Farms | | Cattle on farms January 1 | | | |
|---|---|---|---|---|---|---|
| | With cattle | With 1/ milk cows | Number | Value | | On feed for market |
| | | | | Per head | Total | |
| | Number | | 1,000 head | Dollars | 1,000 dollars | 1,000 head |
| 1973 | 7,000 | 2,100 | 1,565 | 280.00 | 438,200 | 31 |
| 1974 | 7,000 | 2,100 | 1,600 | 320.00 | 512,000 | 39 |
| 1975 | 6,900 | 2,000 | 1,690 | 165.00 | 278,850 | 38 |
| 1976 | 6,800 | 1,900 | 1,580 | 205.00 | 323,900 | 39 |
| 1977 | 6,700 | 1,900 | 1,600 | 220.00 | 352,000 | 55 |
| 1978 | 6,500 | 1,700 | 1,357 | 245.00 | 332,465 | 60 |
| 1979 | 6,000 | 1,500 | 1,380 | 430.00 | 593,400 | 60 |
| 1980 | 5,900 | 1,400 | 1,340 | 510.00 | 683,400 | 52 |
| 1981 | 5,500 | 1,300 | 1,350 | 430.00 | 580,500 | 40 |
| 1982 | | | 1,390 | 365.00 | 507,350 | 52 |
| U.S. 1981 | 1,623,370 | 323,750 | 114,321 | 475.00 | 54,292,044 | 11,598 |
| 1982 | | | 115,691 | 415.00 | 47,978,582 | 10,619 |

NOTE: Data not available for periods blank
1/ Included in Farms With Cattle

CALF BIRTHS, DEATHS AND MARKETINGS




Cattle and calves: Inventory, supply and disposition, Wyoming, 1973-1981, U.S. 1981

| Year | Inventory beginning of year | Calves born | Inshipments | Marketings 1/ | |
|---|---|---|---|---|---|
| | | | | Cattle | Calves |
| | 1,000 head | | | | |
| 1973 | 1,565 | 760 | 252 | 624 | 240 |
| 1974 | 1,600 | 785 | 265 | 674 | 210 |
| 1975 | 1,690 | 760 | 250 | 788 | 225 |
| 1976 | 1,580 | 705 | 345 | 745 | 220 |
| 1977 | 1,600 | 670 | 320 | 1,005 | 146 |
| 1978 | 1,357 | 642 | 410 | 841 | 116 |
| 1979 | 1,380 | 580 | 405 | 850 | 95 |
| 1980 | 1,340 | 640 | 325 | 765 | 119 |
| 1981 | 1,350 | 650 | 300 | 750 | 111 |
| U.S. 1981 | 114,321 | 44,714 | 18,144 | 45,807 | 10,380 |

Cattle and calves: Inventory, supply and disposition, Wyoming, 1973-81, U.S. 1981

| Year | Farm slaughter cattle and calves 2/ | Deaths | | Inventory end of year |
|---|---|---|---|---|
| | | Cattle | Calves | |
| | 1,000 head | | | |
| 1973 | 7 | 26 | 80 | 1,600 |
| 1974 | 6 | 21 | 49 | 1,690 |
| 1975 | 8 | 24 | 75 | 1,580 |
| 1976 | 6 | 19 | 40 | 1,600 |
| 1977 | 5 | 22 | 55 | 1,357 |
| 1978 | 4 | 19 | 49 | 1,380 |
| 1979 | 2 | 28 | 50 | 1,340 |
| 1980 | 2 | 25 | 44 | 1,350 |
| 1981 | 2 | 16 | 31 | 1,390 |
| U.S. 1981 | 399 | 1,648 | 3,254 | 115,691 |

1/ Includes custom slaughter for use on farms where produced, but excludes interfarm sales within the State

2/ Excludes custom slaughter for farmers at commercial establishments

## CATTLE AND CALVES: PRODUCTION AND INCOME




Cattle and calves: Production and income, Wyoming, 1973-81, U.S. 1981

| Year | Production 1/ | Marketings 2/ | Average price per 100 lbs. | |
|---|---|---|---|---|
| | | | Cattle | Calves |
| | 1,000 pounds | | Dollars | |
| 1973 | 500,155 | 609,260 | 45.50 | 56.90 |
| 1974 | 525,135 | 637,240 | 31.10 | 33.10 |
| 1975 | 531,330 | 738,570 | 31.10 | 32.50 |
| 1976 | 536,260 | 722,150 | 33.90 | 39.50 |
| 1977 | 512,705 | 887,945 | 35.90 | 42.80 |
| 1978 | 518,410 | 740,240 | 54.70 | 71.70 |
| 1979 | 490,215 | 766,915 | 71.40 | 93.50 |
| 1980 | 507,085 | 702,785 | 65.00 | 82.50 |
| 1981 | 545,210 | 680,900 | 59.00 | 67.00 |
| U.S. 1981 | 40,855,045 | 49,893,246 | 60.80 | 64.00 |

Cattle and calves: Production and income, Wyoming, 1973-81, U.S. 1981--Cont'd

| Year | Value of production | Cash receipts 3/ | Value of home consumption | Gross income |
|---|---|---|---|---|
| | 1,000 dollars | | | |
| 1973 | 236,941 | 287,017 | 5,006 | 292,023 |
| 1974 | 165,568 | 199,689 | 4,242 | 203,931 |
| 1975 | 166,010 | 230,858 | 5,855 | 236,713 |
| 1976 | 186,422 | 249,356 | 3,627 | 252,983 |
| 1977 | 186,135 | 322,639 | 3,795 | 326,434 |
| 1978 | 290,964 | 412,503 | 5,525 | 418,028 |
| 1979 | 355,425 | 555,660 | 3,641 | 559,301 |
| 1980 | 339,602 | 464,828 | 3,978 | 468,806 |
| 1981 | 324,321 | 405,283 | 3,611 | 408,894 |
| U.S. 1981 | 23,472,653 | 28,936,251 | 621,886 | 29,558,137 |

1/ Adjustments made for changes in inventory and for inshipments
2/ Excludes interfarm sales within the State
3/ Receipts from marketings and sales of farm slaughter

Cattle and calves: Number on farms and ranches July 1, Wyoming 1977-81, U.S. 1982

| Year | All cattle and calves | All cows that have calved | Beef cows that have calved | Milk cows that have calved |
|---|---|---|---|---|
| | 1,000 head | | | |
| 1977 | 2,000 | 730 | 718 | 12 |
| 1978 | 1,790 | 655 | 643 | 12 |
| 1979 | 1,810 | 640 | 628 | 12 |
| 1980 | 1,850 | 705 | 693 | 12 |
| 1981 1/ | 1,890 | 720 | 708 | 12 |
| U.S. 1982 | 123,740 | 49,590 | 38,610 | 10,980 |

| Year | Heifers 500 pounds and over: Beef cow replacements | Heifers 500 pounds and over: Milk cow replacements | Heifers 500 pounds and over: Other | Steers 500 pounds and over | Bulls 500 pounds and over | Steers, heifers and bulls under 500 pounds |
|---|---|---|---|---|---|---|
| | 1,000 head | | | | | |
| 1977 | 133 | 3 | 144 | 310 | 42 | 638 |
| 1978 | 136 | 3 | 115 | 279 | 39 | 563 |
| 1979 | 150 | 3 | 127 | 294 | 40 | 556 |
| 1980 | 137 | 4 | 115 | 237 | 42 | 610 |
| 1981 1/ | 154 | 3 | 94 | 239 | 42 | 638 |
| U.S. 1982 | 6,120 | 4,780 | 7,650 | 16,340 | 2,610 | 36,650 |

1/ State estimates discontinued after 1981 Survey.

Cattle and calves: Number on farms and ranches, January 1, Wyoming 1977-82, U.S. 1982

| Species and class | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1982 1/ |
|---|---|---|---|---|---|---|---|
| | 1,000 head | | | | | | |
| Classification by sex & weight: | | | | | | | |
| Cows and heifers calved | 755 | 625 | 662 | 632 | 647 | 685 | 50,362 |
| Beef cows | 743 | 613 | 650 | 620 | 635 | 673 | 39,364 |
| Milk cows | 12 | 12 | 12 | 12 | 12 | 12 | 10,998 |
| Heifers 500 lbs. or more | 191 | 192 | 174 | 188 | 176 | 200 | 18,340 |
| For beef cow replacements | 132 | 120 | 116 | 131 | 122 | 140 | 6,623 |
| For milk cow replacements | 3 | 3 | 3 | 3 | 3 | 3 | 4,530 |
| Other heifers | 56 | 69 | 55 | 54 | 51 | 57 | 7,187 |
| Steers, 500 lbs. plus | 134 | 105 | 114 | 121 | 97 | 105 | 15,509 |
| Bulls, 500 lbs. plus | 47 | 42 | 40 | 40 | 42 | 41 | 2,619 |
| Calves, less than 500 lbs. | 473 | 393 | 390 | 359 | 388 | 359 | 28,862 |
| All cattle and calves | 1,600 | 1,357 | 1,380 | 1,340 | 1,350 | 1,390 | 115,691 |

1/ Totals may not add due to rounding of figures

Cattle and calves moved on brand certificates, 1980-81

| Month | To points out of Wyoming | | To points in Wyoming | | Total movement | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| January | 46,247 | 41,799 | 30,850 | 26,771 | 77,097 | 68,570 |
| February | 42,451 | 34,180 | 31,148 | 26,277 | 73,599 | 60,457 |
| March | 33,125 | 40,156 | 30,605 | 29,719 | 63,730 | 69,875 |
| April | 47,014 | 71,974 | 36,931 | 51,583 | 83,945 | 123,557 |
| May | 52,897 | 50,867 | 48,791 | 51,980 | 101,688 | 102,847 |
| June | 41,979 | 42,871 | 21,016 | 24,504 | 62,995 | 67,375 |
| July | 29,819 | 27,099 | 12,585 | 10,652 | 42,404 | 37,751 |
| August | 44,317 | 38,172 | 15,464 | 11,210 | 59,781 | 49,382 |
| September | 142,021 | 160,140 | 42,436 | 31,371 | 184,457 | 191,511 |
| October | 256,716 | 239,543 | 108,069 | 90,598 | 364,785 | 330,141 |
| November | 175,944 | 193,998 | 97,726 | 100,074 | 273,670 | 294,072 |
| December | 70,784 | 72,261 | 52,928 | 48,561 | 123,712 | 120,822 |
| Annual total | 983,314 | 1,013,060 | 528,549 | 503,300 | 1,511,863 | 1,516,360 |

Cattle and calves moved on brand certificates, by county of origin, 1980-81

| Counties | To points out of Wyoming | | To points in Wyoming | | Total movement | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| Big Horn | 21,161 | 22,169 | 24,054 | 23,759 | 45,215 | 45,928 |
| Fremont | 35,379 | 31,004 | 54,182 | 50,361 | 89,561 | 81,365 |
| Hot Springs | 9,198 | 6,307 | 13,943 | 12,666 | 23,141 | 18,973 |
| Park | 61,838 | 60,723 | 21,444 | 21,346 | 83,282 | 82,069 |
| Washakie | 22,859 | 20,844 | 24,950 | 27,127 | 47,809 | 47,971 |
| Campbell | 47,713 | 42,991 | 9,505 | 11,342 | 57,218 | 54,333 |
| Crook | 57,168 | 44,151 | 6,697 | 4,218 | 63,865 | 48,369 |
| Johnson | 17,769 | 19,618 | 12,204 | 9,545 | 29,973 | 29,163 |
| Sheridan | 40,264 | 43,474 | 18,167 | 18,229 | 58,431 | 61,703 |
| Weston | 37,778 | 39,862 | 9,802 | 14,805 | 47,580 | 54,667 |
| Lincoln | 19,751 | 27,113 | 7,727 | 8,701 | 27,478 | 35,814 |
| Sublette | 48,008 | 52,211 | 15,708 | 14,632 | 63,716 | 66,843 |
| Teton | 9,435 | 9,363 | 2,315 | 2,534 | 11,750 | 11,897 |
| Uinta | 32,553 | 41,683 | 4,774 | 7,321 | 37,327 | 49,004 |
| Albany | 49,769 | 56,420 | 14,872 | 13,484 | 64,641 | 69,904 |
| Carbon | 69,407 | 84,740 | 20,642 | 17,027 | 90,049 | 101,767 |
| Natrona | 18,555 | 12,411 | 23,745 | 26,203 | 42,300 | 38,614 |
| Sweetwater | 9,636 | 9,800 | 3,939 | 7,341 | 13,575 | 17,141 |
| Converse | 20,527 | 23,459 | 29,089 | 25,528 | 49,616 | 48,987 |
| Goshen | 268,724 | 268,825 | 122,556 | 112,821 | 391,280 | 381,646 |
| Laramie | 35,055 | 37,257 | 18,307 | 15,368 | 53,362 | 52,625 |
| Niobrara | 24,482 | 30,831 | 27,197 | 23,131 | 51,679 | 53,962 |
| Platte | 26,285 | 27,804 | 42,730 | 35,811 | 69,015 | 63,615 |
| State total | 983,314 | 1,013,060 | 528,549 | 503,300 | 1,511,863 | 1,516,360 |

Cattle and calves moved to points out of Wyoming, by class - 1980-81

| Month | Steers | | Cows | | Heifers | | Bulls | |
|---|---|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | | | |
| January | 15,014 | 12,825 | 8,992 | 10,179 | 15,593 | 11,357 | 1,089 | 1,297 |
| February | 12,668 | 11,257 | 9,167 | 7,092 | 13,907 | 10,975 | 1,499 | 1,434 |
| March | 12,346 | 17,125 | 6,567 | 7,633 | 9,594 | 11,153 | 1,279 | 1,528 |
| April | 20,257 | 35,542 | 5,597 | 6,505 | 15,052 | 22,702 | 1,284 | 2,038 |
| May | 17,264 | 21,294 | 10,439 | 8,151 | 14,845 | 12,981 | 2,192 | 1,776 |
| June | 11,617 | 12,357 | 10,136 | 11,159 | 14,145 | 11,533 | 1,818 | 1,521 |
| July | 11,243 | 8,800 | 8,387 | 7,149 | 6,543 | 7,433 | 1,864 | 1,480 |
| August | 23,053 | 16,450 | 6,938 | 6,647 | 10,850 | 12,289 | 1,601 | 1,498 |
| September | 84,445 | 88,284 | 7,105 | 8,325 | 42,217 | 52,691 | 1,665 | 1,555 |
| October | 107,735 | 96,185 | 24,876 | 29,689 | 63,356 | 47,649 | 2,639 | 2,613 |
| November | 37,874 | 49,509 | 36,830 | 34,118 | 28,737 | 35,071 | 2,586 | 2,635 |
| December | 16,618 | 16,153 | 21,450 | 20,121 | 15,959 | 14,971 | 1,774 | 1,604 |
| Annual total | 370,134 | 385,781 | 156,484 | 156,768 | 250,798 | 250,805 | 21,290 | 20,979 |

| Month | Calves | | Unclassified 1/ | | Total cattle & calves | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| January | 5,328 | 5,583 | 231 | 558 | 46,247 | 41,799 |
| February | 5,210 | 3,362 | - | 60 | 42,451 | 34,180 |
| March | 3,174 | 2,662 | 165 | 55 | 33,125 | 40,156 |
| April | 4,225 | 3,886 | 599 | 1,301 | 47,014 | 71,974 |
| May | 6,965 | 3,760 | 1,192 | 2,905 | 52,897 | 50,867 |
| June | 3,951 | 5,373 | 312 | 928 | 41,979 | 42,871 |
| July | 1,526 | 2,216 | 256 | 21 | 29,819 | 27,099 |
| August | 1,732 | 1,255 | 143 | 33 | 44,317 | 38,172 |
| September | 4,983 | 7,306 | 1,606 | 1,979 | 142,021 | 160,140 |
| October | 56,903 | 62,942 | 1,207 | 465 | 256,716 | 239,543 |
| November | 69,560 | 72,559 | 357 | 106 | 175,944 | 193,998 |
| December | 14,712 | 19,361 | 271 | 51 | 70,784 | 72,261 |
| Annual total | 178,269 | 190,265 | 6,339 | 8,462 | 983,314 | 1,013,060 |

1/ Classes of cattle not indicated on brand certificates

Milk cows and production of milk and milkfat, Wyoming, 1972-81, U.S. 1981

| Year | Farms with milk cows | Number of milk cows on farms 1/ | Production of milk and milkfat 2/ | | | | |
|---|---|---|---|---|---|---|---|
| | | | Per milk cow | | % of fat in all milk produced | Total | |
| | | | Milk | Milkfat | | Milk | Milkfat |
| | | 1,000 | Pounds | | Percent | Million pounds | |
| 1972 | 2,300 | 14.6 | 9,247 | 333 | 3.60 | 135 | 5 |
| 1973 | 2,100 | 14.1 | 9,220 | 336 | 3.64 | 130 | 5 |
| 1974 | 2,100 | 13.2 | 9,318 | 337 | 3.62 | 123 | 4 |
| 1975 | 2,000 | 11.8 | 9,322 | 339 | 3.64 | 110 | 4 |
| 1976 | 1,900 | 11.5 | 9,826 | 357 | 3.63 | 113 | 4.1 |
| 1977 | 1,900 | 11.6 | 10,690 | 388 | 3.63 | 124 | 4.5 |
| 1978 | 1,700 | 11.6 | 10,345 | 371 | 3.59 | 120 | 4.3 |
| 1979 | 1,500 | 12.0 | 9,917 | 356 | 3.59 | 119 | 4.3 |
| 1980 | 1,400 | 12.0 | 11,000 | 394 | 3.58 | 132 | 4.7 |
| 1981 | 1,300 | 12.0 | 11,333 | 402 | 3.55 | 136 | 4.8 |
| U.S. 1981 | 323,750 | 10,919 | 12,147 | 442 | 3.64 | 132,634 | 4,827 |

1/ Average number on farms during year, excluding heifers not yet fresh
2/ Excludes milk sucked by calves

Milk used and marketed by farmers, Wyoming, 1972-81, U.S. 1981

| Year | Milk used on farms where produced | | | Milk marketed by farmers | | | |
|---|---|---|---|---|---|---|---|
| | Fed to calves 2/ | Used for milk, cream and butter | Total | Sold to plants and dealers 3/ as whole milk | Sold to plants and dealers 3/ as farm-separated cream | Sold directly to consumers 4/ | Total |
| | Million pounds | | | | | | |
| 1972 | 3 | 6 | 9 | 118 | 5 | 3 | 126 |
| 1973 | 3 | 6 | 9 | 115 | 3 | 3 | 121 |
| 1974 | 4 | 5 | 9 | 110 | 2 | 2 | 114 |
| 1975 | 4 | 5 | 9 | 97 | 2 | 2 | 101 |
| 1976 | 4 | 5 | 9 | 100 | 1 | 3 | 104 |
| 1977 | 4 | 4 | 8 | 112 | 1 | 3 | 116 |
| 1978 | 4 | 5 | 9 | 107 | 1 | 3 | 111 |
| 1979 | 4 | 3 | 7 | 112 | - | - | 112 |
| 1980 | 4 | 3 | 7 | 125 | - | - | 125 |
| 1981 | 4 | 3 | 7 | 129 | - | - | 129 |
| U.S. 1981 | 1,420 | 902 | 2,322 | 128,809 | - | 1,503 | 130,312 |

1/ Average number during year, excluding heifers not yet fresh
2/ Excludes milk sucked by calves
3/ Includes milk produced by dealers' own herds
4/ Sales directly to consumers by producers who sell only milk from their own herds. Also includes milk produced by institutional herds.

Milk and cream: Quantity, price, cash receipts, income & value, Wyoming, 1972-81

| Year | Milk sold to plants & dealers: Quantity | Price per 100 lbs. | Cash receipts | Cream sold to plants & dealers: Quantity milkfat | Price per lb. of fat | Cash receipts |
|---|---|---|---|---|---|---|
| | Mil. lb. | Dollars | 1,000 dol. | 1,000 lb. | Cents | 1,000 dol. |
| 1972 | 118 | 6.15 | 7,257 | 184 | 65 | 120 |
| 1973 | 115 | 7.08 | 8,142 | 111 | 66 | 73 |
| 1974 | 110 | 8.34 | 9,174 | 74 | 71 | 53 |
| 1975 | 97 | 8.70 | 8,439 | 74 | 72 | 53 |
| 1976 | 100 | 9.85 | 9,850 | 37 | 77 | 28 |
| 1977 | 112 | 9.70 | 10,864 | 37 | 85 | 31 |
| 1978 | 107 | 10.50 | 11,235 | 37 | 83 | 31 |
| 1979 | 112 | 11.90 | 13,328 | 1/ | 1/ | 1/ |
| 1980 | 125 | 12.70 | 15,875 | 1/ | 1/ | 1/ |
| 1981 | 129 | 13.30 | 17,157 | 1/ | 1/ | 1/ |

| Year | Milk sold directly to consumers: Quantity | Price per quart | Cash receipts | Combined marketings of milk and cream: Milk utilized | Average returns: Per 100 pounds of milk | Per pound of milkfat | Cash receipts from marketings |
|---|---|---|---|---|---|---|---|
| | 1,000 qt. | Cents | 1,000 dol. | Mil. lbs. | Dollars | | 1,000 dol. |
| 1972 | 1,395 | 32.0 | 446 | 126 | 6.21 | 1.73 | 7,823 |
| 1973 | 1,395 | 31.0 | 432 | 121 | 7.15 | 1.96 | 8,647 |
| 1974 | 930 | 35.0 | 326 | 114 | 8.38 | 2.31 | 9,553 |
| 1975 | 930 | 39.0 | 363 | 101 | 8.77 | 2.41 | 8,855 |
| 1976 | 1,395 | 41.0 | 572 | 104 | 10.05 | 2.77 | 10,450 |
| 1977 | 1,395 | 42.0 | 586 | 116 | 9.90 | 2.73 | 11,481 |
| 1978 | 1,395 | 48.0 | 670 | 111 | 10.75 | 2.99 | 11,936 |
| 1979 | 1/ | 1/ | 1/ | 112 | 11.90 | 3.31 | 13,328 |
| 1980 | 1/ | 1/ | 1/ | 125 | 12.70 | 3.55 | 15,875 |
| 1981 | 1/ | 1/ | 1/ | 129 | 13.30 | 3.75 | 17,157 |

| Year | Used for milk, cream & butter on farm where produced: Milk utilized | Value | Gross farm income from dairy products 2/ | Farm value of milk produced |
|---|---|---|---|---|
| | Mil. lb. | 1,000 dollars | | |
| 1972 | 6 | 373 | 8,196 | 8,384 |
| 1973 | 6 | 429 | 9,076 | 9,295 |
| 1974 | 5 | 419 | 9,972 | 10,307 |
| 1975 | 5 | 439 | 9,294 | 9,647 |
| 1976 | 5 | 503 | 10,953 | 11,357 |
| 1977 | 4 | 396 | 11,877 | 12,276 |
| 1978 | 5 | 538 | 12,474 | 12,900 |
| 1979 | 3 | 357 | 13,685 | 14,161 |
| 1980 | 3 | 381 | 16,256 | 16,764 |
| 1981 | 3 | 399 | 17,556 | 18,088 |

1/ Discontinued

2/ Cash receipts from marketings of milk and cream plus value of milk used for home consumption and farm-churned butter

All cattle and calves on Wyoming farms and ranches, January 1

| Counties | 1978 | 1979 | 1980 | 1981 | 1982 |
|---|---|---|---|---|---|
| | Number of head | | | | |
| Big Horn | 50,000 | 51,000 | 52,000 | 51,000 | 54,000 |
| Fremont | 81,000 | 79,000 | 81,000 | 84,000 | 87,000 |
| Hot Springs | 39,000 | 39,000 | 40,000 | 41,000 | 43,000 |
| Park | 72,000 | 74,000 | 72,000 | 80,000 | 89,000 |
| Washakie | 39,000 | 37,000 | 38,000 | 36,000 | 37,000 |
| NW District | 281,000 | 280,000 | 283,000 | 292,000 | 310,000 |
| Campbell | 76,000 | 72,000 | 73,000 | 73,000 | 73,000 |
| Crook | 66,000 | 65,000 | 62,000 | 58,000 | 61,000 |
| Johnson | 66,000 | 70,000 | 66,000 | 62,000 | 63,000 |
| Sheridan | 79,000 | 82,000 | 80,000 | 79,000 | 82,000 |
| Weston | 47,000 | 49,000 | 47,000 | 49,000 | 47,000 |
| NE District | 334,000 | 338,000 | 328,000 | 321,000 | 326,000 |
| Lincoln | 34,000 | 33,000 | 34,000 | 29,000 | 28,000 |
| Sublette | 68,000 | 69,000 | 66,000 | 62,000 | 67,000 |
| Teton | 18,000 | 17,000 | 15,000 | 15,000 | 15,000 |
| Uinta | 39,000 | 35,000 | 31,000 | 36,000 | 37,000 |
| West District | 159,000 | 154,000 | 146,000 | 142,000 | 147,000 |
| Albany | 51,000 | 51,000 | 50,000 | 51,000 | 55,000 |
| Carbon | 96,000 | 96,000 | 91,000 | 93,000 | 93,000 |
| Natrona | 51,000 | 55,000 | 53,000 | 51,000 | 55,000 |
| Sweetwater | 19,000 | 21,000 | 18,000 | 18,000 | 19,000 |
| SC District | 217,000 | 223,000 | 212,000 | 213,000 | 222,000 |
| Converse | 64,000 | 65,000 | 63,000 | 64,000 | 65,000 |
| Goshen | 98,000 | 101,000 | 101,000 | 110,000 | 108,000 |
| Laramie | 55,000 | 60,000 | 58,000 | 61,000 | 60,000 |
| Niobrara | 64,000 | 69,000 | 65,000 | 66,000 | 67,000 |
| Platte | 85,000 | 90,000 | 84,000 | 81,000 | 85,000 |
| SE District | 366,000 | 385,000 | 371,000 | 382,000 | 385,000 |
| STATE | 1,357,000 | 1,380,000 | 1,340,000 | 1,350,000 | 1,390,000 |

All cows that have calved on Wyoming farms and ranches, January 1

| Counties | 1978 | 1979 | 1980 | 1981 | 1982 |
|---|---|---|---|---|---|
| | Number of head | | | | |
| Big Horn | 21,000 | 23,000 | 22,000 | 23,000 | 27,000 |
| Fremont | 40,000 | 43,000 | 41,000 | 41,000 | 44,000 |
| Hot Springs | 18,000 | 19,000 | 20,000 | 18,000 | 21,000 |
| Park | 24,000 | 24,000 | 25,000 | 27,000 | 29,000 |
| Washakie | 17,000 | 15,000 | 12,000 | 16,000 | 17,000 |
| NW District | 120,000 | 124,000 | 120,000 | 125,000 | 138,000 |
| Campbell | 42,000 | 40,000 | 38,000 | 39,000 | 40,000 |
| Crook | 35,000 | 36,000 | 31,000 | 33,000 | 36,000 |
| Johnson | 36,000 | 40,000 | 32,000 | 31,000 | 33,000 |
| Sheridan | 35,000 | 39,000 | 40,000 | 36,000 | 39,000 |
| Weston | 23,000 | 25,000 | 23,000 | 25,000 | 25,000 |
| NE District | 171,000 | 180,000 | 164,000 | 164,000 | 173,000 |
| Lincoln | 21,000 | 21,000 | 21,000 | 19,000 | 19,000 |
| Sublette | 34,000 | 36,000 | 32,000 | 31,000 | 34,000 |
| Teton | 8,000 | 8,000 | 9,000 | 9,000 | 9,000 |
| Uinta | 18,000 | 20,000 | 18,000 | 19,000 | 20,000 |
| West District | 81,000 | 85,000 | 80,000 | 78,000 | 82,000 |
| Albany | 22,000 | 25,000 | 23,000 | 27,000 | 29,000 |
| Carbon | 52,000 | 54,000 | 57,000 | 56,000 | 56,000 |
| Natrona | 22,000 | 30,000 | 33,000 | 34,000 | 37,000 |
| Sweetwater | 10,000 | 12,000 | 11,000 | 10,000 | 11,000 |
| SC District | 106,000 | 121,000 | 124,000 | 127,000 | 133,000 |
| Converse | 32,000 | 35,000 | 38,000 | 40,000 | 41,000 |
| Goshen | 31,000 | 32,000 | 27,000 | 30,000 | 31,000 |
| Laramie | 25,000 | 27,000 | 26,000 | 27,000 | 28,000 |
| Niobrara | 27,000 | 27,000 | 26,000 | 26,000 | 27,000 |
| Platte | 32,000 | 31,000 | 27,000 | 30,000 | 32,000 |
| SE District | 147,000 | 152,000 | 144,000 | 153,000 | 159,000 |
| STATE | 625,000 | 662,000 | 632,000 | 647,000 | 685,000 |

Milk cows that have calved on Wyoming farms and ranches, January 1

| Counties | 1978 | 1979 | 1980 | 1981 | 1982 |
|---|---|---|---|---|---|
| | Number of head | | | | |
| Big Horn | 900 | 850 | 850 | 800 | 900 |
| Fremont | 1,700 | 1,550 | 1,450 | 1,500 | 1,550 |
| Hot Springs | 50 | 50 | 50 | 50 | 50 |
| Park | 300 | 300 | 350 | 300 | 300 |
| Washakie | 150 | 100 | 100 | 100 | 50 |
| NW District | 3,100 | 2,850 | 2,800 | 2,750 | 2,850 |
| Campbell | 100 | 100 | 100 | 100 | 100 |
| Crook | 350 | 250 | 300 | 250 | 200 |
| Johnson | 100 | 100 | 100 | 100 | 100 |
| Sheridan | 950 | 1,000 | 1,150 | 1,100 | 1,100 |
| Weston | 50 | 50 | 50 | 50 | 50 |
| NE District | 1,550 | 1,500 | 1,700 | 1,600 | 1,550 |
| Lincoln | 4,150 | 4,300 | 4,200 | 4,200 | 4,200 |
| Sublette | 150 | 150 | 150 | 150 | 150 |
| Teton | 100 | 150 | 150 | 100 | 100 |
| Uinta | 650 | 600 | 500 | 550 | 550 |
| West District | 5,050 | 5,200 | 5,000 | 5,000 | 5,000 |
| Albany | 100 | 150 | 150 | 150 | 150 |
| Carbon | 100 | 100 | 100 | 100 | 100 |
| Natrona | 50 | 50 | 50 | 50 | 50 |
| Sweetwater | 50 | 50 | 50 | 50 | 50 |
| SC District | 300 | 350 | 350 | 350 | 350 |
| Converse | 300 | 300 | 250 | 250 | 250 |
| Goshen | 650 | 700 | 750 | 850 | 900 |
| Laramie | 650 | 650 | 650 | 700 | 650 |
| Niobrara | 100 | 100 | 100 | 100 | 100 |
| Platte | 300 | 350 | 400 | 400 | 350 |
| SE District | 2,000 | 2,100 | 2,150 | 2,300 | 2,250 |
| STATE | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 |



# SHEEP AND LAMBS ON FARMS - JANUARY 1




Sheep and lambs: Number of farms with sheep 1973-81, and number and value of sheep on farms and ranches, Wyoming, January 1, 1973-82 1/, U.S. 1982

| Year | Farms with sheep | Sheep on farms January 1 | | | |
|---|---|---|---|---|---|
| | | All sheep | | | Stock sheep |
| | | | Value | | |
| | | Number | Per head | Total | Number |
| | Number | 1,000 head | Dollars | 1,000 dollars | 1,000 head |
| 1973 | 2,100 | 1,678 | 30.50 | 51,179 | 1,480 |
| 1974 | 1,800 | 1,532 | 36.00 | 55,152 | 1,347 |
| 1975 | 1,700 | 1,386 | 32.50 | 45,045 | 1,226 |
| 1976 | 1,700 | 1,268 | 43.00 | 54,524 | 1,103 |
| 1977 | 1,600 | 1,206 | 51.00 | 61,506 | 1,071 |
| 1978 | 1,500 | 1,115 | 60.00 | 66,900 | 1,010 |
| 1979 | 1,400 | 1,080 | 85.50 | 92,340 | 960 |
| 1980 | 1,400 | 1,050 | 90.50 | 95,025 | 960 |
| 1981 | 1,500 | 1,110 | 74.00 | 82,140 | 990 |
| 1982 | | 1,130 | 61.50 | 69,495 | 1,000 |
| U.S. 1982 | | 13,116.2 | 56.90 | 746,520 | 11,552.2 |

1/ Data not available for periods blank

Sheep and lambs: Number on farms and ranches, by classes, January 1, Wyoming, 1973-82, U.S. 1982

| Year | Stock sheep | | | | | Sheep & lambs on feed | All sheep and lambs |
|---|---|---|---|---|---|---|---|
| | Ewe lambs | Wether and ram lambs | Ewes 1 year & older | Wethers & rams 1 year old and older | Total | | |
| | 1,000 head | | | | | Number | |
| 1973 | 238 | 15 | 1,184 | 43 | 1,480 | 198 | 1,678 |
| 1974 | 214 | 22 | 1,071 | 40 | 1,347 | 185 | 1,532 |
| 1975 | 173 | 29 | 986 | 38 | 1,226 | 160 | 1,386 |
| 1976 | 159 | 22 | 887 | 35 | 1,103 | 165 | 1,268 |
| 1977 | 183 | 21 | 835 | 32 | 1,071 | 135 | 1,206 |
| 1978 | 180 | 20 | 780 | 30 | 1,010 | 105 | 1,115 |
| 1979 | 158 | 18 | 755 | 29 | 960 | 120 | 1,080 |
| 1980 | 170 | 19 | 745 | 26 | 960 | 90 | 1,050 |
| 1981 | 193 | 20 | 750 | 27 | 990 | 120 | 1,110 |
| 1982 | 205 | 15 | 750 | 30 | 1,000 | 130 | 1,130 |
| U.S. 1982 | 1,818.5 | 429.4 | 8,910.6 | 393.7 | 11,552.2 | 1,564 | 13,116.2 |

SHEEP AND LAMBS ON FEED - JANUARY 1




Lamb crop, Wyoming 1972-81, U.S. 1981

| Year | Breeding ewes 1 year old and older | Lambs saved per 100 ewes 1+ Jan. 1 | Lambs saved |
|---|---|---|---|
| | 1,000 head | Number | 1,000 head |
| 1972 | 1,282 | 84 | 1,077 |
| 1973 | 1,184 | 77 | 912 |
| 1974 | 1,071 | 85 | 910 |
| 1975 | 986 | 80 | 789 |
| 1976 | 887 | 86 | 763 |
| 1977 | 835 | 86 | 718 |
| 1978 | 780 | 79 | 615 |
| 1979 | 755 | 77 | 580 |
| 1980 | 745 | 86 | 640 |
| 1981 | 750 | 91 | 685 |
| U.S. 1981 | 8,771.4 | 101 | 8,854.7 |

Sheep and lambs: Production and income, Wyoming 1972-81, U.S. 1981

| Year | Production 1/ | Marketings 2/ | Average price per 100 pounds | |
|---|---|---|---|---|
| | 1,000 pounds | | Sheep | Lambs |
| | | | Dollars | |
| 1972 | 75,511 | 104,671 | 6.70 | 28.10 |
| 1973 | 51,008 | 83,978 | 15.50 | 34.80 |
| 1974 | 59,078 | 85,624 | 8.60 | 34.80 |
| 1975 | 48,127 | 69,514 | 11.10 | 42.00 |
| 1976 | 47,431 | 62,953 | 12.00 | 45.50 |
| 1977 | 54,138 | 69,038 | 12.90 | 52.30 |
| 1978 | 47,993 | 59,728 | 27.80 | 67.90 |
| 1979 | 42,893 | 54,229 | 32.00 | 69.60 |
| 1980 | 47,571 | 49,104 | 20.20 | 64.70 |
| 1981 | 52,554 | 55,427 | 19.50 | 48.10 |
| U.S. 1981 | 771,335 | 868,167 | 21.20 | 54.90 |

Sheep and lambs: Production and income, Wyoming 1972-81, U.S. 1981--Continued

| Year | Value of production | Cash receipts 3/ | Value of home consumption | Gross income |
|---|---|---|---|---|
| | 1,000 dollars | | | |
| 1972 | 17,627 | 19,982 | 211 | 20,193 |
| 1973 | 16,004 | 22,876 | 320 | 23,196 |
| 1974 | 16,225 | 20,944 | 311 | 21,255 |
| 1975 | 16,872 | 20,218 | 317 | 20,535 |
| 1976 | 18,336 | 21,268 | 212 | 21,480 |
| 1977 | 21,988 | 25,415 | 318 | 25,733 |
| 1978 | 25,731 | 30,233 | 330 | 30,563 |
| 1979 | 24,766 | 29,561 | 242 | 29,803 |
| 1980 | 23,121 | 22,713 | 213 | 22,926 |
| 1981 | 19,263 | 20,254 | 164 | 20,418 |
| U.S. 1981 | 357,915 | 410,861 | 12,362 | 423,223 |

1/ Adjustments made for changes in inventory and for inshipments.
2/ Excludes interfarm sales within the State.
3/ Receipts from marketings and sales of farm slaughter.

Sheep shorn: Number, average fleece weight, production and value, Wyoming, 1972-81, U.S. 1981

| Year | Sheep shorn | Weight per fleece | Shorn wool production | Value | |
|---|---|---|---|---|---|
| | | | | Average per pound | Total |
| | 1,000 | Pounds | 1,000 pounds | Dollars | 1,000 dollars |
| 1972 | 1,576 | 10.2 | 16,062 | .33 | 5,300 |
| 1973 | 1,475 | 9.8 | 14,497 | .92 | 13,337 |
| 1974 | 1,405 | 9.7 | 13,691 | .69 | 9,447 |
| 1975 | 1,305 | 9.7 | 12,638 | .43 | 5,434 |
| 1976 | 1,158 | 9.7 | 11,283 | .68 | 7,672 |
| 1977 | 1,100 | 9.9 | 10,880 | .71 | 7,725 |
| 1978 | 1,025 | 10.1 | 10,317 | .75 | 7,738 |
| 1979 | 952 | 10.0 | 9,516 | .91 | 8,660 |
| 1980 | 1,040 | 9.8 | 10,205 | .97 | 9,899 |
| 1981 | 1,048 | 9.7 | 10,150 | 1.02 | 10,353 |
| U.S. 1981 | 13,484.0 | 8.14 | 109,753 | .945 3/ | 103,744 3/ |

Sheep and lambs: Inventory, supply and disposition, Wyoming 1972-81, U.S. 1981

| Year | Inventory beginning of year | Lamb crop | Inshipments | Marketings 1/ | |
|---|---|---|---|---|---|
| | | | | Sheep | Lambs |
| | 1,000 head | | | | |
| 1972 | 1,735 | 1,077 | 229 | 339 | 788 |
| 1973 | 1,678 | 912 | 186 | 257 | 682 |
| 1974 | 1,532 | 910 | 124 | 264 | 692 |
| 1975 | 1,386 | 789 | 78 | 227 | 540 |
| 1976 | 1,268 | 763 | 90 | 172 | 545 |
| 1977 | 1,206 | 718 | 51 | 212 | 493 |
| 1978 | 1,115 | 615 | 92 | 198 | 400 |
| 1979 | 1,080 | 580 | 90 | 170 | 382 |
| 1980 | 1,050 | 640 | 95 | 159 | 383 |
| 1981 | 1,110 | 685 | 70 | 175 | 440 |
| U.S. 1981 | 12,936 | 8,855 | 1,880 | 1,382 | 7,108 |

Sheep and lambs: Inventory, supply and disposition, Wyoming 1972-81, U.S. 1981--Cont'd

| Year | Farm slaughter sheep and lambs 2/ | Deaths | | Inventory end of year |
|---|---|---|---|---|
| | | Sheep | Lambs | |
| | 1,000 head | | | |
| 1972 | 6 | 120 | 110 | 1,678 |
| 1973 | 7 | 190 | 108 | 1,532 |
| 1974 | 7 | 111 | 106 | 1,386 |
| 1975 | 6 | 120 | 92 | 1,268 |
| 1976 | 4 | 110 | 84 | 1,206 |
| 1977 | 5 | 80 | 70 | 1,115 |
| 1978 | 4 | 80 | 60 | 1,080 |
| 1979 | 3 | 80 | 65 | 1,050 |
| 1980 | 3 | 65 | 65 | 1,110 |
| 1981 | 3 | 55 | 62 | 1,130 |
| U.S. 1981 | 189 | 833 | 1,043 | 13,116 |

1/ Includes custom slaughter for use on farms where produced, but excludes interfarm sales, within the State.
2/ Excludes custom slaughter for farmers at commercial establishments.
3/ U.S. average price per pound derived using unrounded value and production.

Sheep and lambs moved on brand certificates 1980-1981

| Month | To points out of Wyoming | | To points in Wyoming | | Total movement | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| January | 26,096 | 34,396 | 5,901 | 13,549 | 31,997 | 47,945 |
| February | 17,590 | 20,745 | 13,024 | 10,079 | 30,614 | 30,824 |
| March | 30,663 | 40,676 | 8,910 | 10,433 | 39,573 | 51,109 |
| April | 30,177 | 30,080 | 4,803 | 9,442 | 34,980 | 39,522 |
| May | 13,154 | 16,887 | 9,998 | 6,588 | 23,152 | 23,475 |
| June | 11,133 | 6,095 | 2,305 | 1,865 | 13,438 | 7,960 |
| July | 5,142 | 21,352 | 8,679 | 5,113 | 13,821 | 26,465 |
| August | 29,441 | 22,773 | 10,195 | 10,647 | 39,636 | 33,420 |
| September | 112,423 | 113,355 | 45,809 | 29,337 | 158,232 | 142,692 |
| October | 243,817 | 257,570 | 96,382 | 88,150 | 340,199 | 345,720 |
| November | 56,554 | 55,674 | 15,113 | 20,625 | 71,667 | 76,299 |
| December | 32,627 | 37,308 | 8,576 | 9,451 | 41,203 | 46,759 |
| Annual total | 608,817 | 656,911 | 229,695 | 215,279 | 838,512 | 872,190 |

Sheep and lambs moved on brand certificates, by county of origin, 1980-1981

| Counties | To points out of Wyoming | | To points in Wyoming | | Total movement | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| Big Horn | 32,460 | 36,808 | 21,423 | 22,993 | 53,883 | 59,801 |
| Fremont | 23,508 | 24,601 | 23,966 | 22,970 | 47,474 | 47,571 |
| Hot Springs | 2,117 | 2,936 | 6,553 | 5,272 | 8,670 | 8,208 |
| Park | 14,885 | 13,972 | 6,435 | 10,092 | 21,320 | 24,064 |
| Washakie | 94,480 | 85,947 | 24,134 | 28,823 | 118,614 | 114,770 |
| Campbell | 30,800 | 32,322 | 18,638 | 17,120 | 49,438 | 49,442 |
| Crook | 26,186 | 20,328 | 1,075 | 689 | 27,261 | 21,017 |
| Johnson | 53,550 | 66,862 | 19,977 | 19,644 | 73,527 | 86,506 |
| Sheridan | 21,177 | 16,316 | 5,715 | 10,447 | 26,892 | 26,763 |
| Weston | 10,430 | 9,742 | 212 | 198 | 10,642 | 9,940 |
| Lincoln | 38,218 | 39,319 | 2,243 | 553 | 40,461 | 39,872 |
| Sublette | 9,621 | 10,252 | 361 | 1,651 | 9,982 | 11,903 |
| Teton | - | - | - | 9 | - | 9 |
| Uinta | 28,736 | 35,014 | 1,189 | 405 | 29,925 | 35,419 |
| Albany | 7.982 | 8,249 | 1,735 | 480 | 9,717 | 8,729 |
| Carbon | 82,711 | 98,122 | 14,887 | 15,041 | 97,598 | 113,163 |
| Natrona | 36,227 | 46,499 | 45,552 | 27,313 | 81,779 | 73,812 |
| Sweetwater | 15,588 | 16,419 | 7,808 | 3,959 | 23,396 | 20,378 |
| Converse | 50,942 | 61,251 | 19,622 | 18,406 | 70,564 | 79,657 |
| Goshen | 4,743 | 5,473 | 1,056 | 3,271 | 5,799 | 8,744 |
| Laramie | 8,067 | 11,308 | 2,562 | 541 | 10,629 | 11,849 |
| Niobrara | 14,158 | 12,468 | 3,410 | 3,887 | 17,568 | 16,355 |
| Platte | 2,231 | 2,703 | 1,142 | 1,515 | 3,373 | 4,218 |
| State total | 608,817 | 656,911 | 229,695 | 215,279 | 838,512 | 872,190 |

Sheep and lambs moved to points out of Wyoming, by class - 1980-81

| Month | Wethers | | Ewes | | Bucks | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| January | 33 | 96 | 3,375 | 4,357 | 328 | 143 |
| February | 92 | 453 | 1,951 | 1,881 | 75 | 232 |
| March | 19 | 602 | 3,830 | 3,935 | 163 | 272 |
| April | 16 | 376 | 5,104 | 18,524 | 296 | 508 |
| May | 51 | 53 | 9,098 | 11,087 | 435 | 257 |
| June | 21 | 79 | 7,860 | 2,185 | 167 | 236 |
| July | 265 | 153 | 1,194 | 9,849 | 265 | 146 |
| August | 329 | 174 | 6,946 | 3,132 | 349 | 428 |
| September | 387 | 1,323 | 21,452 | 15,333 | 996 | 890 |
| October | 2,653 | 6,840 | 44,891 | 38,876 | 1,216 | 1,069 |
| November | 36 | 68 | 20,778 | 21,752 | 362 | 400 |
| December | 348 | 344 | 8,734 | 5,419 | 325 | 442 |
| Jan.-Dec. Total No. of head | 4,250 | 10,561 | 135,213 | 136,330 | 4,977 | 5,023 |
| Jan.-Dec. % Change from 1980 | | +148 | | 41 | | +1 |

| Month | Lambs | | Unclassified 1/ | | Total sheep & lambs | |
|---|---|---|---|---|---|---|
| | 1980 | 1981 | 1980 | 1981 | 1980 | 1981 |
| | Number of head | | | | | |
| January | 21,331 | 29,492 | 1,029 | 308 | 26,096 | 34,396 |
| February | 15,381 | 17,912 | 91 | 267 | 17,590 | 20,745 |
| March | 26,337 | 35,173 | 314 | 694 | 30,663 | 40,676 |
| April | 24,716 | 9,799 | 45 | 873 | 30,177 | 30,080 |
| May | 2,957 | 4,747 | 613 | 743 | 13,154 | 16,887 |
| June | 2,724 | 3,466 | 361 | 129 | 11,133 | 6,095 |
| July | 3,102 | 10,427 | 316 | 777 | 5,142 | 21,352 |
| August | 20,590 | 18,217 | 1,227 | 822 | 29,441 | 22,773 |
| September | 88,205 | 94,166 | 1,383 | 1,643 | 112,423 | 113,355 |
| October | 191,240 | 208,069 | 3,817 | 2,716 | 243,817 | 257,570 |
| November | 33,032 | 33,077 | 2,346 | 377 | 56,554 | 55,674 |
| December | 22,997 | 30,224 | 223 | 879 | 32,627 | 37,308 |
| Jan.-Dec. Total No. of head | 452,612 | 494,769 | 11,765 | 10,228 | 608,817 | 656,911 |
| Jan.-Dec. % Change from 1980 | | +9 | | -13 | | +8 |

1/ Class of sheep not indicated on brand certificates

Losses of sheep by cause, Wyoming, 1976-81

| Cause of loss | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 |
|---|---|---|---|---|---|---|
| | | | Number of head | | | |
| Fox | 100 | 100 | 200 | 200 | 200 | 100 |
| Coyotes | 24,000 | 14,000 | 13,000 | 15,000 | 16,800 | 11,800 |
| Bobcats | 200 | 200 | 200 | 100 | - | - |
| Dogs | 3,400 | 2,500 | 2,700 | 1,800 | 2,000 | 1,800 |
| Bears | 1,000 | 1,200 | 600 | 1,000 | 700 | 500 |
| Eagles | 300 | 400 | 200 | 200 | 400 | 200 |
| Other predators | - | 100 | 100 | 200 | 300 | 400 |
| Total predators | 29,000 | 18,500 | 17,000 | 18,500 | 20,400 | 14,800 |
| Weather | 14,500 | 10,000 | 26,000 | 22,000 | 4,300 | 2,400 |
| Unknown causes 1/ | 16,000 | 13,500 | 9,500 | 8,000 | 13,900 | 9,600 |
| All other causes | 50,500 | 38,000 | 27,500 | 31,500 | 26,400 | 28,200 |
| Total loss from all causes | 110,000 | 80,000 | 80,000 | 80,000 | 65,000 | 55,000 |
| | | | Percent of total by causes | | | |
| Fox | .1 | .1 | .3 | .2 | .3 | .2 |
| Coyotes | 21.8 | 17.5 | 16.2 | 18.8 | 25.8 | 21.4 |
| Bobcats | .2 | .3 | .3 | .1 | - | - |
| Dogs | 3.1 | 3.1 | 3.4 | 2.3 | 3.1 | 3.3 |
| Bears | .9 | 1.5 | .7 | 1.3 | 1.1 | 1.0 |
| Eagles | .3 | .5 | .3 | .2 | .6 | .4 |
| Other predators | - | .1 | .1 | .2 | .5 | .8 |
| Total predators | 26.4 | 23.1 | 21.3 | 23.1 | 31.4 | 27.1 |
| Weather | 13.2 | 12.5 | 32.4 | 27.5 | 6.6 | 4.3 |
| Unknown causes 1/ | 14.5 | 16.9 | 11.9 | 10.0 | 21.4 | 17.4 |
| All other causes | 45.9 | 47.5 | 34.4 | 39.4 | 40.6 | 51.2 |
| Total loss from all causes | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | Dollar value of losses by causes 2/ | | | |
| Fox | 1,580 | 1,650 | 7,220 | 8,440 | 5,160 | 2,500 |
| Coyotes | 379,200 | 231,000 | 469,300 | 633,000 | 443,440 | 295,000 |
| Bobcats | 3,160 | 3,300 | 7,220 | 4,220 | - | - |
| Dogs | 53,720 | 41,250 | 97,470 | 75,960 | 51,600 | 45,000 |
| Bears | 15,800 | 19,800 | 21,660 | 42,200 | 18,060 | 12,500 |
| Eagles | 4,740 | 6,600 | 7,220 | 8,440 | 10,320 | 5,000 |
| Other predators | - | 1,650 | 3,610 | 8,440 | 7,740 | 10,000 |
| Total predators | 458,200 | 305,250 | 613,700 | 780,700 | 526,320 | 370,000 |
| Weather | 229,100 | 165,000 | 938,600 | 928,400 | 110,940 | 60,000 |
| Unknown causes 1/ | 252,800 | 222,750 | 342,950 | 337,600 | 358,620 | 240,000 |
| All other causes | 797,900 | 627,000 | 992,750 | 1,329,300 | 681,120 | 705,000 |
| Total loss from all causes | 1,738,000 | 1,320,000 | 2,888,000 | 3,376,000 | 1,677,000 | 1,375,000 |

1/ Includes losses due to predators, weather, disease, etc., not identifiable

2/ Sheep per head value based on the annual hundred weight prices received by farmers and ranchers. Value per head: 1976-$15.80; 1977-$16.50; 1978-$36.10; 1979-$42.20; 1980-$25.80; 1981-$25.00.

* Data not available

Losses of lambs by cause, Wyoming, 1976-81 1/

| Cause of loss | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 |
|---|---|---|---|---|---|---|
| | | | Number of head | | | |
| Fox | 4,100 | 5,500 | 4,400 | 6,800 | 4,800 | 3,800 |
| Coyotes | 65,000 | 51,000 | 43,500 | 64,000 | 58,200 | 58,300 |
| Bobcats | 1,900 | 1,600 | 900 | 600 | 300 | 300 |
| Dogs | 2,200 | 2,700 | 3,300 | 1,500 | 1,600 | 1,600 |
| Bears | 1,500 | 1,100 | 600 | 800 | 300 | 1,100 |
| Eagles | 7,000 | 6,900 | 4,300 | 7,600 | 5,400 | 5,500 |
| Other predators | 300 | 200 | 500 | 400 | 900 | 1,300 |
| Total predators | 82,000 | 69,000 | 57,500 | 81,700 | 71,500 | 71,900 |
| Weather | 25,500 | 21,500 | 70,500 | 28,700 | 18,500 | 16,400 |
| Unknown causes 2/ | 23,500 | 25,000 | 14,500 | 17,500 | 11,300 | 16,100 |
| All other causes | 37,000 | 29,500 | 20,500 | 29,100 | 28,700 | 22,600 |
| Total loss from all causes | 168,000 | 145,000 | 163,000 | 157,000 | 130,000 | 127,000 |
| | | | Percent of total by causes | | | |
| Fox | 2.4 | 3.8 | 2.7 | 4.3 | 3.7 | 3.0 |
| Coyotes | 38.7 | 35.2 | 26.7 | 40.8 | 44.8 | 45.9 |
| Bobcats | 1.1 | 1.1 | .6 | .4 | .2 | .2 |
| Dogs | 1.3 | 1.9 | 2.0 | 1.0 | 1.2 | 1.3 |
| Bears | .9 | .8 | .4 | .5 | .2 | .9 |
| Eagles | 4.2 | 4.8 | 2.6 | 4.8 | 4.2 | 4.3 |
| Other predators | .2 | .1 | .3 | .2 | .7 | 1.0 |
| Total predators | 48.8 | 47.7 | 35.3 | 52.0 | 55.0 | 56.6 |
| Weather | 15.2 | 14.8 | 43.2 | 18.3 | 14.2 | 12.9 |
| Unknown causes 2/ | 14.0 | 17.2 | 8.9 | 11.2 | 8.7 | 12.7 |
| All other causes | 22.0 | 20.3 | 12.6 | 18.5 | 22.1 | 17.8 |
| Total loss from all causes | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | Dollar value of losses by causes 3/ | | | |
| Fox | 139,810 | 229,900 | 253,880 | 354,960 | 234,240 | 137,940 |
| Coyotes | 2,216,500 | 2,131,800 | 2,509,950 | 3,340,800 | 2,840,160 | 2,116,290 |
| Bobcats | 64,790 | 66,880 | 51,930 | 31,320 | 14,640 | 10,890 |
| Dogs | 75,020 | 112,860 | 190,410 | 78,300 | 78,080 | 58,080 |
| Bears | 51,150 | 45,980 | 34,620 | 41,760 | 14,640 | 39,930 |
| Eagles | 238,700 | 288,420 | 248,110 | 396,720 | 263,520 | 199,650 |
| Other predators | 10,230 | 8,360 | 28,850 | 20,880 | 43,920 | 47,190 |
| Total predators | 2,796,200 | 2,884,200 | 3,317,750 | 4,264,740 | 3,489,200 | 2,609,970 |
| Weather | 869,550 | 898,700 | 4,067,850 | 1,498,140 | 902,800 | 595,320 |
| Unknown causes 2/ | 801,350 | 1,045,000 | 836,650 | 913,500 | 551,440 | 824,430 |
| All other causes | 1,261,700 | 1,233,100 | 1,182,850 | 1,519,020 | 1,400,560 | 1,525,380 |
| Total loss from all causes | 5,728,800 | 6,061,000 | 9,405,100 | 8,195,400 | 6,344,000 | 5,985,100 |

1/ Includes all lamb loss from birth. USDA estimate includes only losses of lambs after docking.

2/ Includes losses due to predators, weather, disease, etc., not identifiable.

3/ Lamb per head value based on the annual hundred weight prices received by farmers and ranchers. Value per head: 1976-$34.10; 1977-$41.80; 1978-$57.70; 1979-$52.20; 1980-$48.80; 1981-$36.30.

* Data not available.

Losses of sheep and lambs by cause, Wyoming, 1976-81 1/

| Cause of loss | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 |
|---|---|---|---|---|---|---|
| | | | Number of head | | | |
| Fox | 4,200 | 5,600 | 4,600 | 7,000 | 5,000 | 3,900 |
| Coyotes | 89,000 | 65,000 | 56,500 | 79,000 | 75,000 | 70,100 |
| Bobcats | 2,100 | 1,800 | 1,100 | 700 | 300 | 300 |
| Dogs | 5,600 | 5,200 | 6,000 | 3,300 | 3,600 | 3,400 |
| Bears | 2,500 | 2,300 | 1,200 | 1,800 | 1,000 | 1,600 |
| Eagles | 7,300 | 7,300 | 4,500 | 7,800 | 5,800 | 5,700 |
| Other predators | 300 | 300 | 600 | 600 | 1,200 | 1,700 |
| Total predators | 111,000 | 87,500 | 74,500 | 100,200 | 91,900 | 86,700 |
| Weather | 40,000 | 31,500 | 96,500 | 50,700 | 22,800 | 18,800 |
| Unknown causes 2/ | 39,500 | 38,500 | 24,000 | 25,500 | 25,200 | 25,700 |
| All other causes | 87,500 | 67,500 | 48,000 | 60,600 | 55,100 | 50,800 |
| Total loss from all causes | 278,000 | 225,000 | 243,000 | 237,000 | 195,000 | 182,000 |
| | | | Percent of total by causes | | | |
| Fox | 1.5 | 2.5 | 1.9 | 3.0 | 2.6 | 2.1 |
| Coyotes | 32.0 | 28.9 | 23.2 | 33.3 | 38.5 | 38.5 |
| Bobcats | .8 | .8 | .5 | .3 | .1 | .2 |
| Dogs | 2.0 | 2.3 | 2.5 | 1.4 | 1.8 | 1.9 |
| Bears | .9 | 1.0 | .5 | .8 | .5 | .9 |
| Eagles | 2.6 | 3.2 | 1.9 | 3.3 | 3.0 | 3.1 |
| Other predators | .1 | .1 | .2 | .2 | .6 | .9 |
| Total predators | 39.9 | 38.8 | 30.7 | 42.3 | 47.1 | 47.6 |
| Weather | 14.4 | 14.0 | 39.7 | 21.4 | 11.7 | 10.3 |
| Unknown causes 2/ | 14.2 | 17.1 | 9.9 | 10.7 | 12.9 | 14.1 |
| All other causes | 31.5 | 30.1 | 19.7 | 25.6 | 28.3 | 28.0 |
| Total loss from all causes | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| | | | Dollar value of losses by causes | | | |
| Fox | 141,390 | 231,550 | 261,100 | 363,400 | 239,400 | 140,440 |
| Coyotes | 2,595,700 | 2,362,800 | 2,979,250 | 3,973,800 | 3,273,600 | 2,411,290 |
| Bobcats | 67,950 | 70,180 | 59,150 | 35,540 | 14,640 | 10,890 |
| Dogs | 128,740 | 154,110 | 287,880 | 154,260 | 129,680 | 103,080 |
| Bears | 66,950 | 65,780 | 56,280 | 83,960 | 32,700 | 52,430 |
| Eagles | 243,440 | 295,020 | 255,330 | 405,160 | 273,840 | 204,650 |
| Other predators | 10,230 | 10,010 | 32,460 | 29,320 | 51,660 | 57,190 |
| Total predators | 3,254,400 | 3,189,450 | 3,931,450 | 5,045,440 | 4,015,520 | 2,979,970 |
| Weather | 1,098,650 | 1,063,700 | 5,006,450 | 2,426,540 | 1,013,740 | 655,320 |
| Unknown causes 2/ | 1,054,150 | 1,267,750 | 1,179,600 | 1,251,100 | 910,060 | 824,430 |
| All other causes | 2,059,600 | 1,860,100 | 2,175,600 | 2,848,320 | 2,081,680 | 1,525,380 |
| Total loss from all causes | 7,466,800 | 7,381,000 | 12,293,100 | 11,571,400 | 8,021,000 | 5,985,100 |

1/ Includes all lamb loss from birth. USDA estimate includes only losses of lambs after docking.

2/ Includes losses due to predators, weather, disease, etc., not identifiable.

* Data not available

Stock sheep on Wyoming farms and ranches, January 1

| Counties | 1978 | 1979 | 1980 | 1981 | 1982 |
|---|---|---|---|---|---|
| | Number of head | | | | |
| Big Horn | 60,000 | 65,000 | 64,000 | 72,000 | 60,000 |
| Fremont | 40,000 | 40,000 | 39,000 | 38,000 | 41,000 |
| Hot Springs | 14,000 | 16,000 | 16,000 | 15,000 | 15,500 |
| Park | 22,000 | 22,000 | 20,000 | 18,000 | 21,000 |
| Washakie | 43,000 | 43,000 | 44,000 | 42,000 | 48,000 |
| NW District | 179,000 | 186,000 | 183,000 | 185,000 | 185,500 |
| Campbell | 79,000 | 58,000 | 58,000 | 62,000 | 60,000 |
| Crook | 34,000 | 32,000 | 34,000 | 30,000 | 32,000 |
| Johnson | 116,000 | 120,000 | 126,000 | 132,000 | 130,000 |
| Sheridan | 22,000 | 23,000 | 20,000 | 25,000 | 23,000 |
| Weston | 12,000 | 13,000 | 12,000 | 14,000 | 14,000 |
| NE District | 263,000 | 246,000 | 250,000 | 263,000 | 259,000 |
| Lincoln | 36,000 | 35,000 | 25,500 | 28,000 | 35,000 |
| Sublette | 1,700 | 3,500 | 3,000 | 4,000 | 5,000 |
| Teton | 300 | 500 | 500 | 500 | 500 |
| Uinta | 48,000 | 48,000 | 50,000 | 51,000 | 46,000 |
| West District | 86,000 | 87,000 | 79,000 | 83,500 | 86,500 |
| Albany | 10,000 | 10,000 | 7,000 | 7,000 | 7,000 |
| Carbon | 88,000 | 76,000 | 78,000 | 86,000 | 95,000 |
| Natrona | 161,000 | 135,000 | 143,000 | 140,000 | 146,000 |
| Sweetwater | 56,000 | 45,000 | 44,000 | 42,000 | 45,000 |
| SC District | 315,000 | 266,000 | 272,000 | 275,000 | 293,000 |
| Converse | 106,000 | 109,000 | 102,000 | 101,000 | 99,000 |
| Goshen | 9,000 | 9,000 | 14,000 | 16,000 | 14,000 |
| Laramie | 22,000 | 27,000 | 28,000 | 30,500 | 29,000 |
| Niobrara | 24,000 | 27,000 | 28,000 | 30,000 | 27,000 |
| Platte | 6,000 | 3,000 | 4,000 | 6,000 | 7,000 |
| SE District | 167,000 | 175,000 | 176,000 | 183,500 | 176,000 |
| STATE | 1,010,000 | 960,000 | 960,000 | 990,000 | 1,000,000 |

Hogs and pigs: Number of farms with hogs 1972-81 and number and value of hogs on farms and ranches, Wyoming, December 1, 1972-81

| Year | Farms with hogs | Hogs on farms December 1 | | | | |
|---|---|---|---|---|---|---|
| | | Kept for breeding | Market hogs | Total hogs | Value | |
| | | | | | Per head | Total |
| | Number | 1,000 head | 1,000 head | 1,000 head | Dollars | 1,000 dollars |
| 1972 | 1,000 | 7 | 48 | 55 | 32.50 | 1,788 |
| 1973 | 900 | 6 | 38 | 44 | 51.00 | 2,244 |
| 1974 | 900 | 6 | 33 | 39 | 41.50 | 1,619 |
| 1975 | 800 | 5 | 25 | 30 | 63.00 | 1,890 |
| 1976 | 700 | 6 | 26 | 32 | 45.00 | 1,440 |
| 1977 | 700 | 5 | 27 | 32 | 58.00 | 1,856 |
| 1978 | 700 | 5 | 25 | 30 | 81.00 | 2,430 |
| 1979 | 700 | 4 | 28 | 32 | 53.50 | 1,712 |
| 1980 | 700 | 5 | 25 | 30 | 67.00 | 2,010 |
| 1981 | 700 | 5 | 28 | 33 | 62.00 | 2,046 |

Pig crop: Sows farrowing and pigs saved, Wyoming 1972-81

| Year | Spring pig crop - December-May | | | Fall pig crop - June-November | | | Total pig crop |
|---|---|---|---|---|---|---|---|
| | Sows farrowing | Pigs per litter | Pigs saved | Sows farrowing | Pigs per litter | Pigs saved | |
| | 1,000 head | Head | 1,000 head | 1,000 head | Head | 1,000 head | 1,000 head |
| 1972 | 4.1 | 7.1 | 29 | 3.8 | 7.1 | 27 | 56 |
| 1973 | 3.7 | 7.1 | 26 | 3.2 | 7.1 | 23 | 49 |
| 1974 | 3.5 | 7.4 | 26 | 3.2 | 6.9 | 22 | 48 |
| 1975 | 3.0 | 7.0 | 21 | 2.5 | 7.2 | 18 | 39 |
| 1976 | 3.3 | 7.4 | 24 | 3.4 | 6.6 | 22 | 46 |
| 1977 | 2.7 | 7.0 | 19 | 3.2 | 6.9 | 22 | 41 |
| 1978 | 2.3 | 7.4 | 17 | 2.8 | 7.0 | 20 | 37 |
| 1979 | 2.5 | 7.3 | 18 | 3.1 | 6.8 | 21 | 39 |
| 1980 | 3.3 | 6.8 | 22 | 2.9 | 6.5 | 19 | 41 |
| 1981 | 3.1 | 7.3 | 23 | 3.2 | 7.1 | 23 | 46 |

Hogs and pigs: Inventory, supply and disposition, Wyoming, 1973-81

| Year | Inventory beginning of year | Annual pig crop | Inshipments | Marketings 1/ | Farm slaughter 2/ | Deaths | Inventory end of year |
|---|---|---|---|---|---|---|---|
| | 1,000 head | | | | | | |
| 1973 | 55 | 49 | 1 | 54 | 2 | 5 | 44 |
| 1974 | 44 | 48 | 2 | 48 | 2 | 5 | 39 |
| 1975 | 39 | 39 | 2 | 44 | 2 | 4 | 30 |
| 1976 | 30 | 46 | 2 | 40 | 2 | 4 | 32 |
| 1977 | 32 | 41 | 4 | 40 | 2 | 3 | 32 |
| 1978 | 32 | 37 | 6 | 40 | 2 | 3 | 30 |
| 1979 | 30 | 39 | 9 | 41 | 2 | 3 | 32 |
| 1980 | 32 | 41 | 8 | 45 | 2 | 4 | 30 |
| 1981 | 30 | 46 | 8 | 46 | 2 | 3 | 33 |

1/ Includes custom slaughter for use on farms where produced, but excludes interfarm sales, within the State.
2/ Excludes custom slaughter for farmers at commercial establishments.

Hogs and pigs: Production and income, Wyoming, 1973-81

| Year | Production 1/ | Marketings 2/ | Average price per 100 lbs. | Value of production | Cash receipts 3/ | Value of consumption | Gross income |
|---|---|---|---|---|---|---|---|
| | 1,000 pounds | | Dollars | 1,000 dollars | | | |
| 1973 | 11,888 | 11,703 | 36.80 | 4,375 | 4,307 | 536 | 4,843 |
| 1974 | 9,652 | 9,204 | 33.10 | 3,195 | 3,047 | 436 | 3,483 |
| 1975 | 8,952 | 8,788 | 43.40 | 3,919 | 3,883 | 612 | 4,495 |
| 1976 | 9,764 | 8,412 | 41.40 | 4,046 | 3,516 | 389 | 3,905 |
| 1977 | 9,293 | 8,552 | 38.30 | 3,576 | 3,362 | 362 | 3,724 |
| 1978 | 8,344 | 8,328 | 44.80 | 3,726 | 3,788 | 430 | 4,218 |
| 1979 | 9,629 | 9,200 | 39.40 | 3,651 | 3,803 | 370 | 4,173 |
| 1980 | 11,191 | 10,935 | 37.00 | 4,074 | 4,158 | 261 | 4,419 |
| 1981 | 11,247 | 10,720 | 43.40 | 4,830 | 4,739 | 408 | 5,147 |

1/ Adjustments made for changes in inventory and for inshipments.
2/ Excludes custom slaughter for use on farms where produced and interfarm sales within the State.
3/ Receipts from marketings and sale of farm slaughter.

Red meat and commercial slaughter: Total production and number head, Wyoming, 1977-81, U.S. 1981 1/

| Year | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Total |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Red meat production - 1,000 pounds 1/ | | | | | | | |
| 1977 2/ | 1,707 | 1,426 | 1,634 | 1,263 | 1,313 | 1,331 | 1,213 | 1,705 | 1,344 | 1,219 | 1,496 | 1,300 | 16,956 |
| 1978 | 1,233 | 1,136 | 1,168 | 1,021 | 1,093 | 1,254 | 1,069 | 1,304 | 1,038 | 922 | 1,058 | 821 | 13,123 |
| 1979 | 952 | 886 | 804 | 851 | 836 | 843 | 873 | 1,379 | 968 | 950 | 1,046 | 849 | 11,243 |
| 1980 | 931 | 764 | 837 | 892 | 1,007 | 851 | 859 | 1,149 | 1,035 | 904 | 937 | 943 | 11,109 |
| 1981 | 864 | 731 | 879 | 817 | 756 | 903 | 822 | 1,114 | 1,126 | 804 | 939 | 895 | 10,650 |
| U.S. 1981 | 3,417 | 3,014 | 3,389 | 3,299 | 3,071 | 3,118 | 3,041 | 3,044 | 3,247 | 3,433 | 3,185 | 3,417 | 38,675 |
| | | | | | | Number cattle slaughtered* 2/ | | | | | | | |
| 1977 | 2,700 | 2,400 | 2,600 | 1,900 | 2,000 | 2,000 | 1,900 | 2,500 | 2,100 | 1,900 | 2,300 | 2,000 | 26,300 |
| 1978 | 2,000 | 1,900 | 1,700 | 1,500 | 1,600 | 1,800 | 1,600 | 1,800 | 1,600 | 1,400 | 1,600 | 1,400 | 19,800 |
| 1979 | 1,500 | 1,200 | 1,100 | 1,200 | 1,200 | 1,200 | 1,200 | 1,800 | 1,300 | 1,300 | 1,400 | 1,100 | 15,500 |
| 1980 | 1,200 | 1,000 | 1,100 | 1,000 | 1,200 | 1,100 | 1,200 | 1,500 | 1,400 | 1,200 | 1,300 | 1,300 | 14,500 |
| 1981 | 1,100 | 1,000 | 1,100 | 1,100 | 1,000 | 1,200 | 1,100 | 1,500 | 1,500 | 1,100 | 1,300 | 1,200 | 14,200 |
| U.S. 1981 | 3,005 | 2,659 | 2,922 | 2,811 | 2,756 | 2,929 | 2,921 | 2,934 | 3,024 | 3,126 | 2,855 | 3,012 | 34,953 |
| | | | | | | Number of sheep and lambs slaughtered 2/ | | | | | | | |
| 1977 | 200 | 200 | 200 | 200 | 200 | 100 | 100 | 700 | 300 | 100 | 200 | 200 | 2,700 |
| 1978 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 700 | 200 | 100 | 100 | 100 | 1,700 |
| 1979 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 500 | 200 | 100 | 100 | 100 | 1,800 |
| 1980 | 100 | 100 | 100 | 200 | 100 | 100 | 100 | 500 | 200 | 100 | 200 | 200 | 2,200 |
| 1981 | 200 | 100 | 200 | 200 | 100 | 200 | 200 | 700 | 300 | 100 | 200 | 200 | 2,600 |
| U.S. 1981 | 504 | 440 | 505 | 538 | 442 | 459 | 460 | 491 | 570 | 574 | 490 | 535 | 6,008 |
| | | | | | | Number hogs and pigs, slaughtered 2/ | | | | | | | |
| 1977 | 1,000 | 900 | 1,100 | 1,000 | 1,000 | 1,000 | 800 | 1,000 | 900 | 700 | 1,100 | 1,100 | 11,600 |
| 1978 | 900 | 800 | 1,100 | 900 | 800 | 800 | 900 | 1,100 | 900 | 800 | 1,000 | 900 | 10,800 |
| 1979 | 1,000 | 1,000 | 1,000 | 1,100 | 900 | 1,000 | 900 | 1,300 | 1,000 | 1,000 | 1,200 | 1,100 | 12,500 |
| 1980 | 1,300 | 1,000 | 1,300 | 1,700 | 1,600 | 1,100 | 1,000 | 1,100 | 900 | 900 | 1,000 | 1,200 | 14,200 |
| 1981 | 1,000 | 900 | 1,100 | 1,100 | 900 | 800 | 900 | 1,000 | 1,100 | 800 | 1,000 | 1,100 | 11,700 |
| U.S. 1981 | 8,131 | 7,196 | 8,351 | 8,326 | 7,299 | 6,969 | 6,812 | 6,854 | 7,612 | 8,143 | 7,601 | 8,282 | 91,575 |

1/ U.S. figures in millions.
2/ U.S. figures in thousands.
* Calf slaughter not shown because insignificant numbers slaughtered.

Chickens: Number and value, Wyoming, December 1, 1977-81, U.S. 1981

| Year | Hens and pullets of laying age | Pullets 3 months & older--not laying | Pullets under 3 months old | Other chickens | Total chickens 1/ Number | Value Average | Value Total |
|---|---|---|---|---|---|---|---|
| | 1,000 head | | | | | Dollars | 1,000 dollars |
| 1977 | 82 | 4 | 2 | 2 | 90 | 2.00 | 180 |
| 1978 | 63 | 3 | 2 | 2 | 70 | 2.05 | 144 |
| 1979 | 46 | 2 | 1 | 1 | 50 | 2.20 | 110 |
| 1980 | 53 | 2 | 1 | 1 | 57 | 1.95 | 111 |
| 1981 | 44 | 2 | 1 | 2 | 49 | 2.80 | 137 |
| U.S. 1981 | 292,509 | 42,102 | 41,863 | 6,746 | 383,220 | 1.89 | 724,714 |

1/ Excludes commercial broilers

Chickens: Inventory numbers, number raised, and disposition, Wyoming 1977-81 U.S. 1981

| Year | Chickens on hand first of year | Lost | Raised | Home consumption | Sold | Chickens on hand end of year | Produced Number | Produced Weight |
|---|---|---|---|---|---|---|---|---|
| | 1,000 head | | | | | | | 1,000 pounds |
| 1977 | 110 | 40 | 69 | 14 | 35 | 90 | 29 | 146 |
| 1978 | 90 | 35 | 59 | 14 | 30 | 70 | 24 | 121 |
| 1979 | 70 | 40 | 56 | 14 | 22 | 50 | 16 | 84 |
| 1980 | 50 | 30 | 89 | 15 | 37 | 57 | 59 | 266 |
| 1981 | 57 | 21 | 48 | 15 | 20 | 49 | 27 | 126 |
| U.S. 1981 | 392,110 | 40,548 | 281,036 | 10,912 | 238,466 | 383,220 | 240,488 | 1,205,088 |

Chickens: Disposition, cash receipts, and gross income, 1977-81, U.S. 1981

| Year | Sold | Home consumption | Price per pound | Value of production | Cash receipts | Value of home consumption | Gross Income |
|---|---|---|---|---|---|---|---|
| | 1,000 pounds | | Cents | 1,000 dollars | | | |
| 1977 | 168 | 56 | 10.0 | 15 | 17 | 6 | 23 |
| 1978 | 144 | 56 | 9.3 | 11 | 13 | 5 | 18 |
| 1979 | 106 | 56 | 9.1 | 8 | 10 | 5 | 15 |
| 1980 | 178 | 60 | 8.2 | 22 | 15 | 5 | 20 |
| 1981 | 96 | 60 | 5.9 | 7 | 6 | 4 | 10 |
| U.S. 1981 | 1,185,181 | 43,063 | 11.1 | 134,107 | 131,860 | 4,652 | 136,512 |

Egg production: Number of layers, eggs per 100 layers and egg production, Wyoming, 1977-81, U.S. 1981

| Year | Average number layers | Eggs per layer | Total egg production |
|---|---|---|---|
| | Thousands | Number | Million eggs |
| 1977 | 92 | 216 | 19.9 |
| 1978 | 72 | 200 | 14.0 |
| 1979 | 56 | 193 | 10.8 |
| 1980 | 55 | 191 | 10.5 |
| 1981 | 47 | 172 | 8.1 |
| U.S. 1981 | 286,884 | 243 | 69,603 |

Eggs: Production, Disposition, and Income, Wyoming, 1977-81, U.S. 1981

| Year | Home consumption | Eggs sold | Price per dozen | Cash receipts | Value of home consumption | Gross income |
|---|---|---|---|---|---|---|
| | Million | | Cents | 1,000 dollars | | |
| 1977 | 2 | 17.9 | 54.0 | 806 | 90 | 896 |
| 1978 | 2 | 12.4 | 50.2 | 519 | 84 | 603 |
| 1979 | 2 | 8.8 | 58.5 | 429 | 98 | 527 |
| 1980 | 2 | 8.5 | 55.1 | 390 | 92 | 482 |
| 1981 | 3 | 5.1 | 59.7 | 254 | 149 | 403 |
| U.S. 1981 | 444 | 69,159 | 63.1 | 3,639,880 | 22,853 | 3,662,733 |

Honey and Beeswax: Number of colonies, production and value, Wyoming, 1977-81, U.S. 1981

| Year | Honey | | | | | Beeswax | | |
|---|---|---|---|---|---|---|---|---|
| | | Production | | Value | | | Value | |
| | Colonies of bees | Per colony | Total | Per pound | Total | Production | Per pound | Total |
| | 1,000 colonies | Pounds | 1,000 pounds | Cents | 1,000 dollars | 1,000 pounds | Dollars | 1,000 dollars |
| 1977 | 41 | 64 | 2,624 | 50.1 | 1,315 | 50 | 1.53 | 77 |
| 1978 | 41 | 55 | 2,255 | 50.6 | 1,141 | 38 | 1.76 | 67 |
| 1979 | 39 | 85 | 3,315 | 52.8 | 1,750 | 60 | 1.88 | 113 |
| 1980 | 41 | 71 | 2,911 | 55.0 | 1,601 | 58 | 1.97 | 114 |
| 1981 1/ | 44 | 72 | 3,168 | 56.0 | 1,774 | 67 | 1.88 | 126 |
| U.S. 1981 | 4,213 | 44.1 | 185,927 | 63.2 | 117,559 | 3,712 | 1.91 | 7,103 |

1/ Preliminary



# Crops








Index of Wyoming Crop Production, 1958-81 (1957-59=100)

| Year | Index | Year | Index | Year | Index | Year | Index |
|---|---|---|---|---|---|---|---|
| 1958 | 108 | 1964 | 97 | 1970 | 112 | 1976 | 130 |
| 1959 | 93 | 1965 | 90 | 1971 | 124 | 1977 | 108 |
| 1960 | 84 | 1966 | 90 | 1972 | 126 | 1978 | 130 |
| 1961 | 92 | 1967 | 116 | 1973 | 117 | 1979 | 126 |
| 1962 | 90 | 1968 | 112 | 1974 | 115 | 1980 | 132 |
| 1963 | 102 | 1969 | 106 | 1975 | 126 | 1981 | 145 |

Crops: Acreage planted and harvested, yield, price, production and value, Wyoming, 1972-81, U.S. 1981

| Year | Acres | | Yield per harvested acre | Production | Season average price | Value of production |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | 1,000 acres | | Bushels | 1,000 bushels | Dollars | 1,000 dollars |
| | | | Winter Wheat | | | |
| 1972 | 280 | 242 | 35.0 | 8,470 | 1.64 | 13,891 |
| 1973 | 295 | 270 | 23.0 | 6,210 | 4.22 | 26,206 |
| 1974 | 312 | 288 | 24.0 | 6,912 | 4.06 | 28,063 |
| 1975 | 334 | 309 | 25.0 | 7,725 | 3.61 | 27,887 |
| 1976 | 330 | 295 | 24.0 | 7,080 | 2.29 | 16,213 |
| 1977 | 327 | 260 | 20.0 | 5,200 | 2.14 | 11,128 |
| 1978 | 327 | 275 | 26.0 | 7,150 | 2.73 | 19,520 |
| 1979 | 320 | 267 | 22.0 | 5,874 | 3.48 | 20,442 |
| 1980 | 325 | 295 | 28.0 | 8,260 | 3.71 | 30,645 |
| 1981 | 305 | 275 | 30.0 | 8,250 | 3.40 | 28,050 |
| U.S. 1981 | 65,917 | 58,589 | 35.8 | 2,098,719 | 3.67 | 7,692,431 |
| | | | Other Spring Wheat | | | |
| 1972 | 15 | 12 | 30.0 | 360 | 1.61 | 580 |
| 1973 | 16 | 11 | 25.0 | 275 | 4.07 | 1,119 |
| 1974 | 23 | 18 | 21.0 | 378 | 4.14 | 1,565 |
| 1975 | 25 | 23 | 24.0 | 552 | 3.64 | 2,009 |
| 1976 | 40 | 35 | 25.0 | 875 | 2.34 | 2,048 |
| 1977 | 26 | 21 | 20.0 | 420 | 2.26 | 949 |
| 1978 | 24 | 19 | 24.0 | 456 | 2.78 | 1,268 |
| 1979 | 21 | 20 | 24.0 | 480 | 3.43 | 1,646 |
| 1980 | 27 | 20 | 18.0 | 360 | 3.84 | 1,382 |
| 1981 | 17 | 9 | 20.0 | 180 | 3.40 | 612 |
| U.S. 1981 | 17,071 | 16,604 | 30.6 | 508,777 | 3.65 | 1,858,646 |
| | | | All Wheat | | | |
| 1972 | 295 | 254 | 34.8 | 8,830 | 1.64 | 14,471 |
| 1973 | 311 | 281 | 23.1 | 6,485 | 4.21 | 27,325 |
| 1974 | 335 | 306 | 23.8 | 7,290 | 4.06 | 29,628 |
| 1975 | 359 | 332 | 24.9 | 8,277 | 3.61 | 29,896 |
| 1976 | 370 | 330 | 24.1 | 7,955 | 2.30 | 18,261 |
| 1977 | 353 | 281 | 20.0 | 5,620 | 2.15 | 12,077 |
| 1978 | 351 | 294 | 25.9 | 7,606 | 2.73 | 20,788 |
| 1979 | 341 | 287 | 22.1 | 6,354 | 3.48 | 22,088 |
| 1980 | 352 | 315 | 27.4 | 8,620 | 3.72 | 32,027 |
| 1981 | 322 | 284 | 29.7 | 8,430 | 3.40 | 28,662 |
| U.S.1/ 1981 | 88,864 | 80,948 | 34.5 | 2,793,436 | 3.66 | 10,225,881 |

1/ U.S. All Wheat figures include durum

Crops: Acreage planted and harvested, yield, price, production and value, Wyoming, 1972-81, U.S. 1981--Continued

| Year | Acres | | Yield per harvested acre | Production | Season average price | Value of production |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | 1,000 acres | | Bushels | 1,000 bushels | Dollars | 1,000 dollars |
| | | | Barley | | | |
| 1972 | 139 | 125 | 55.0 | 6,875 | 1.14 | 7,838 |
| 1973 | 140 | 123 | 50.0 | 6,150 | 2.06 | 12,669 |
| 1974 | 140 | 125 | 52.0 | 6,500 | 2.74 | 17,810 |
| 1975 | 140 | 127 | 59.0 | 7,493 | 2.47 | 18,508 |
| 1976 | 146 | 135 | 62.0 | 8,370 | 2.25 | 18,833 |
| 1977 | 150 | 135 | 55.0 | 7,425 | 2.19 | 16,261 |
| 1978 | 160 | 150 | 63.0 | 9,450 | 2.32 | 21,924 |
| 1979 | 154 | 145 | 60.0 | 8,700 | 2.59 | 22,533 |
| 1980 | 145 | 133 | 65.0 | 8,645 | 2.99 | 25,849 |
| 1981 | 145 | 134 | 67.0 | 8,978 | 3.15 | 28,281 |
| U.S. 1981 | 9,741 | 9,151 | 52.3 | 478,301 | 2.45 | 1,168,659 |
| | | | Oats | | | |
| 1972 | 78 | 53 | 50.0 | 2,650 | .83 | 2,200 |
| 1973 | 76 | 52 | 44.0 | 2,288 | 1.39 | 3,180 |
| 1974 | 70 | 47 | 38.0 | 1,786 | 1.77 | 3,161 |
| 1975 | 68 | 50 | 41.0 | 2,050 | 1.73 | 3,547 |
| 1976 | 74 | 56 | 46.0 | 2,576 | 1.55 | 3,993 |
| 1977 | 85 | 51 | 38.0 | 1,938 | 1.24 | 2,403 |
| 1978 | 81 | 56 | 56.0 | 3,136 | 1.35 | 4,234 |
| 1979 | 81 | 52 | 44.0 | 2,288 | 1.45 | 3,318 |
| 1980 | 80 | 51 | 45.0 | 2,295 | 1.95 | 4,475 |
| 1981 | 80 | 51 | 45.0 | 2,295 | 2.10 | 4,820 |
| U.S. 1981 | 13,646 | 9,411 | 54.0 | 508,083 | 1.86 | 932,661 |
| | | | Rye | | | |
| 1972 | 15 | 5 | 21.0 | 105 | .97 | 102 |
| 1973 | 11 | 4 | 20.0 | 80 | 1.92 | 154 |
| 1974 | 6 | 2 | 20.0 | 40 | 2.38 | 95 |
| 1975 | 6 | 2 | 22.0 | 44 | 2.40 | 106 |
| 1976 | 6 | 3 | 19.0 | 57 | 2.30 | 131 |
| 1977 | 5 | 2 | 19.0 | 38 | 1.95 | 74 |
| 1978 | 5 | 2 | 22.0 | 44 | 1.90 | 84 |
| 1979 | 5 | 2 | 17.0 | 34 | 2.05 | 70 |
| 1980 | 4 | 2 | 20.0 | 40 | 2.70 | 108 |
| 1981 U.S. 1981 | 2,594 | 697 | 26.7 | 18,621 | 2.90 | 54,617 |

Note: Data not available for periods blank

Crops: Acreage planted and harvested, yield, price, production and value, Wyoming, 1972-81, U.S. 1981--Continued

| Year | Acres | | Yield per harvested acre | Production | Season average price | Value of production |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | 1,000 acres | | Pounds | 1,000 cwt. | Dollars | 1,000 dollars |
| | | | Dry beans | | | |
| 1972 | 27 | 26 | 1,900 | 494 | 9.10 | 4,495 |
| 1973 | 20 | 19 | 1,840 | 350 | 25.90 | 9,065 |
| 1974 | 24 | 23 | 1,900 | 437 | 25.80 | 11,275 |
| 1975 | 26 | 25 | 1,700 | 425 | 15.00 | 6,375 |
| 1976 | 26 | 25 | 1,800 | 450 | 11.70 | 5,265 |
| 1977 | 24 | 23 | 1,650 | 380 | 19.90 | 7,562 |
| 1978 | 30 | 27 | 1,580 | 427 | 17.00 | 7,259 |
| 1979 | 30 | 28 | 1,900 | 532 | 24.60 | 13,087 |
| 1980 | 38 | 37 | 1,980 | 733 | 27.70 | 20,304 |
| 1981 | 43 | 42 | 2,100 | 882 | 19.80 | 17,464 |
| U.S. 1981 | 2,320 | 2,201 | 1,445 | 31,814 | 22.70 | 722,125 |
| | 1,000 acres | | Tons | 1,000 tons | Dollars | 1,000 dollars |
| | | | Sugar beets | | | |
| 1972 | 59.0 | 57.2 | 20.0 | 1,146 | 17.90 | 20,513 |
| 1973 | 55.8 | 54.1 | 18.2 | 985 | 36.70 | 36,150 |
| 1974 | 54.9 | 53.5 | 18.4 | 983 | 52.60 | 51,706 |
| 1975 | 58.3 | 57.7 | 18.4 | 1,060 | 29.50 | 31,270 |
| 1976 | 57.1 | 56.4 | 20.7 | 1,167 | 22.50 | 26,258 |
| 1977 | 49.5 | 48.4 | 19.6 | 949 | 28.80 | 27,331 |
| 1978 | 49.5 | 48.8 | 18.9 | 922 | 29.50 | 27,199 |
| 1979 | 48.9 | 48.2 | 18.8 | 906 | 38.00 | 34,428 |
| 1980 | 45.6 | 45.3 | 22.6 | 1,024 | 50.90 | 52,122 |
| 1981 | 45.2 | 44.9 | 24.0 | 1,078 | | |
| U.S. 1981 | 1258.0 | 1229.8 | 22.2 | 27,271 | | |
| | 1,000 acres | | cwt. | 1,000 cwt. | Dollars | 1,000 dollars |
| | | | Fall potatoes | | | |
| 1972 | 5.8 | 5.6 | 235 | 1,316 | 2.85 | 3,751 |
| 1973 | 6.4 | 6.1 | 200 | 1,220 | 4.75 | 5,795 |
| 1974 | 6.8 | 6.5 | 235 | 1,528 | 3.00 | 4,584 |
| 1975 | 7.0 | 6.8 | 240 | 1,632 | 3.70 | 6,038 |
| 1976 | 7.4 | 6.3 | 270 | 1,701 | 3.45 | 5,868 |
| 1977 | 7.0 | 6.7 | 220 | 1,474 | 3.65 | 5,380 |
| 1978 | 7.1 | 6.8 | 215 | 1,462 | 3.25 | 4,752 |
| 1979 | 5.5 | 5.2 | 220 | 1,144 | 4.30 | 4,919 |
| 1980 | 5.8 | 5.7 | 235 | 1,340 | 8.20 | 10,988 |
| 1981 | 5.5 | 5.3 | 200 | 1,060 | 6.00 | 6,360 |
| U.S. 1981 | 1,070.2 | 1,047.0 | 278 | 290,684 | 5.40 | 1,786,281 |

NOTE: Data not available for periods blank

Crops: Acreage planted and harvested, yield, price, production and value, Wyoming, 1972-81, U.S. 1981--Continued

| Year | Acres | | Yield per harvested acre | Production | Season average price | Value of production |
|---|---|---|---|---|---|---|
| | Planted | Harvested | | | | |
| | 1,000 acres | | Tons | 1,000 tons | Dollars | 1,000 dollars |
| | | | All hay | | | |
| 1972 | 1,153 | | 1.57 | 1,814 | 32.50 | 58,955 |
| 1973 | 1,170 | | 1.63 | 1,911 | 44.50 | 85,040 |
| 1974 | 1,110 | | 1.57 | 1,746 | 49.00 | 85,554 |
| 1975 | 1,195 | | 1.63 | 1,944 | 53.00 | 103,032 |
| 1976 | 1,215 | | 1.61 | 1,955 | 56.00 | 109,480 |
| 1977 | 1,145 | | 1.43 | 1,639 | 45.50 | 74,575 |
| 1978 | 1,200 | | 1.71 | 2,050 | 49.00 | 100,450 |
| 1979 | 1,200 | | 1.77 | 2,127 | 55.50 | 118,049 |
| 1980 | 1,185 | | 1.56 | 1,850 | 68.00 | 125,800 |
| 1981 | 1,212 | | 1.76 | 2,129 | 67.00 | 142,643 |
| U.S. 1981 | 60,212 | | 2.38 | 143,105 | 66.90 | 9,211,532 |
| | | | Alfalfa hay | | | |
| 1972 | 474 | | 2.25 | 1,067 | | |
| 1973 | 483 | | 2.25 | 1,087 | | |
| 1974 | 500 | | 2.15 | 1,075 | | |
| 1975 | 530 | | 2.35 | 1,246 | | |
| 1976 | 515 | | 2.30 | 1,185 | | |
| 1977 | 525 | | 2.00 | 1,050 | | |
| 1978 | 530 | | 2.35 | 1,246 | | |
| 1979 | 545 | | 2.40 | 1,308 | | |
| 1980 | 520 | | 2.15 | 1,118 | | |
| 1981 | 540 | | 2.45 | 1,323 | | |
| U.S. 1981 | 26,394 | | 3.17 | 83,696 | | |
| | | | Other hay | | | |
| 1972 | 679 | | 1.10 | 747 | | |
| 1973 | 687 | | 1.20 | 824 | | |
| 1974 | 610 | | 1.10 | 671 | | |
| 1975 | 665 | | 1.05 | 698 | | |
| 1976 | 700 | | 1.10 | 770 | | |
| 1977 | 620 | | .95 | 589 | | |
| 1978 | 670 | | 1.20 | 804 | | |
| 1979 | 655 | | 1.25 | 819 | | |
| 1980 | 665 | | 1.10 | 732 | | |
| 1981 | 672 | | 1.20 | 806 | | |
| U.S. 1981 | 33,818 | | 1.76 | 59,409 | | |

NOTE: Data not available for periods blank

Corn utilization: Acreage, yield and production, Wyoming, 1972-81, U.S. 1981

| Year | All corn | | Grain | | | Silage | | | Forage |
|---|---|---|---|---|---|---|---|---|---|
| | Acres planted | Acres harvested | Acres harvested | Yield per harv. acre | Production | Acres harvested | Yield per harv. acre | Production | Acres harvested |
| | 1,000 | | 1,000 | Bushels | 1,000 bu. | 1,000 | Tons | 1,000 Tons | 1,000 |
| 1972 | 78 | 78 | 27 | 85.0 | 2,295 | 46 | 15.0 | 690 | 5 |
| 1973 | 86 | 86 | 30 | 89.0 | 2,670 | 49 | 15.0 | 735 | 7 |
| 1974 | 89 | 86 | 29 | 71.0 | 2,059 | 53 | 14.0 | 742 | 4 |
| 1975 | 81 | 80 | 20 | 80.0 | 1,600 | 54 | 14.5 | 783 | 6 |
| 1976 | 81 | 80 | 22 | 87.0 | 1,914 | 54 | 15.5 | 837 | 4 |
| 1977 | 89 | 88 | 30 | 85.0 | 2,550 | 55 | 13.5 | 743 | 3 |
| 1978 | 87 | 86 | 34 | 81.0 | 2,754 | 45 | 15.5 | 698 | 7 |
| 1979 | 87 | 86 | 29 | 87.0 | 2,523 | 54 | 16.5 | 891 | 3 |
| 1980 | 87 | 86 | 37 | 97.0 | 3,589 | 45 | 16.0 | 720 | 4 |
| 1981 | 88 | 87 | 46 | 110.0 | 5,060 | 40 | 17.0 | 680 | 1 |
| U.S. 1981 | 84,153 | 83,207 | 74,624 | 109.9 | 8,200,951 | 8,211 | 14.1 | 116,183 | 372 |

Corn grain: Average price and value of production, Wyoming, 1972-81, U.S. 1981

| Year | Season average price | Value of production | Year | Season average price | Value of production |
|---|---|---|---|---|---|
| | Dollars | 1,000 dollars | | Dollars | 1,000 dollars |
| 1972 | 1.61 | 3,695 | 1978 | 2.25 | 6,197 |
| 1973 | 2.77 | 7,396 | 1979 | 2.44 | 6,156 |
| 1974 | 3.44 | 7,083 | 1980 | 3.10 | 11,126 |
| 1975 | 3.07 | 4,912 | 1981 | 2.50 | 12,650 |
| 1976 | 2.24 | 4,287 | U.S. | | |
| 1977 | 2.05 | 5,228 | 1981 | 2.45 | 20,000,805 |

Crops: Acreage harvested, yield and production, irrigated and non-irrigated, Wyoming, 1980-81

| Crop | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non-Irrig. | Total | Irrig. | Non-Irr. | Total | Irrig. | Non-Irr. | Total |
| | Acres | | | Bushels | | | Bushels | | |
| All wheat | | | | | | | | | |
| 1980 | 10,500 | 304,500 | 315,000 | 35.8 | 27.1 | 27.4 | 375,500 | 8,244,500 | 8,620,000 |
| 1981 | 8,900 | 275,100 | 284,000 | 38.9 | 29.4 | 29.7 | 346,600 | 8,083,400 | 8,430,000 |
| Winter wheat | | | | | | | | | |
| 1980 | 6,500 | 288,500 | 295,000 | 35.0 | 27.8 | 28.0 | 227,500 | 8,032,500 | 8,260,000 |
| 1981 | 6,000 | 269,000 | 275,000 | 42.0 | 29.7 | 30.0 | 252,000 | 7,998,000 | 8,250,000 |
| Spring wheat | | | | | | | | | |
| 1980 | 4,000 | 16,000 | 20,000 | 37.0 | 13.3 | 18.0 | 148,000 | 212,000 | 360,000 |
| 1981 | 2,900 | 6,100 | 9,000 | 32.6 | 14.0 | 20.0 | 94,600 | 85,400 | 180,000 |
| Barley | | | | | | | | | |
| 1980 | 107,500 | 25,500 | 133,000 | 74.1 | 26.5 | 65.0 | 7,970,000 | 675,000 | 8,645,000 |
| 1981 | 112,000 | 22,000 | 134,000 | 75.8 | 22.0 | 67.0 | 8,494,000 | 484,000 | 8,978,000 |
| Oats | | | | | | | | | |
| 1980 | 29,000 | 22,000 | 51,000 | 63.2 | 21.0 | 45.0 | 1,833,000 | 462,000 | 2,295,000 |
| 1981 | 31,000 | 20,000 | 51,000 | 59.2 | 23.0 | 45.0 | 1,835,000 | 460,000 | 2,295,000 |
| Dry beans | Acres | | | Pounds | | | Cwt. | | |
| 1980 | 37,000 | | 37,000 | 1,980 | | 1,980 | 733,000 | | 733,000 |
| 1981 | 42,000 | | 42,000 | 2,100 | | 2,100 | 882,000 | | 882,000 |
| Sugar beets | Acres | | | Tons | | | Tons | | |
| 1980 | 45,300 | | 45,300 | 22.6 | | 22.6 | 1,024,000 | | 1,024,000 |
| 1981 | 44,900 | | 44,900 | 24.0 | | 24.0 | 1,078,000 | | 1,078,000 |
| Corn | Acres | | | Bushels | | | Bushels | | |
| 1980 | 36,500 | 500 | 37,000 | 97.8 | 35.0 | 97.0 | 3,571,500 | 17,500 | 3,589,000 |
| 1981 | 45,500 | 500 | 46,000 | 110.8 | 34.0 | 110.0 | 5,043,000 | 17,000 | 5,060,000 |
| All hay | Acres | | | Tons | | | Tons | | |
| 1980 | 930,000 | 255,000 | 1,185,000 | 1.79 | .74 | 1.56 | 1,660,500 | 189,500 | 1,850,000 |
| 1981 | 956,000 | 256,000 | 1,212,000 | 2.02 | .79 | 1.76 | 1,926,900 | 202,100 | 2,129,000 |
| Alfalfa hay | | | | | | | | | |
| 1980 | 410,000 | 110,000 | 520,000 | 2.51 | .80 | 2.15 | 1,030,000 | 88,000 | 1,118,000 |
| 1981 | 432,000 | 108,000 | 540,000 | 2.84 | .88 | 2.45 | 1,227,600 | 95,400 | 1,323,000 |
| Other hay | | | | | | | | | |
| 1980 | 520,000 | 145,000 | 665,000 | 1.21 | .70 | 1.10 | 630,500 | 101,500 | 732,000 |
| 1981 | 524,000 | 148,000 | 672,000 | 1.33 | .72 | 1.20 | 699,300 | 106,700 | 806,000 |

Winter Wheat: Percentage of total acreage seeded, by variety, specified crop year, Wyoming 1977-1982

| Variety | 1977 | 1978 2/ | 1979 2/ | 1980 2/ | 1981 | 1982 |
|---|---|---|---|---|---|---|
| | | | Percent | | | |
| Cheyenne | 22.5 | 24.2 | 18.7 | 24.8 | 17.5 | 27.1 |
| Centurk | 18.6 | 15.9 | 10.6 | 17.9 | 15.0 | 3.3 |
| Lancer | 13.9 | 15.6 | 12.7 | 10.8 | 11.7 | 4.6 |
| Scout 66 | 11.7 | 9.1 | 27.1 | 20.1 | 13.8 | 12.5 |
| Scout | 10.3 | 15.1 | 4.0 | 6.3 | 4.8 | 6.8 |
| Hi Plains | 3.7 | 3.3 | | | | |
| Baca | 2.9 | 3.0 | 2.9 | 1.4 | 5.6 | 2.1 |
| Bison | 2.7 | 1.9 | .8 | 1.2 | .5 | .3 |
| Buckskin | 2.3 | 2.4 | 3.4 | 5.2 | 12.8 | 17.4 |
| Trader | 2.2 | | | 1.2 | 3.3 | .7 |
| Trapper | 2.0 | 2.4 | 10.4 | .6 | .8 | 7.3 |
| Shoshoni | 1.1 | .1 | .2 | | .1 | |
| Warrior | .8 | | | .3 | .7 | |
| Lancotta | | .7 | 1.3 | .9 | 1.2 | .2 |
| Jeff | | 2.9 | | .1 | | |
| Vona | | .1 | .8 | .8 | 1.9 | 2.6 |
| W-332 | | | 1.3 | .5 | .5 | |
| Gent | | | | 1.8 | .8 | |
| Wings | | | | | 2.0 | 1.4 |
| Rocky | | | | | 2.4 | 3.7 |
| Others1/ | 5.3 | 3.3 | 5.8 | 6.1 | 4.6 | 10.0 |
| TOTAL | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

1/ Includes others and unknown varieties. 2/ Revised

Winter Wheat: Percentage of total acreage seeded by variety and districts for crops of 1980-82

| Variety | 1980 | | | 1981 | | | 1982 | | |
|---|---|---|---|---|---|---|---|---|---|
| | Northeast | South-east | West | Northeast | South-east | West | Northeast | South-east | West |
| | | | | Percent | | | | | |
| Cheyenne | 39.5 | 22.1 | | 36.9 | 12.5 | | 45.5 | 23.3 | |
| Centurk | 35.8 | 14.3 | | 27.0 | 12.0 | | 6.2 | 2.7 | 4.0 |
| Lancer | 18.1 | 9.2 | 6.0 | 13.0 | 11.5 | 5.0 | 7.6 | 4.0 | |
| Scout 66 | | 24.9 | 20.9 | | 17.5 | 22.0 | | 15.3 | 17.0 |
| Scout | | 8.0 | | .3 | 6.3 | | | 8.4 | |
| Baca | | 1.8 | | | 7.4 | | | 2.7 | |
| Bison | | 1.5 | | | .6 | | | .3 | |
| Buckskin | | 6.7 | | 9.3 | 14.3 | | 14.4 | 18.3 | |
| Trader | | 1.5 | | | 4.4 | | | .8 | |
| Trapper | | .8 | | | 1.1 | | | 9.0 | |
| Shoshoni | | | | .7 | | | | | |
| Warrior | | .4 | | .2 | .9 | | | | |
| Lancotta | | 1.1 | | 2.5 | .8 | | | .2 | |
| Jeff | .3 | .1 | | | | | | | |
| Vona | | 1.0 | | | 2.5 | | | 3.2 | |
| W-332 | | .6 | | | .7 | | | | |
| Gent | | .2 | 61.1 | 1.0 | | 30.0 | | | |
| Wings | | | | 3.9 | 1.5 | | 1.4 | .9 | 41.6 |
| Rocky | | | | | 3.2 | | | 4.6 | |
| Others1/ | 6.3 | 5.8 | 12.0 | 5.2 | 2.8 | 43.0 | 24.9 | 6.3 | 37.4 |
| TOTAL | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Acres Planted | 61,000 | 255,300 | 8,700 | 67,000 | 230,000 | 8,000 | 61,000 | 232,300 | 6,700 |

1/ Includes others and unknown varieties

Wyoming barley varieties: Seeded acreage and percent of total by districts - 1982

| Variety | District 1 (Northwest) | | District 2 (Northeast) | | District 3 (Southwest) | | District 4 (Southcentral) | | District 5 (Southeast) | | State | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Acres | Pct. | Acres | Pct. | Acres | Pct. | Acres | Pct. | Acres | Pct. | Acres | Pct. |
| Klages | 43,400 | 60.3 | | | | | | | 5,800 | 29.0 | 49,200 | 36.5 |
| Otis | | | 9,300 | 38.8 | 6,800 | 40.0 | | | 1,300 | 6.5 | 17,400 | 12.9 |
| Steptoe | 4,800 | 6.7 | 5,600 | 23.3 | 3,700 | 21.8 | | | 2,800 | 14.0 | 16,900 | 12.5 |
| Kimberly | 14,100 | 19.6 | | | | | | | | | 14,100 | 10.4 |
| Lud | 300 | .4 | 1,000 | 4.2 | 1,400 | 8.2 | | | 4,500 | 22.5 | 7,200 | 5.3 |
| Moravian III | 5,400 | 7.5 | | | | | | | 600 | 3.0 | 6,000 | 4.4 |
| Piroline | | | 700 | 2.9 | 2,200 | 13.0 | | | | | 2,900 | 2.2 |
| Moravian | 2,600 | 3.6 | | | | | | | | | 2,600 | 1.9 |
| Hector | | | 2,400 | 10.0 | 100 | .6 | | | | | 2,500 | 1.9 |
| Smyrna | | | | | 1,800 | 10.6 | | | | | 1,800 | 1.3 |
| Unitan | | | 1,800 | 7.5 | | | | | | | 1,800 | 1.3 |
| Georgia | | | | | 500 | 2.9 | | | | | 500 | .4 |
| Others 1/ | 1,400 | 1.9 | 3,200 | 13.3 | 500 | 2.9 | 2,000 | 100.0 | 5,000 | 25.0 | 12,100 | 9.0 |
| TOTAL | 72,000 | 100.0 | 24,000 | 100.0 | 17,000 | 100.0 | 2,000 | 100.0 | 20,000 | 100.0 | 135,000 | 100.0 |

1/ Includes other and unknown varieties

Grain Stocks - Wheat: On farms, off farms, and total by quarters, Wyoming 1972-81

| Crop Year | October 1 stocks | January 1 stocks following year | April 1 stocks following year | June 1 stocks following year 2/ |
|---|---|---|---|---|
| | 1,000 bushels | | | |
| | | On farms | | |
| 1972 | 7,064 | 3,885 | 1,413 | 353 |
| 1973 | 3,437 | 1,556 | 389 | 130 |
| 1974 | 4,520 | 2,187 | 1,312 | 656 |
| 1975 | 3,973 | 2,814 | 2,152 | 1,159 |
| 1976 | 4,773 | 3,739 | 2,227 | 1,273 |
| 1977 | 4,608 | 3,203 | 2,698 | 2,248 |
| 1978 | 4,564 | 3,118 | 2,814 | 2,662 |
| 1979 | 4,575 | 3,812 | 2,542 | 1,906 |
| 1980 | 5,172 | 4,310 | 3,103 | 2,672 |
| 1981 | 3,203 | 2,782 | 2,698 | 2,529 |
| | | Off farms 1/ | | |
| 1972 | 2,185 | 1,864 | 1,233 | 482 |
| 1973 | 1,013 | 651 | 302 | 78 |
| 1974 | 1,160 | 857 | 598 | 343 |
| 1975 | 1,259 | 1,103 | 831 | 610 |
| 1976 | 2,129 | 959 | 799 | 618 |
| 1977 | 985 | 762 | 933 | 711 |
| 1978 | 1,151 | 1,410 | 1,239 | 959 |
| 1979 | 2,011 | 1,627 | 992 | 1,284 |
| 1980 | 2,470 | 1,845 | 1,612 | 1,334 |
| 1981 | 2,587 | 1,632 | 1,481 | 703 |
| | | Total All Positions | | |
| 1972 | 9,249 | 5,749 | 2,646 | 835 |
| 1973 | 4,450 | 2,207 | 691 | 208 |
| 1974 | 5,680 | 3,044 | 1,910 | 999 |
| 1975 | 5,232 | 3,917 | 2,983 | 1,769 |
| 1976 | 6,902 | 4,698 | 3,026 | 1,891 |
| 1977 | 5,593 | 3,965 | 3,631 | 2,959 |
| 1978 | 5,715 | 4,528 | 4,053 | 3,621 |
| 1979 | 6,586 | 5,439 | 3,534 | 3,190 |
| 1980 | 7,642 | 6,155 | 4,715 | 4,006 |
| 1981 | 5,790 | 4,414 | 4,179 | 3,232 |

1/Includes stocks at mills, elevators, warehouses, terminals, processors and CCC owned grain at bin sites.
2/1974 and earlier July 1. Start of marketing year for wheat, oats, barley and rye changed to June 1 - May 31 from July 1 - June 30 in 1976.

Grain stocks - Rye: On farms, off farms, and total by quarters, Wyoming 1972-81

| Crop Year | October 1 stocks | January 1 stocks following year | April 1 stocks following year | June 1 stocks following year 2/ |
|---|---|---|---|---|
| | 1,000 bushels | | | |
| | | On Farms | | |
| 1972 | 74 | 56 | 32 | 15 |
| 1973 | 60 | 44 | 26 | 6 |
| 1974 | 30 | 22 | 13 | 5 |
| 1975 | 33 | 22 | 11 | 3 |
| 1976 | 43 | 29 | 16 | 3 |
| 1977 | 29 | 19 | 10 | 3 |
| 1978 | 33 | 22 | 11 | 4 |
| 1979 | 26 | 17 | 9 | 3 |
| 1980 | 30 | 20 | 10 | 4 |
| 1981 | 3/ | 3/ | 3/ | 3/ |
| | | Off Farms 1/ | | |
| 1972 | 8 | 8 | 16 | 17 |
| 1973 | 11 | 9 | 5 | 5 |
| 1974 | * | 5 | 7 | 2 |
| 1975 | 2 | 0 | * | 0 |
| 1976 | 0 | * | 0 | 0 |
| 1977 | 0 | 0 | 0 | 0 |
| 1978 | 0 | 0 | 0 | 0 |
| 1979 | * | * | * | * |
| 1980 | * | * | * | * |
| 1981 | 3/ | 3/ | 3/ | 3/ |
| | | Total All Positions | | |
| 1972 | 82 | 64 | 48 | 32 |
| 1973 | 71 | 53 | 31 | 11 |
| 1974 | * | 27 | 20 | 7 |
| 1975 | 35 | 22 | * | 3 |
| 1976 | 43 | * | 16 | 5 |
| 1977 | 29 | 19 | 10 | 5 |
| 1978 | 33 | 22 | 11 | 4 |
| 1979 | * | * | * | * |
| 1980 | * | * | * | * |
| 1981 | 3/ | 3/ | 3/ | 3/ |

1/Includes stocks at mills, elevators, warehouses, terminals, processors, and CCC owned grain at bin sites.
2/1974 and earlier July 1. Start of marketing year for wheat, oats, barley, and rye changed to June 1 - May 31 from July 1 - June 30 in 1976.
3/Estimates discontinued after 1980 crop.
* Not published to avoid disclosing individual operations.

Grain Stocks - Barley: On farms, off farms, and total by quarters, Wyoming, 1972-81

| Crop Year | October 1 stocks | January 1 stocks following year | April 1 stocks following year | June 1 stocks following year 2/ |
|---|---|---|---|---|
| | 1,000 bushels | | | |
| | | On Farms | | |
| 1972 | 4,675 | 4,400 | 2,750 | 894 |
| 1973 | 3,752 | 2,891 | 1,230 | 677 |
| 1974 | 2,730 | 2,405 | 1,235 | 715 |
| 1975 | 2,772 | 2,548 | 1,723 | 1,199 |
| 1976 | 3,181 | 2,595 | 1,590 | 1,088 |
| 1977 | 3,267 | 2,822 | 2,079 | 1,188 |
| 1978 | 5,670 | 4,536 | 2,930 | 1,890 |
| 1979 | 5,655 | 4,176 | 3,132 | 1,566 |
| 1980 | 4,236 | 3,890 | 2,334 | 1,470 |
| 1981 | 3,950 | 3,591 | 1,796 | 1,167 |
| | | Off Farms 1/ | | |
| 1972 | 343 | 266 | 191 | 107 |
| 1973 | 191 | 311 | 163 | 102 |
| 1974 | 302 | 152 | 92 | 50 |
| 1975 | * | * | * | * |
| 1976 | * | * | * | * |
| 1977 | * | * | * | * |
| 1978 | 2,034 | * | * | * |
| 1979 | * | 1,551 | * | * |
| 1980 | 1,151 | * | 960 | * |
| 1981 | * | * | * | * |
| | | Total All Positions | | |
| 1972 | 5,018 | 4,666 | 2,941 | 1,001 |
| 1973 | 3,943 | 3,202 | 1,393 | 779 |
| 1974 | 3,032 | 2,557 | 1,327 | 765 |
| 1975 | * | * | * | * |
| 1976 | * | * | * | * |
| 1977 | * | * | * | * |
| 1978 | 7,704 | * | * | * |
| 1979 | * | 5,727 | * | * |
| 1980 | 5,387 | * | 3,294 | * |
| 1981 | * | * | * | * |

1/Includes stocks at mills, elevators, warehouses, terminals, processors, and CCC owned grain at bin sites.

2/1974 and earlier July 1. Start of marketing year for wheat, oats, barley, and rye changed to June 1 - May 31 from July 1 - June 30 in 1976.

* Not published to avoid disclosing individual operations.

Grain Stocks - Oats: On farms, off farms, and total by quarters, Wyoming, 1972-81

| Crop Year | October 1 stocks | January 1 stocks following year | April 1 stocks following year | June 1 stocks following year 2/ |
|---|---|---|---|---|
| | 1,000 bushels | | | |
| | | On Farms | | |
| 1972 | 2,173 | 1,723 | 954 | 610 |
| 1973 | 1,922 | 1,602 | 801 | 618 |
| 1974 | 2,072 | 1,625 | 714 | 411 |
| 1975 | 1,538 | 1,230 | 820 | 615 |
| 1976 | 2,241 | 2,009 | 953 | 747 |
| 1977 | 1,938 | 1,609 | 969 | 581 |
| 1978 | 2,634 | 2,352 | 1,254 | 941 |
| 1979 | 2,059 | 1,487 | 1,098 | 572 |
| 1980 | 2,066 | 1,836 | 1,308 | 803 |
| 1981 | 1,974 | 1,859 | 1,423 | 620 |
| | | Off Farms 1/ | | |
| 1972 | 206 | 129 | 92 | 104 |
| 1973 | 139 | 124 | 98 | 71 |
| 1974 | 148 | 107 | 99 | 53 |
| 1975 | 165 | 130 | 103 | 59 |
| 1976 | 273 | 194 | 113 | 78 |
| 1977 | 192 | 94 | 104 | 46 |
| 1978 | 144 | 144 | 116 | 58 |
| 1979 | 133 | 98 | 72 | 62 |
| 1980 | 156 | 104 | 68 | 28 |
| 1981 | 143 | 80 | 71 | 47 |
| | | Total All Positions | | |
| 1972 | 2,379 | 1,852 | 1,046 | 714 |
| 1973 | 2,061 | 1,726 | 899 | 689 |
| 1974 | 2,220 | 1,732 | 813 | 464 |
| 1975 | 1,703 | 1,360 | 923 | 674 |
| 1976 | 2,514 | 2,203 | 1,066 | 825 |
| 1977 | 2,130 | 1,703 | 1,073 | 627 |
| 1978 | 2,778 | 2,496 | 1,370 | 999 |
| 1979 | 2,192 | 1,585 | 1,170 | 634 |
| 1980 | 2,222 | 1,940 | 1,376 | 831 |
| 1981 | 2,117 | 1,939 | 1,494 | 667 |

1/Includes stocks at mills, elevators, warehouses, terminals, processors and CCC owned grain at bin sites.
2/1974 and earlier July 1. Start of marketing year for wheat, oats, barley and rye changed to June 1 - May 31 from July 1 - June 30 in 1976.

Grain Stocks - Corn: On farms, off farms, and total by quarters, Wyoming 1973-82

| Year | January 1 stocks | April 1 stocks | June 1 stocks 2/ | October 1 stocks |
|---|---|---|---|---|
| | 1,000 bushels | | | |
| | | On Farms | | |
| 1973 | 1,584 | 1,216 | 574 | 92 |
| 1974 | 2,163 | 935 | 534 | 80 |
| 1975 | 1,297 | 824 | 515 | 165 |
| 1976 | 1,280 | 640 | 368 | 128 |
| 1977 | 1,148 | 574 | 287 | 77 |
| 1978 | 1,530 | 893 | 612 | 383 |
| 1979 | 2,038 | 1,377 | 991 | 716 |
| 1980 | 2,220 | 1,463 | 833 | 555 |
| 1981 | 3,338 | 1,507 | 969 | 179 |
| 1982 | 4,149 | 1,569 | 1,417 | |
| | | Off Farms 1/ | | |
| 1973 | 93 | 53 | 19 | 29 |
| 1974 | 108 | 64 | 25 | 28 |
| 1975 | 101 | 55 | 36 | 19 |
| 1976 | 76 | 27 | 17 | 7 |
| 1977 | * | 42 | 16 | 27 |
| 1978 | 125 | 66 | 43 | 24 |
| 1979 | 176 | 108 | 55 | 19 |
| 1980 | 156 | 69 | 48 | 21 |
| 1981 | 142 | 66 | 36 | 8 |
| 1982 | 154 | 59 | 33 | |
| | | Total All Positions | | |
| 1973 | 1,677 | 1,269 | 593 | 121 |
| 1974 | 2,271 | 999 | 559 | 108 |
| 1975 | 1,398 | 879 | 551 | 184 |
| 1976 | 1,356 | 667 | 385 | 135 |
| 1977 | * | 616 | 303 | 104 |
| 1978 | 1,655 | 959 | 655 | 407 |
| 1979 | 2,214 | 1,485 | 1,046 | 735 |
| 1980 | 2,376 | 1,532 | 881 | 576 |
| 1981 | 3,480 | 1,573 | 1,005 | 187 |
| 1982 | 4,303 | 1,628 | 1,450 | |

1/Includes stocks at mills, elevators, warehouses, terminals, processors, and CCC owned grain at bin sites.
2/1975 and earlier July 1.
* Not published to avoid disclosing individual operations.

# Crop County Estimates

# 1980-81

All Wheat: Acreage harvested, yield and production - 1980

| Counties | Acres planted total | Acres harvested Irrig. | Non | Total | Yield per acre Irrig. | Non | Total | Production Irrig. | Non | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 1,100 | 800 | | 800 | 36.9 | | 36.9 | 29,500 | | 29,500 |
| Fremont | 400 | 300 | | 300 | 42.7 | | 42.7 | 12,800 | | 12,800 |
| Hot Springs | 100 | 100 | | 100 | 38.0 | | 38.0 | 3,800 | | 3,800 |
| Park | 1,400 | 1,200 | | 1,200 | 39.8 | | 39.8 | 47,700 | | 47,700 |
| Washakie NW dist. | 3,000 | 2,400 | | 2,400 | 39.1 | | 39.1 | 93,800 | | 93,800 |
| Campbell | 35,500 | | 29,900 | 29,900 | | 17.9 | 17.9 | | 534,700 | 534,700 |
| Crook | 22,000 | | 15,900 | 15,900 | | 23.8 | 23.8 | | 378,300 | 378,300 |
| Johnson | 1,600 | 600 | 600 | 1,200 | 29.7 | 20.3 | 25.0 | 17,800 | 12,200 | 30,000 |
| Sheridan | 6,700 | 500 | 5,300 | 5,800 | 29.2 | 24.2 | 24.6 | 14,600 | 128,300 | 142,900 |
| Weston | 5,200 | | 3,200 | 3,200 | | 16.7 | 16.7 | | 53,400 | 53,400 |
| NE dist. | 71,000 | 1,100 | 54,900 | 56,000 | 29.5 | 20.2 | 20.3 | 32,400 | 1,106,900 | 1,139,300 |
| Lincoln | 2,800 | 200 | 2,200 | 2,400 | 30.0 | 13.4 | 14.8 | 6,000 | 29,400 | 35,400 |
| Sublette | | | | | | | | | | |
| Teton | 100 | 100 | | 100 | 30.0 | | 30.0 | 3,000 | | 3,000 |
| Uinta West dist. | 2,900 | 300 | 2,200 | 2,500 | 30.0 | 13.4 | 15.4 | 9,000 | 29,400 | 38,400 |
| Albany | | | | | | | | | | |
| Carbon | 3,400 | 100 | 2,600 | 2,700 | 30.0 | 16.9 | 17.4 | 3,000 | 44,000 | 47,000 |
| Natrona | 4,600 | 100 | 4,000 | 4,100 | 26.0 | 16.0 | 16.2 | 2,600 | 64,000 | 66,600 |
| Sweetwater SC dist. | 8,000 | 200 | 6,600 | 6,800 | 28.0 | 16.4 | 16.7 | 5,600 | 108,000 | 113,600 |
| Converse | 3,100 | 500 | 2,300 | 2,800 | 33.0 | 16.1 | 19.1 | 16,500 | 37,000 | 53,500 |
| Goshen | 76,800 | 400 | 75,200 | 75,600 | 43.5 | 30.9 | 30.9 | 17,400 | 2,320,300 | 2,337,700 |
| Laramie | 122,600 | 4,100 | 106,800 | 110,900 | 33.2 | 31.2 | 31.3 | 136,300 | 3,330,000 | 3,466,300 |
| Niobrara | 10,100 | 400 | 9,200 | 9,600 | 29.5 | 20.6 | 20.9 | 11,800 | 189,200 | 201,000 |
| Platte | 46,500 | 1,000 | 41,400 | 42,400 | 33.4 | 25.0 | 25.2 | 33,400 | 1,035,000 | 1,068,400 |
| SE dist. | 259,100 | 6,400 | 234,900 | 241,300 | 33.7 | 29.4 | 29.5 | 215,400 | 6,911,500 | 7,126,900 |
| STATE | 344,000 | 10,400 | 298,600 | 309,000 | 34.3 | 27.3 | 27.5 | 356,200 | 8,155,800 | 8,512,000 |

All Wheat: Acreage harvested, yield and production - 1981

| Counties | Acres planted total | Acres harvested Irrig. | Non | Total | Yield per acre Irrig. | Non | Total | Production Irrig. | Non | Total |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 800 | 800 | | 800 | 38.0 | | 38.0 | 30,400 | | 30,400 |
| Fremont | 200 | 200 | | 200 | 34.0 | | 34.0 | 6,800 | | 6,800 |
| Hot Springs | 100 | 100 | | 100 | 31.0 | | 31.0 | 3,100 | | 3,100 |
| Park | 900 | 700 | | 700 | 49.0 | | 49.0 | 34,300 | | 34,300 |
| Washakie | 400 | 400 | | 400 | 41.0 | | 41.0 | 16,400 | | 16,400 |
| NW dist. | 2,400 | 2,200 | | 2,200 | 41.4 | | 41.4 | 91,000 | | 91,000 |
| Campbell | 35,000 | | 30,000 | 30,000 | | 22.7 | 22.7 | | 682,000 | 682,000 |
| Crook | 27,200 | | 15,700 | 15,700 | | 21.2 | 21.2 | | 333,300 | 333,300 |
| Johnson | 1,500 | 200 | 700 | 900 | 37.0 | 15.9 | 20.6 | 7,400 | 11,100 | 18,500 |
| Sheridan | 6,000 | 400 | 4,900 | 5,300 | 47.0 | 26.8 | 28.3 | 18,800 | 131,100 | 149,900 |
| Weston | 5,000 | | 2,600 | 2,600 | | 15.7 | 15.7 | | 40,800 | 40,800 |
| NE dist. | 74,700 | 600 | 53,900 | 54,500 | 43.7 | 22.2 | 22.5 | 26,200 | 1,198,300 | 1,224,500 |
| Lincoln | 1,500 | 100 | 1,200 | 1,300 | 29.0 | 17.9 | 18.8 | 2,900 | 21,500 | 24,400 |
| Sublette | | | | | | | | | | |
| Teton | 100 | 100 | | 100 | 29.0 | | 29.0 | 2,900 | | 2,900 |
| Uinta West dist. | 1,600 | 200 | 1,200 | 1,400 | 29.0 | 17.9 | 19.5 | 5,800 | 21,500 | 27,300 |
| Albany | | | | | | | | | | |
| Carbon | 2,500 | 100 | 2,100 | 2,200 | 27.0 | 28.4 | 28.3 | 2,700 | 59,600 | 62,300 |
| Natrona | 3,500 | 100 | 3,200 | 3,300 | 25.0 | 28.0 | 27.9 | 2,500 | 89,600 | 92,100 |
| Sweetwater SC dist. | 6,000 | 200 | 5,300 | 5,500 | 26.0 | 28.2 | 28.1 | 5,200 | 149,200 | 154,400 |
| Converse | 2,700 | 500 | 1,800 | 2,300 | 30.0 | 27.3 | 27.9 | 15,000 | 49,200 | 64,200 |
| Goshen | 52,900 | 400 | 51,000 | 51,400 | 39.3 | 30.9 | 31.0 | 15,700 | 1,577,100 | 1,592,800 |
| Laramie | 128,400 | 3,900 | 111,900 | 115,800 | 40.2 | 30.9 | 31.2 | 156,700 | 3,455,200 | 3,611,900 |
| Niobrara | 10,100 | 400 | 9,300 | 9,700 | 32.8 | 26.8 | 27.0 | 13,100 | 249,100 | 262,200 |
| Platte | 43,200 | 500 | 40,700 | 41,200 | 35.8 | 34.0 | 34.0 | 17,900 | 1,383,800 | 1,401,700 |
| SE dist. | 237,300 | 5,700 | 214,700 | 220,400 | 38.3 | 31.3 | 31.5 | 218,400 | 6,714,400 | 6,932,800 |
| STATE | 322,000 | 8,900 | 275,100 | 284,000 | 38.9 | 29.4 | 29.7 | 346,600 | 8,083,400 | 8,430,000 |

Winter Wheat: Acreage, yield and production - 1980

| Counties | Acres planted | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | total | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 600 | 500 | | 500 | 38.0 | | 38.0 | 19,000 | | 19,000 |
| Fremont | | | | | | | | | | |
| Hot Springs | | | | | | | | | | |
| Park | 500 | 400 | | 400 | 49.3 | | 49.3 | 19,700 | | 19,700 |
| Washakie | | | | | | | | | | |
| NW dist. | 1,100 | 900 | | 900 | 43.0 | | 43.0 | 38,700 | | 38,700 |
| Campbell | 33,000 | | 28,000 | 28,000 | | 18.2 | 18.2 | | 510,000 | 510,000 |
| Crook | 17,000 | | 13,000 | 13,000 | | 26.0 | 26.0 | | 338,000 | 338,000 |
| Johnson | 900 | 200 | 500 | 700 | 30.0 | 22.0 | 24.3 | 6,000 | 11,000 | 17,000 |
| Sheridan | 6,000 | 300 | 5,000 | 5,300 | 30.0 | 25.0 | 25.3 | 9,000 | 125,000 | 134,000 |
| Weston | 4,100 | | 2,500 | 2,500 | | 18.0 | 18.0 | | 45,000 | 45,000 |
| NE dist. | 61,000 | 500 | 49,000 | 49,500 | 30.0 | 21.0 | 21.1 | 15,000 | 1,029,000 | 1,044,000 |
| Lincoln | 600 | | 500 | 500 | | 18.0 | 18.0 | | 9,000 | 9,000 |
| Sublette | | | | | | | | | | |
| Teton | | | | | | | | | | |
| Uinta | | | | | | | | | | |
| West dist. | 600 | | 500 | 500 | | 18.0 | 18.0 | | 9,000 | 9,000 |
| Albany | | | | | | | | | | |
| Carbon | 2,500 | | 2,000 | 2,000 | | 19.0 | 19.0 | | 38,000 | 38,000 |
| Natrona | 4,500 | | 4,000 | 4,000 | | 16.0 | 16.0 | | 64,000 | 64,000 |
| Sweetwater | | | | | | | | | | |
| SC dist. | 7,000 | | 6,000 | 6,000 | | 17.0 | 17.0 | | 102,000 | 102,000 |
| Converse | 1,600 | 100 | 1,400 | 1,500 | 29.0 | 20.0 | 20.6 | 2,900 | 28,000 | 30,900 |
| Goshen | 76,000 | 300 | 74,700 | 75,000 | 48.0 | 31.0 | 31.1 | 14,400 | 2,315,700 | 2,330,100 |
| Laramie | 122,200 | 3,900 | 106,700 | 110,600 | 33.3 | 31.2 | 31.3 | 129,900 | 3,329,000 | 3,458,900 |
| Niobrara | 9,500 | 200 | 8,800 | 9,000 | 28.0 | 21.0 | 21.2 | 5,600 | 184,800 | 190,400 |
| Platte | 46,000 | 600 | 41,400 | 42,000 | 35.0 | 25.0 | 25.1 | 21,000 | 1,035,000 | 1,056,000 |
| SE dist. | 255,300 | 5,100 | 233,000 | 238,100 | 34.1 | 29.6 | 29.7 | 173,800 | 6,892,500 | 7,066,300 |
| STATE | 325,000 | 6,500 | 288,500 | 295,000 | 35.0 | 27.8 | 28.0 | 227,500 | 8,032,500 | 8,260,000 |

Winter Wheat: Acreage, yield and production - 1981

| Counties | Acres planted | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | total | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 500 | 500 | | 500 | 41.0 | | 41.0 | 20,500 | | 20,500 |
| Fremont | | | | | | | | | | |
| Hot Springs | | | | | | | | | | |
| Park | 400 | 300 | | 300 | 65.0 | | 65.0 | 19,500 | | 19,500 |
| Washakie | 200 | 200 | | 200 | 45.0 | | 45.0 | 9,000 | | 9,000 |
| NW dist. | 1,100 | 1,000 | | 1,000 | 49.0 | | 49.0 | 49,000 | | 49,000 |
| Campbell | 32,000 | | 29,000 | 29,000 | | 23.0 | 23.0 | | 667,000 | 667,000 |
| Crook | 21,000 | | 13,500 | 13,500 | | 23.0 | 23.0 | | 310,500 | 310,500 |
| Johnson | 700 | 100 | 500 | 600 | 46.0 | 17.0 | 21.8 | 4,600 | 8,500 | 13,100 |
| Sheridan | 5,800 | 300 | 4,900 | 5,200 | 54.0 | 26.8 | 28.3 | 16,200 | 131,100 | 147,300 |
| Weston | 4,000 | | 2,200 | 2,200 | | 16.0 | 16.0 | | 35,200 | 35,200 |
| NE dist. | 63,500 | 400 | 50,100 | 50,500 | 52.0 | 23.0 | 23.2 | 20,800 | 1,152,300 | 1,173,100 |
| Lincoln | 500 | | 500 | 500 | | 22.0 | 22.0 | | 11,000 | 11,000 |
| Sublette | | | | | | | | | | |
| Teton | | | | | | | | | | |
| Uinta | | | | | | | | | | |
| West dist. | 500 | | 500 | 500 | | 22.0 | 22.0 | | 11,000 | 11,000 |
| Albany | | | | | | | | | | |
| Carbon | 2,000 | | 1,800 | 1,800 | | 30.8 | 30.8 | | 55,400 | 55,400 |
| Natrona | 3,400 | | 3,200 | 3,200 | | 28.0 | 28.0 | | 89,600 | 89,600 |
| Sweetwater | | | | | | | | | | |
| SC dist. | 5,400 | | 5,000 | 5,000 | | 29.0 | 29.0 | | 145,000 | 145,000 |
| Converse | 1,400 | 100 | 1,100 | 1,200 | 32.0 | 32.0 | 32.0 | 3,200 | 35,200 | 38,400 |
| Goshen | 52,500 | 300 | 50,700 | 51,000 | 41.0 | 31.0 | 31.1 | 12,300 | 1,571,700 | 1,584,000 |
| Laramie | 128,000 | 3,700 | 111,800 | 115,500 | 40.4 | 30.9 | 31.2 | 149,500 | 3,453,300 | 3,602,800 |
| Niobrara | 9,600 | 200 | 9,100 | 9,300 | 33.5 | 27.0 | 27.1 | 6,700 | 245,700 | 252,400 |
| Platte | 43,000 | 300 | 40,700 | 41,000 | 35.0 | 34.0 | 34.0 | 10,500 | 1,383,800 | 1,394,300 |
| SE dist. | 234,500 | 4,600 | 213,400 | 218,000 | 39.6 | 31.3 | 31.5 | 182,200 | 6,689,700 | 6,871,900 |
| STATE | 305,000 | 6,000 | 269,000 | 275,000 | 42.0 | 29.7 | 30.0 | 252,000 | 7,998,000 | 8,250,000 |

Spring Wheat: Acreage harvested, yield and production - 1980

| Counties | Acres planted total | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 500 | 300 | | 300 | 35.0 | | 35.0 | 10,500 | | 10,500 |
| Fremont | 400 | 300 | | 300 | 42.7 | | 42.7 | 12,800 | | 12,800 |
| Hot Springs | 100 | 100 | | 100 | 38.0 | | 38.0 | 3,800 | | 3,800 |
| Park | 900 | 800 | | 800 | 35.0 | | 35.0 | 28,000 | | 28,000 |
| Washakie NW dist. | 1,900 | 1,500 | | 1,500 | 36.7 | | 36.7 | 55,100 | | 55,100 |
| Campbell | 2,500 | | 1,900 | 1,900 | | 13.0 | 13.0 | | 24,700 | 24,700 |
| Crook | 5,000 | | 2,900 | 2,900 | | 13.9 | 13.9 | | 40,300 | 40,300 |
| Johnson | 700 | 400 | 100 | 500 | 29.5 | 12.0 | 26.0 | 11,800 | 1,200 | 13,000 |
| Sheridan | 700 | 200 | 300 | 500 | 28.0 | 11.0 | 17.8 | 5,600 | 3,300 | 8,900 |
| Weston | 1,100 | | 700 | 700 | | 12.0 | 12.0 | | 8,400 | 8,400 |
| NE dist. | 10,000 | 600 | 5,900 | 6,500 | 29.0 | 13.2 | 14.7 | 17,400 | 77,900 | 95,300 |
| Lincoln | 2,200 | 200 | 1,700 | 1,900 | 30.0 | 12.0 | 13.9 | 6,000 | 20,400 | 26,400 |
| Sublette | | | | | | | | | | |
| Teton | 100 | 100 | | 100 | 30.0 | | 30.0 | 3,000 | | 3,000 |
| Uinta West dist. | 2,300 | 300 | 1,700 | 2,000 | 30.0 | 12.0 | 14.7 | 9,000 | 20,400 | 29,400 |
| Albany | | | | | | | | | | |
| Carbon | 900 | 100 | 600 | 700 | 30.0 | 10.0 | 12.9 | 3,000 | 6,000 | 9,000 |
| Natrona | 100 | 100 | | 100 | 26.0 | | 26.0 | 2,600 | | 2,600 |
| Sweetwater SC dist. | 1,000 | 200 | 600 | 800 | 28.0 | 10.0 | 14.5 | 5,600 | 6,000 | 11,600 |
| Converse | 1,500 | 400 | 900 | 1,300 | 34.0 | 10.0 | 17.4 | 13,600 | 9,000 | 22,600 |
| Goshen | 800 | 100 | 500 | 600 | 30.0 | 9.2 | 12.7 | 3,000 | 4,600 | 7,600 |
| Laramie | 400 | 200 | 100 | 300 | 32.0 | 10.0 | 24.7 | 6,400 | 1,000 | 7,400 |
| Niobrara | 600 | 200 | 400 | 600 | 31.0 | 11.0 | 17.7 | 6,200 | 4,400 | 10,600 |
| Platte | 500 | 400 | | 400 | 31.0 | | 31.0 | 12,400 | | 12,400 |
| SE dist. | 3,800 | 1,300 | 1,900 | 3,200 | 32.0 | 10.0 | 18.9 | 41,600 | 19,000 | 60,600 |
| STATE | 19,000 | 3,900 | 10,100 | 14,000 | 33.0 | 12.2 | 18.0 | 128,700 | 123,300 | 252,000 |

Spring Wheat: Acreage harvested, yield and production - 1981

| Counties | Acres planted total | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 300 | 300 | | 300 | 33.0 | | 33.0 | 9,900 | | 9,900 |
| Fremont | 200 | 200 | | 200 | 34.0 | | 34.0 | 6,800 | | 6,800 |
| Hot Springs | 100 | 100 | | 100 | 31.0 | | 31.0 | 3,100 | | 3,100 |
| Park | 500 | 400 | | 400 | 37.0 | | 37.0 | 14,800 | | 14,800 |
| Washakie | 200 | 200 | | 200 | 37.0 | | 37.0 | 7,400 | | 7,400 |
| NW dist. | 1,300 | 1,200 | | 1,200 | 35.0 | | 35.0 | 42,000 | | 42,000 |
| Campbell | 3,000 | | 1,000 | 1,000 | | 15.0 | 15.0 | | 15,000 | 15,000 |
| Crook | 6,200 | | 2,200 | 2,200 | | 10.4 | 10.4 | | 22,800 | 22,800 |
| Johnson | 800 | 100 | 200 | 300 | 28.0 | 13.0 | 18.0 | 2,800 | 2,600 | 5,400 |
| Sheridan | 200 | 100 | | 100 | 26.0 | | 26.0 | 2,600 | | 2,600 |
| Weston | 1,000 | | 400 | 400 | | 14.0 | 14.0 | | 5,600 | 5,600 |
| NE dist. | 11,200 | 200 | 3,800 | 4,000 | 27.0 | 12.1 | 12.9 | 5,400 | 46,000 | 51,400 |
| Lincoln | 1,000 | 100 | 700 | 800 | 29.0 | 15.0 | 16.8 | 2,900 | 10,500 | 13,400 |
| Sublette | | | | | | | | | | |
| Teton | 100 | 100 | | 100 | 29.0 | | 29.0 | 2,900 | | 2,900 |
| Uinta West dist. | 1,100 | 200 | 700 | 900 | 29.0 | 15.0 | 18.1 | 5,800 | 10,500 | 16,300 |
| Albany | | | | | | | | | | |
| Carbon | 500 | 100 | 300 | 400 | 27.0 | 14.0 | 17.3 | 2,700 | 4,200 | 6,900 |
| Natrona | 100 | 100 | | 100 | 25.0 | | 25.0 | 2,500 | | 2,500 |
| Sweetwater SC dist. | 600 | 200 | 300 | 500 | 26.0 | 14.0 | 18.8 | 5,200 | 4,200 | 9,400 |
| Converse | 1,300 | 400 | 700 | 1,100 | 29.5 | 20.0 | 23.5 | 11,800 | 14,000 | 25,800 |
| Goshen | 400 | 100 | 300 | 400 | 34.0 | 18.0 | 22.0 | 3,400 | 5,400 | 8,800 |
| Laramie | 400 | 200 | 100 | 300 | 36.0 | 19.0 | 30.3 | 7,200 | 1,900 | 9,100 |
| Niobrara | 500 | 200 | 200 | 400 | 32.0 | 17.0 | 24.5 | 6,400 | 3,400 | 9,800 |
| Platte | 200 | 200 | | 200 | 37.0 | | 37.0 | 7,400 | | 7,400 |
| SE dist. | 2,800 | 1,100 | 1,300 | 2,400 | 32.9 | 19.0 | 25.4 | 36,200 | 24,700 | 60,900 |
| STATE | 17,000 | 2,900 | 6,100 | 9,000 | 32.6 | 14.0 | 20.0 | 94,600 | 85,400 | 180,000 |

Barley: Acreage harvested, yield and production - 1980

| Counties | Acres planted | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | total | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 21,400 | 20,300 | | 20,300 | 75.0 | | 75.0 | 1,522,500 | | 1,522,500 |
| Fremont | 14,300 | 13,300 | | 13,300 | 79.0 | | 79.0 | 1,050,700 | | 1,050,700 |
| Hot Springs | 900 | 900 | | 900 | 82.0 | | 82.0 | 73,800 | | 73,800 |
| Park | 30,500 | 27,700 | | 27,700 | 84.0 | | 84.0 | 2,326,800 | | 2,326,800 |
| Washakie | 12,500 | 11,500 | | 11,500 | 87.0 | | 87.0 | 1,000,500 | | 1,000,500 |
| NW dist. | 79,600 | 73,700 | | 73,700 | 81.1 | | 81.1 | 5,974,300 | | 5,974,300 |
| Campbell | 8,600 | | 8,000 | 8,000 | | 25.0 | 25.0 | | 200,000 | 200,000 |
| Crook | 4,500 | | 3,700 | 3,700 | | 21.0 | 21.0 | | 77,700 | 77,700 |
| Johnson | 1,200 | 900 | 100 | 1,000 | 64.0 | 23.0 | 59.9 | 57,600 | 2,300 | 59,900 |
| Sheridan | 6,300 | 3,100 | 2,800 | 5,900 | 59.0 | 28.0 | 44.3 | 182,900 | 78,400 | 261,300 |
| Weston | 1,000 | | 800 | 800 | | 24.0 | 24.0 | | 19,200 | 19,200 |
| NE dist. | 21,600 | 4,000 | 15,400 | 19,400 | 60.1 | 24.5 | 31.9 | 240,500 | 377,600 | 618,100 |
| Lincoln | 15,900 | 12,500 | 1,800 | 14,300 | 56.0 | 28.0 | 52.5 | 700,000 | 50,400 | 750,400 |
| Sublette | | | | | | | | | | |
| Teton | 1,600 | 1,500 | | 1,500 | 53.0 | | 53.0 | 79,500 | | 79,500 |
| Uinta | 1,400 | 700 | 700 | 1,400 | 47.0 | 25.0 | 36.0 | 32,900 | 17,500 | 50,400 |
| West dist. | 18,900 | 14,700 | 2,500 | 17,200 | 55.3 | 27.2 | 51.2 | 812,400 | 67,900 | 880,300 |
| Albany | 600 | 500 | | 500 | 45.0 | | 45.0 | 22,500 | | 22,500 |
| Carbon | 300 | 200 | 100 | 300 | 60.0 | 30.0 | 50.0 | 12,000 | 3,000 | 15,000 |
| Natrona | 400 | | 300 | 300 | | 28.0 | 28.0 | | 8,400 | 8,400 |
| Sweetwater | 500 | 400 | 100 | 500 | 47.0 | 27.0 | 43.0 | 18,800 | 2,700 | 21,500 |
| SC dist. | 1,800 | 1,100 | 500 | 1,600 | 48.5 | 28.2 | 42.1 | 53,300 | 14,100 | 67,400 |
| Converse | 2,900 | 1,300 | 1,200 | 2,500 | 57.0 | 30.0 | 44.0 | 74,100 | 36,000 | 110,100 |
| Goshen | 5,600 | 4,500 | 800 | 5,300 | 60.0 | 28.0 | 55.2 | 270,000 | 22,400 | 292,400 |
| Laramie | 8,600 | 5,900 | 2,200 | 8,100 | 70.0 | 35.0 | 60.5 | 413,000 | 77,000 | 490,000 |
| Niobrara | 3,300 | 1,300 | 1,700 | 3,000 | 58.0 | 28.0 | 41.0 | 75,400 | 47,600 | 123,000 |
| Platte | 2,700 | 1,000 | 1,200 | 2,200 | 57.0 | 27.0 | 40.6 | 57,000 | 32,400 | 89,400 |
| SE dist. | 23,100 | 14,000 | 7,100 | 21,100 | 63.5 | 30.3 | 52.4 | 889,500 | 215,400 | 1,104,900 |
| STATE | 145,000 | 107,500 | 25,500 | 133,000 | 74.1 | 26.5 | 65.0 | 7,970,000 | 675,000 | 8,645,000 |

Barley: Acreage harvested, yield and production - 1981

| Counties | Acres planted | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | total | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 20,500 | 20,000 | | 20,000 | 78.0 | | 78.0 | 1,560,000 | | 1,560,000 |
| Fremont | 13,500 | 12,400 | | 12,400 | 82.0 | | 82.0 | 1,016,800 | | 1,016,800 |
| Hot Springs | 800 | 800 | | 800 | 78.0 | | 78.0 | 62,400 | | 62,400 |
| Park | 33,000 | 31,500 | | 31,500 | 88.6 | | 88.6 | 2,790,000 | | 2,790,000 |
| Washakie | 10,200 | 9,800 | | 9,800 | 91.0 | | 91.0 | 891,800 | | 891,800 |
| NW dist. | 78,000 | 74,500 | | 74,500 | 84.8 | | 84.8 | 6,321,000 | | 6,321,000 |
| Campbell | 7,600 | | 6,400 | 6,400 | | 22.4 | 22.5 | | 143,300 | 143,700 |
| Crook | 5,000 | | 3,600 | 3,600 | | 18.0 | 17.9 | | 64,800 | 64,400 |
| Johnson | 1,500 | 800 | 400 | 1,200 | 55.5 | 20.0 | 43.7 | 44,400 | 8,000 | 52,400 |
| Sheridan | 5,800 | 3,600 | 1,800 | 5,400 | 61.0 | 15.0 | 45.7 | 219,600 | 27,000 | 246,600 |
| Weston | 1,100 | | 900 | 900 | | 21.0 | 21.0 | | 18,900 | 18,900 |
| NE dist. | 21,000 | 4,400 | 13,100 | 17,500 | 60.0 | 20.0 | 30.1 | 264,000 | 262,000 | 526,000 |
| Lincoln | 18,000 | 14,500 | 2,500 | 17,000 | 53.0 | 28.0 | 49.3 | 768,500 | 70,000 | 838,500 |
| Sublette | | | | | | | | | | |
| Teton | 1,600 | 1,400 | | 1,400 | 45.6 | | 45.6 | 63,800 | | 63,800 |
| Uinta | 1,400 | 1,300 | | 1,300 | 61.0 | | 61.0 | 79,300 | | 79,300 |
| West dist. | 21,000 | 17,200 | 2,500 | 19,700 | 53.0 | 28.0 | 49.8 | 911,600 | 70,000 | 981,600 |
| Albany | 900 | 800 | | 800 | 50.0 | | 50.0 | 40,000 | | 40,000 |
| Carbon | 500 | 200 | 200 | 400 | 56.0 | 24.0 | 40.0 | 11,200 | 4,800 | 16,000 |
| Natrona | 300 | | 300 | 300 | | 22.0 | 22.0 | | 6,600 | 6,600 |
| Sweetwater | 300 | 100 | 200 | 300 | 60.0 | 23.5 | 35.7 | 6,000 | 4,700 | 10,700 |
| SC dist. | 2,000 | 1,100 | 700 | 1,800 | 52.0 | 23.0 | 40.7 | 57,200 | 16,100 | 73,300 |
| Converse | 2,500 | 900 | 1,200 | 2,100 | 47.0 | 27.0 | 35.6 | 42,300 | 32,400 | 74,700 |
| Goshen | 6,000 | 4,400 | 900 | 5,300 | 52.0 | 26.0 | 47.6 | 228,800 | 23,400 | 252,200 |
| Laramie | 9,000 | 7,300 | 800 | 8,100 | 77.7 | 28.5 | 72.9 | 567,400 | 22,800 | 590,200 |
| Niobrara | 2,500 | 900 | 1,300 | 2,200 | 48.0 | 21.0 | 32.0 | 43,200 | 27,300 | 70,500 |
| Platte | 3,000 | 1,300 | 1,500 | 2,800 | 45.0 | 20.0 | 31.6 | 58,500 | 30,000 | 88,500 |
| SE dist. | 23,000 | 14,800 | 5,700 | 20,500 | 63.5 | 23.8 | 52.5 | 940,200 | 135,900 | 1,076,100 |
| STATE | 145,000 | 112,000 | 22,000 | 134,000 | 75.8 | 22.0 | 67.0 | 8,494,000 | 484,000 | 8,978,000 |

Oats: Acreage harvested, yield and production - 1980

| Counties | Acres planted total | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 4,000 | 3,100 | | 3,100 | 71.0 | | 71.0 | 220,100 | | 220,100 |
| Fremont | 4,300 | 3,000 | | 3,000 | 60.0 | | 60.0 | 180,000 | | 180,000 |
| Hot Springs | 1,100 | 900 | | 900 | 56.0 | | 56.0 | 50,400 | | 50,400 |
| Park | 4,000 | 3,300 | | 3,300 | 70.4 | | 70.4 | 232,200 | | 232,200 |
| Washakie | 1,800 | 1,200 | | 1,200 | 54.0 | | 54.0 | 64,800 | | 64,800 |
| NW dist. | 15,200 | 11,500 | | 11,500 | 65.0 | | 65.0 | 747,500 | | 747,500 |
| Campbell | 5,500 | | 4,600 | 4,600 | | 25.0 | 25.0 | | 115,000 | 115,000 |
| Crook | 14,000 | 600 | 8,000 | 8,600 | 55.0 | 18.3 | 20.9 | 33,000 | 146,600 | 179,600 |
| Johnson | 4,000 | 1,700 | 200 | 1,900 | 65.0 | 19.0 | 60.2 | 110,500 | 3,800 | 114,300 |
| Sheridan | 5,000 | 1,200 | 1,900 | 3,100 | 70.0 | 24.0 | 41.8 | 84,000 | 45,600 | 129,600 |
| Weston | 5,000 | | 2,300 | 2,300 | | 20.0 | 20.0 | | 46,000 | 46,000 |
| NE dist. | 33,500 | 3,500 | 17,000 | 20,500 | 65.0 | 21.0 | 28.5 | 227,500 | 357,000 | 584,500 |
| Lincoln | 1,500 | 600 | 400 | 1,000 | 73.3 | 20.0 | 52.0 | 44,000 | 8,000 | 52,000 |
| Sublette | 500 | 200 | | 200 | 65.0 | | 65.0 | 13,000 | | 13,000 |
| Teton | 300 | 200 | | 200 | 60.0 | | 60.0 | 12,000 | | 12,000 |
| Uinta | 200 | 100 | | 100 | 58.0 | | 58.0 | 5,800 | | 5,800 |
| West dist. | 2,500 | 1,100 | 400 | 1,500 | 68.0 | 20.0 | 55.2 | 74,800 | 8,000 | 82,800 |
| Albany | 600 | 400 | | 400 | 58.0 | | 58.0 | 23,200 | | 23,200 |
| Carbon | 2,000 | 1,200 | | 1,200 | 72.0 | | 72.0 | 86,400 | | 86,400 |
| Natrona | 2,100 | 1,000 | | 1,000 | 64.0 | | 64.0 | 64,000 | | 64,000 |
| Sweetwater | 600 | 400 | | 400 | 61.0 | | 61.0 | 24,400 | | 24,400 |
| SC dist. | 5,300 | 3,000 | | 3,000 | 66.0 | | 66.0 | 198,000 | | 198,000 |
| Converse | 6,600 | 2,700 | 500 | 3,200 | 48.0 | 18.0 | 43.3 | 129,600 | 9,000 | 138,600 |
| Goshen | 4,700 | 2,000 | 1,300 | 3,300 | 59.7 | 29.1 | 47.6 | 119,400 | 37,800 | 157,200 |
| Laramie | 4,900 | 3,300 | 200 | 3,500 | 69.0 | 25.0 | 66.5 | 227,700 | 5,000 | 232,700 |
| Niobrara | 4,500 | 900 | 1,700 | 2,600 | 55.0 | 16.0 | 29.5 | 49,500 | 27,200 | 76,700 |
| Platte | 2,800 | 1,000 | 900 | 1,900 | 59.0 | 20.0 | 40.5 | 59,000 | 18,000 | 77,000 |
| SE dist. | 23,500 | 9,900 | 4,600 | 14,500 | 59.1 | 21.1 | 47.0 | 585,200 | 97,000 | 682,200 |
| STATE | 80,000 | 29,000 | 22,000 | 51,000 | 63.2 | 21.0 | 45.0 | 1,833,000 | 462,000 | 2,295,000 |

Oats: Acreage harvested, yield and production - 1981

| Counties | Acres planted total | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | | Acres | | | Bushels | | | Bushels | | |
| Big Horn | 4,700 | 3,700 | | 3,700 | 62.0 | | 62.0 | 229,400 | | 229,400 |
| Fremont | 4,900 | 3,800 | | 3,800 | 58.4 | | 58.4 | 221,900 | | 221,900 |
| Hot Springs | 1,300 | 1,300 | | 1,300 | 59.0 | | 59.0 | 76,700 | | 76,700 |
| Park | 4,400 | 3,200 | | 3,200 | 77.0 | | 77.0 | 246,400 | | 246,400 |
| Washakie | 2,000 | 1,600 | | 1,600 | 60.0 | | 60.0 | 96,000 | | 96,000 |
| NW dist. | 17,500 | 13,600 | | 13,600 | 64.0 | | 64.0 | 870,400 | | 870,400 |
| Campbell | 4,700 | | 2,500 | 2,500 | | 22.0 | 22.0 | | 55,000 | 55,000 |
| Crook | 12,000 | 100 | 4,300 | 4,400 | 60.0 | 20.2 | 21.1 | 6,000 | 87,000 | 93,000 |
| Johnson | 4,300 | 2,500 | 500 | 3,000 | 50.2 | 21.0 | 45.3 | 125,400 | 10,500 | 135,900 |
| Sheridan | 5,500 | 600 | 2,800 | 3,400 | 69.0 | 22.0 | 30.3 | 41,400 | 61,600 | 103,000 |
| Weston | 4,000 | | 2,700 | 2,700 | | 25.0 | 25.0 | | 67,500 | 67,500 |
| NE dist. | 30,500 | 3,200 | 12,800 | 16,000 | 54.0 | 22.0 | 28.4 | 172,800 | 281,600 | 454,400 |
| Lincoln | 1,400 | 500 | 400 | 900 | 52.0 | 30.0 | 42.2 | 26,000 | 12,000 | 38,000 |
| Sublette | 500 | 200 | | 200 | 64.0 | | 64.0 | 12,800 | | 12,800 |
| Teton | 400 | 300 | | 300 | 66.0 | | 66.0 | 19,800 | | 19,800 |
| Uinta | 200 | 100 | | 100 | 63.0 | | 63.0 | 6,300 | | 6,300 |
| West dist. | 2,500 | 1,100 | 400 | 1,500 | 59.0 | 30.0 | 51.3 | 64,900 | 12,000 | 76,900 |
| Albany | 600 | 400 | | 400 | 42.0 | | 42.0 | 16,800 | | 16,800 |
| Carbon | 2,000 | 1,500 | | 1,500 | 45.7 | | 45.7 | 68,600 | | 68,600 |
| Natrona | 2,300 | 1,500 | | 1,500 | 49.0 | | 49.0 | 73,500 | | 73,500 |
| Sweetwater | 600 | 300 | | 300 | 50.0 | | 50.0 | 15,000 | | 15,000 |
| SC dist. | 5,500 | 3,700 | | 3,700 | 47.0 | | 47.0 | 173,900 | | 173,900 |
| Converse | 6,000 | 2,500 | 1,200 | 3,700 | 49.0 | 30.0 | 42.8 | 122,500 | 36,000 | 158,500 |
| Goshen | 5,000 | 2,100 | 2,000 | 4,100 | 64.8 | 26.0 | 45.9 | 136,100 | 52,000 | 188,100 |
| Laramie | 5,500 | 3,000 | 1,500 | 4,500 | 64.0 | 25.0 | 51.0 | 192,000 | 37,500 | 229,500 |
| Niobrara | 4,000 | 500 | 1,000 | 1,500 | 54.0 | 20.0 | 31.3 | 27,000 | 20,000 | 47,000 |
| Platte | 3,500 | 1,300 | 1,100 | 2,400 | 58.0 | 19.0 | 40.1 | 75,400 | 20,900 | 96,300 |
| SE dist. | 24,000 | 9,400 | 6,800 | 16,200 | 58.8 | 24.5 | 44.4 | 553,000 | 166,000 | 719,400 |
| STATE | 80,000 | 31,000 | 20,000 | 51,000 | 59.2 | 23.0 | 45.0 | 1,835,000 | 460,000 | 2,295,000 |

Dry Beans: Acreage planted and harvested (all irrigated), yield and production - 1980

| Counties | Acres planted | Acres harvested | Yield per acre | Production |
|---|---|---|---|---|
| | Acres | | Pounds | Cwt. |
| Big Horn | 5,500 | 5,400 | 2,080 | 112,320 |
| Fremont | 3,600 | 3,500 | 1,920 | 67,200 |
| Hot Springs | | | | |
| Park | 9,600 | 9,400 | 1,835 | 172,480 |
| Washakie | 1,800 | 1,700 | 2,000 | 34,000 |
| NW dist. | 20,500 | 20,000 | 1,930 | 386,000 |
| Campbell | | | | |
| Crook | | | | |
| Johnson | | | | |
| Sheridan | | | | |
| Weston | | | | |
| NE dist. | | | | |
| Lincoln | | | | |
| Sublette | | | | |
| Teton | | | | |
| Uinta | | | | |
| West dist. | | | | |
| Albany | | | | |
| Carbon | | | | |
| Natrona | | | | |
| Sweetwater | | | | |
| SC dist. | | | | |
| Converse | 800 | 700 | 1,880 | 13,160 |
| Goshen | 9,400 | 9,200 | 2,170 | 199,610 |
| Laramie | 2,300 | 2,200 | 2,070 | 45,540 |
| Niobrara | | | | |
| Platte | 5,000 | 4,900 | 1,810 | 88,690 |
| SE dist. | 17,500 | 17,000 | 2,041 | 347,000 |
| STATE | 38,000 | 37,000 | 1,980 | 733,000 |

Dry Beans: Acreage planted and harvested (all irrigated), yield and production - 1981

| Counties | Acres planted | Acres harvested | Yield per acre | Production |
|---|---|---|---|---|
| | Acres | | Pounds | Cwt. |
| Big Horn | 6,000 | 5,900 | 1,900 | 112,100 |
| Fremont | 4,100 | 4,000 | 2,110 | 84,400 |
| Hot Springs | | | | |
| Park | 10,200 | 10,000 | 2,080 | 208,000 |
| Washakie | 1,700 | 1,600 | 2,266 | 36,250 |
| NW dist. | 22,000 | 21,500 | 2,050 | 440,750 |
| Campbell | | | | |
| Crook | | | | |
| Johnson | | | | |
| Sheridan | | | | |
| Weston | | | | |
| NE dist. | | | | |
| Lincoln | | | | |
| Sublette | | | | |
| Teton | | | | |
| Uinta | | | | |
| West dist. | | | | |
| Albany | | | | |
| Carbon | | | | |
| Natrona | | | | |
| Sweetwater | | | | |
| SC dist. | | | | |
| Converse | 800 | 800 | 1,700 | 13,600 |
| Goshen | 10,500 | 10,300 | 2,198 | 226,370 |
| Laramie | 2,700 | 2,600 | 2,040 | 53,040 |
| Niobrara | | | | |
| Platte | 7,000 | 6,800 | 2,180 | 148,240 |
| SE dist. | 21,000 | 20,500 | 2,152 | 441,250 |
| STATE | 43,000 | 42,000 | 2,100 | 882,000 |

Sugar Beets: Acreage planted and harvested (all irrigated), yield and production - 1980

| Counties | Acres planted | Acres harvested | Yield per acre | Production |
|---|---|---|---|---|
| | Acres | | Tons | |
| Big Horn | 9,850 | 9,850 | 20.1 | 197,965 |
| Fremont | | | | |
| Hot Springs | 150 | 150 | 21.3 | 3,195 |
| Park | 11,500 | 11,450 | 23.1 | 264,495 |
| Washakie | 9,600 | 9,550 | 25.9 | 247,345 |
| NW dist. | 31,100 | 31,000 | 23.0 | 713,000 |
| Campbell | | | | |
| Crook | | | | |
| Johnson | | | | |
| Sheridan | | | | |
| Weston | | | | |
| NE dist. | | | | |
| Lincoln | | | | |
| Sublette | | | | |
| Teton | | | | |
| Uinta | | | | |
| West dist. | | | | |
| Albany | | | | |
| Carbon | | | | |
| Natrona | | | | |
| Sweetwater | | | | |
| SC dist. | | | | |
| Converse | | | | |
| Goshen | 14,000 | 13,800 | 21.8 | 300,900 |
| Laramie | 500 | 500 | 20.2 | 10,100 |
| Niobrara | | | | |
| Platte | | | | |
| SE dist. | 14,500 | 14,300 | 21.7 | 311,000 |
| STATE | 45,600 | 45,300 | 22.6 | 1,024,000 |

Sugar Beets: Acreage planted and harvested (all irrigated), yield and production - 1981

| Counties | Acres planted | Acres harvested | Yield per acre | Production |
|---|---|---|---|---|
| | Acres | | Tons | |
| Big Horn | 9,100 | 9,000 | 23.2 | 209,095 |
| Fremont | | | | |
| Hot Springs | 150 | 150 | 20.1 | 3,015 |
| Park | 9,700 | 9,700 | 23.0 | 223,100 |
| Washakie | 9,500 | 9,400 | 24.1 | 226,540 |
| NW dist. | 28,450 | 28,250 | 23.4 | 661,750 |
| Campbell | | | | |
| Crook | | | | |
| Johnson | | | | |
| Sheridan | | | | |
| Weston | | | | |
| NE dist. | | | | |
| Lincoln | | | | |
| Sublette | | | | |
| Teton | | | | |
| Uinta | | | | |
| West dist. | | | | |
| Albany | | | | |
| Carbon | | | | |
| Natrona | | | | |
| Sweetwater | | | | |
| SC dist. | | | | |
| Converse | | | | |
| Goshen | 15,400 | 15,300 | 25.3 | 387,225 |
| Laramie | 450 | 450 | 23.3 | 10,485 |
| Niobrara | | | | |
| Platte | 900 | 900 | 20.6 | 18,540 |
| SE dist. | 16,750 | 16,650 | 25.0 | 416,250 |
| STATE | 45,200 | 44,900 | 24.0 | 1,078,000 |

Corn: Acreage planted for all purposes and harvested for grain, yield and production - 1980

| Counties | Acres harvested for grain | | | Grain yield per acre | | | Grain production | | | All corn |
|---|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total | acres pl. |
| | Acres | | | Bushels | | | Bushels | | | |
| Big Horn | 3,100 | | 3,100 | 92.0 | | 92.0 | 285,200 | | 285,200 | 6,300 |
| Fremont | 2,000 | | 2,000 | 90.0 | | 90.0 | 180,000 | | 180,000 | 5,200 |
| Hot Springs | 200 | | 200 | 90.0 | | 90.0 | 18,000 | | 18,000 | 800 |
| Park | 1,200 | | 1,200 | 94.0 | | 94.0 | 112,800 | | 112,800 | 5,000 |
| Washakie | 1,200 | | 1,200 | 98.0 | | 98.0 | 117,600 | | 117,600 | 4,000 |
| NW dist. | 7,700 | | 7,700 | 92.7 | | 92.7 | 713,600 | | 713,600 | 21,300 |
| Campbell | | | | | | | | | | 100 |
| Crook | 200 | | 200 | 83.0 | | 83.0 | 16,600 | | 16,600 | 600 |
| Johnson | | | | | | | | | | |
| Sheridan | | | | | | | | | | 1,500 |
| Weston | | 400 | 400 | | 35.0 | 35.0 | | 14,000 | 14,000 | 1,000 |
| NE dist. | 200 | 400 | 600 | 83.0 | 35.0 | 51.0 | 16,600 | 14,000 | 30,600 | 3,200 |
| Lincoln | | | | | | | | | | |
| Sublette | | | | | | | | | | |
| Teton | | | | | | | | | | |
| Uinta | | | | | | | | | | |
| West dist. | | | | | | | | | | |
| Albany | | | | | | | | | | |
| Carbon | | | | | | | | | | |
| Natrona | 200 | | 200 | 85.0 | | 85.0 | 17,000 | | 17,000 | 1,100 |
| Sweetwater | | | | | | | | | | |
| SC dist. | 200 | | 200 | 85.0 | | 85.0 | 17,000 | | 17,000 | 1,100 |
| Converse | 200 | | 200 | 90.0 | | 90.0 | 18,000 | | 18,000 | 900 |
| Goshen | 20,600 | | 20,600 | 102.9 | | 102.9 | 2,119,800 | | 2,119,800 | 37,500 |
| Laramie | 200 | 100 | 300 | 95.0 | 35.0 | 75.0 | 19,000 | 3,500 | 22,500 | 6,500 |
| Niobrara | 500 | | 500 | 93.0 | | 93.0 | 46,500 | | 46,500 | 2,100 |
| Platte | 6,900 | | 6,900 | 90.0 | | 90.0 | 621,000 | | 621,000 | 14,400 |
| SE dist. | 28,400 | 100 | 28,500 | 99.4 | 35.0 | 99.2 | 2,824,300 | 3,500 | 2,827,800 | 61,400 |
| STATE | 36,500 | 500 | 37,000 | 97.8 | 35.0 | 97.0 | 3,571,500 | 17,500 | 3,589,000 | 87,000 |

Corn: Acreage planted for all purposes and harvested for grain, yield and production - 1981

| Counties | Acres harvested for grain | | | Grain yield per acre | | | Grain production | | | All corn |
|---|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total | acres pl. |
| | Acres | | | Bushels | | | Bushels | | | |
| Big Horn | 2,000 | | 2,000 | 108.0 | | 108.0 | 216,000 | | 216,000 | 6,500 |
| Fremont | 1,200 | | 1,200 | 84.0 | | 84.0 | 100,800 | | 100,800 | 5,100 |
| Hot Springs | 200 | | 200 | 84.0 | | 84.0 | 16,800 | | 16,800 | 700 |
| Park | 1,100 | | 1,100 | 104.0 | | 104.0 | 114,400 | | 114,400 | 5,200 |
| Washakie | 3,300 | | 3,300 | 112.4 | | 112.4 | 371,000 | | 371,000 | 5,000 |
| NW dist. | 7,800 | | 7,800 | 105.0 | | 105.0 | 819,000 | | 819,000 | 22,500 |
| Campbell | | | | | | | | | | 100 |
| Crook | 200 | | 200 | 85.0 | | 85.0 | 17,000 | | 17,000 | 500 |
| Johnson | | | | | | | | | | |
| Sheridan | | | | | | | | | | 1,500 |
| Weston | | 100 | 100 | | 30.0 | 30.0 | | 3,000 | 3,000 | 900 |
| NE dist. | 200 | 100 | 300 | 85.0 | 30.0 | 66.7 | 17,000 | 3,000 | 20,000 | 3,000 |
| Lincoln | | | | | | | | | | |
| Sublette | | | | | | | | | | |
| Teton | | | | | | | | | | |
| Uinta | | | | | | | | | | |
| West dist. | | | | | | | | | | |
| Albany | | | | | | | | | | |
| Carbon | | | | | | | | | | |
| Natrona | 500 | | 500 | 74.0 | | 74.0 | 37,000 | | 37,000 | 1,000 |
| Sweetwater | | | | | | | | | | |
| SC dist. | 500 | | 500 | 74.0 | | 74.0 | 37,000 | | 37,000 | 1,000 |
| Converse | 100 | | 100 | 84.0 | | 84.0 | 8,400 | | 8,400 | 1,000 |
| Goshen | 29,500 | 100 | 29,600 | 113.5 | 34.0 | 113.3 | 3,349,000 | 3,400 | 3,352,400 | 37,000 |
| Laramie | 100 | 200 | 300 | 90.0 | 36.0 | 54.0 | 9,000 | 7,200 | 16,200 | 6,000 |
| Niobrara | 700 | | 700 | 92.0 | | 92.0 | 64,400 | | 64,400 | 2,500 |
| Platte | 6,600 | 100 | 6,700 | 112.0 | 34.0 | 110.8 | 739,200 | 3,400 | 742,600 | 15,000 |
| SE dist. | 37,000 | 400 | 37,000 | 114.2 | 35.0 | 111.9 | 4,170,000 | 14,000 | 4,184,000 | 61,500 |
| STATE | 45,500 | 500 | 46,000 | 110.8 | 34.0 | 110.0 | 5,043,000 | 17,000 | 5,060,000 | 88,000 |

All hay: Acreage harvested, yield and production - 1980

| Counties | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | Acres | | | Tons | | | Tons | | |
| Big Horn | 28,400 | 100 | 28,500 | 2.89 | .80 | 2.88 | 82,120 | 80 | 82,200 |
| Fremont | 86,500 | 500 | 87,000 | 2.67 | .60 | 2.66 | 230,750 | 300 | 231,050 |
| Hot Springs | 21,000 | 500 | 21,500 | 2.06 | .70 | 2.03 | 43,200 | 350 | 43,550 |
| Park | 48,800 | 200 | 49,000 | 2.78 | .80 | 2.78 | 135,880 | 160 | 136,040 |
| Washakie | 13,800 | 200 | 14,000 | 2.28 | .80 | 2.26 | 31,500 | 160 | 31,660 |
| NW dist. | 198,500 | 1,500 | 200,000 | 2.64 | .70 | 2.62 | 523,450 | 1,050 | 524,500 |
| Campbell | 2,800 | 36,200 | 39,000 | 1.94 | .64 | .73 | 5,440 | 23,220 | 28,660 |
| Crook | 6,200 | 47,800 | 54,000 | 1.71 | .48 | .62 | 10,580 | 22,900 | 33,480 |
| Johnson | 30,600 | 6,400 | 37,000 | 2.27 | .76 | 2.01 | 69,540 | 4,880 | 74,420 |
| Sheridan | 30,000 | 24,000 | 54,000 | 1.87 | 1.07 | 1.51 | 56,000 | 25,700 | 81,700 |
| Weston | 2,400 | 13,600 | 16,000 | 1.60 | .45 | .62 | 3,840 | 6,100 | 9,940 |
| NE dist. | 72,000 | 128,000 | 200,000 | 2.02 | .65 | 1.14 | 145,400 | 82,800 | 228,200 |
| Lincoln | 76,000 | 30,000 | 106,000 | 1.95 | 1.16 | 1.73 | 148,150 | 34,900 | 183,050 |
| Sublette | 129,000 | 4,000 | 133,000 | 1.12 | .90 | 1.12 | 144,950 | 3,600 | 148,550 |
| Teton | 17,500 | 3,500 | 21,000 | 1.77 | .76 | 1.60 | 30,950 | 2,650 | 33,600 |
| Uinta | 42,000 | 2,000 | 44,000 | 1.41 | .70 | 1.38 | 59,100 | 1,400 | 60,500 |
| West dist. | 264,500 | 39,500 | 304,000 | 1.45 | 1.08 | 1.40 | 383,150 | 42,550 | 425,700 |
| Albany | 110,800 | 14,000 | 124,800 | .94 | .62 | .91 | 104,680 | 8,700 | 113,380 |
| Carbon | 110,000 | 6,000 | 116,000 | 1.40 | .93 | 1.38 | 154,530 | 5,600 | 160,130 |
| Natrona | 24,500 | 2,500 | 27,000 | 1.83 | .78 | 1.73 | 44,800 | 1,950 | 46,750 |
| Sweetwater | 13,200 | 1,000 | 14,200 | 1.83 | .80 | 1.76 | 24,140 | 800 | 24,940 |
| SC dist. | 258,500 | 23,500 | 282,000 | 1.27 | .73 | 1.22 | 328,150 | 17,050 | 345,200 |
| Converse | 34,000 | 6,000 | 40,000 | 1.47 | .58 | 1.33 | 49,850 | 3,500 | 53,350 |
| Goshen | 38,000 | 10,000 | 48,000 | 3.08 | .64 | 2.57 | 117,150 | 6,400 | 123,550 |
| Laramie | 32,000 | 23,000 | 55,000 | 1.61 | .93 | 1.33 | 51,400 | 21,500 | 72,900 |
| Niobrara | 8,500 | 19,500 | 28,000 | 1.39 | .61 | .85 | 11,850 | 11,850 | 23,700 |
| Platte | 24,000 | 4,000 | 28,000 | 2.09 | .70 | 1.89 | 50,100 | 2,800 | 52,900 |
| SE dist. | 136,500 | 62,500 | 199,000 | 2.05 | .74 | 1.64 | 280,350 | 46,050 | 326,400 |
| STATE | 930,000 | 255,000 | 1,185,000 | 1.79 | .74 | 1.56 | 1,660,500 | 189,500 | 1,850,000 |

All hay: Acreage harvested, yield and production - 1981

| Counties | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | Acres | | | Tons | | | Tons | | |
| Big Horn | 31,000 | | 31,000 | 3.01 | | 3.01 | 93,300 | | 93,300 |
| Fremont | 88,600 | 900 | 89,500 | 3.02 | .50 | 3.00 | 267,800 | 450 | 268,250 |
| Hot Springs | 20,500 | 500 | 21,000 | 2.47 | .70 | 2.42 | 50,550 | 350 | 50,900 |
| Park | 47,200 | 300 | 47,500 | 3.00 | .70 | 2.99 | 141,710 | 210 | 141,920 |
| Washakie | 13,700 | 300 | 14,000 | 2.99 | .70 | 2.95 | 41,020 | 210 | 41,230 |
| NW dist. | 201,000 | 2,000 | 203,000 | 2.96 | .61 | 2.93 | 594,380 | 1,220 | 595,600 |
| Campbell | 2,200 | 39,300 | 41,500 | 1.79 | .74 | .80 | 3,930 | 29,110 | 33,040 |
| Crook | 6,000 | 52,000 | 58,000 | 1.75 | .67 | .78 | 10,500 | 34,900 | 45,400 |
| Johnson | 34,000 | 4,000 | 38,000 | 2.36 | .85 | 2.20 | 80,100 | 3,400 | 83,500 |
| Sheridan | 36,800 | 18,200 | 55,000 | 2.91 | 1.07 | 2.31 | 107,270 | 19,560 | 126,830 |
| Weston | 2,000 | 15,500 | 17,500 | 1.80 | .60 | .74 | 3,600 | 9,300 | 12,900 |
| NE dist. | 81,000 | 129,000 | 210,000 | 2.54 | .75 | 1.44 | 205,400 | 96,270 | 301,670 |
| Lincoln | 78,000 | 27,000 | 105,000 | 2.06 | 1.13 | 1.82 | 160,800 | 30,600 | 191,400 |
| Sublette | 132,000 | 4,000 | 136,000 | 1.21 | .80 | 1.20 | 159,500 | 3,200 | 162,700 |
| Teton | 18,000 | 4,500 | 22,500 | 2.01 | .80 | 1.76 | 36,100 | 3,600 | 39,700 |
| Uinta | 49,000 | 3,000 | 52,000 | 1.64 | .70 | 1.59 | 80,400 | 2,100 | 82,500 |
| West dist. | 277,000 | 38,500 | 315,500 | 1.58 | 1.03 | 1.51 | 436,800 | 39,500 | 476,300 |
| Albany | 107,000 | 13,000 | 120,000 | 1.04 | .70 | 1.01 | 111,800 | 9,100 | 120,900 |
| Carbon | 111,000 | 6,000 | 117,000 | 1.47 | .95 | 1.45 | 163,400 | 5,700 | 169,100 |
| Natrona | 24,500 | 2,000 | 26,500 | 2.08 | .85 | 1.99 | 51,000 | 1,700 | 52,700 |
| Sweetwater | 13,500 | 1,500 | 15,000 | 1.52 | .80 | 1.45 | 20,500 | 1,200 | 21,700 |
| SC dist. | 256,000 | 22,500 | 278,500 | 1.35 | .79 | 1.31 | 346,700 | 17,700 | 364,400 |
| Converse | 35,000 | 5,500 | 40,500 | 1.92 | .58 | 1.74 | 67,200 | 3,200 | 70,400 |
| Goshen | 39,700 | 10,300 | 50,000 | 3.52 | .79 | 2.95 | 139,550 | 8,180 | 147,730 |
| Laramie | 29,000 | 26,500 | 55,500 | 1.73 | .85 | 1.31 | 50,100 | 22,500 | 72,600 |
| Niobrara | 10,500 | 17,500 | 28,000 | 2.33 | .59 | 1.24 | 24,500 | 10,350 | 34,850 |
| Platte | 26,800 | 4,200 | 31,000 | 2.32 | .76 | 2.11 | 62,270 | 3,180 | 65,450 |
| SE dist. | 141,000 | 64,000 | 205,000 | 2.44 | .74 | 1.91 | 343,620 | 47,410 | 391,030 |
| STATE | 956,000 | 256,000 | 1,212,000 | 2.02 | .79 | 1.76 | 1,926,900 | 202,100 | 2,129,000 |

Alfalfa hay: Acreage harvested, yield and production - 1980

| Counties | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | Acres | | | Tons | | | Tons | | |
| Big Horn | 24,000 | | 24,000 | 3.00 | | 3.00 | 72,000 | | 72,000 |
| Fremont | 63,000 | | 63,000 | 3.10 | | 3.10 | 195,300 | | 195,300 |
| Hot Springs | 15,000 | | 15,000 | 2.00 | | 2.00 | 30,000 | | 30,000 |
| Park | 41,000 | | 41,000 | 3.01 | | 3.01 | 123,400 | | 123,400 |
| Washakie | 12,000 | | 12,000 | 2.40 | | 2.40 | 28,800 | | 28,800 |
| NW dist. | 155,000 | | 155,000 | 2.90 | | 2.90 | 449,500 | | 449,500 |
| Campbell | 2,000 | 15,000 | 17,000 | 2.40 | .70 | .90 | 4,800 | 10,500 | 15,300 |
| Crook | 5,000 | 36,000 | 41,000 | 1.90 | .47 | .65 | 9,500 | 17,000 | 26,500 |
| Johnson | 28,000 | 4,000 | 32,000 | 2.35 | .80 | 2.16 | 65,900 | 3,200 | 69,100 |
| Sheridan | 22,000 | 13,000 | 35,000 | 2.10 | 1.30 | 1.80 | 46,200 | 16,900 | 63,100 |
| Weston | 2,000 | 8,000 | 10,000 | 1.70 | .50 | .74 | 3,400 | 4,000 | 7,400 |
| NE dist. | 59,000 | 76,000 | 135,000 | 2.20 | .68 | 1.34 | 129,800 | 51,600 | 181,400 |
| Lincoln | 41,000 | 16,000 | 57,000 | 2.33 | 1.36 | 2.06 | 95,650 | 21,700 | 117,350 |
| Sublette | 12,000 | | 12,000 | 1.30 | | 1.30 | 15,600 | | 15,600 |
| Teton | 11,500 | 1,500 | 13,000 | 1.70 | .70 | 1.58 | 19,550 | 1,050 | 20,600 |
| Uinta | 9,000 | | 9,000 | 1.80 | | 1.80 | 16,200 | | 16,200 |
| West dist. | 73,500 | 17,500 | 91,000 | 2.00 | 1.30 | 1.87 | 147,000 | 22,750 | 169,750 |
| Albany | 2,800 | | 2,800 | 2.60 | | 2.60 | 7,280 | | 7,280 |
| Carbon | 10,000 | 1,000 | 11,000 | 2.45 | 1.10 | 2.33 | 24,530 | 1,100 | 25,630 |
| Natrona | 17,500 | 500 | 18,000 | 2.20 | 1.10 | 2.17 | 38,500 | 550 | 39,050 |
| Sweetwater | 6,200 | | 6,200 | 2.20 | | 2.20 | 13,640 | | 13,640 |
| SC dist. | 36,500 | 1,500 | 38,000 | 2.30 | 1.10 | 2.25 | 83,950 | 1,650 | 85,600 |
| Converse | 24,000 | 1,000 | 25,000 | 1.50 | 1.00 | 1.48 | 36,000 | 1,000 | 37,000 |
| Goshen | 32,000 | 2,000 | 34,000 | 3.45 | 1.20 | 3.32 | 110,550 | 2,400 | 112,950 |
| Laramie | 9,000 | 1,000 | 10,000 | 2.90 | .70 | 2.68 | 26,100 | 700 | 26,800 |
| Niobrara | 6,000 | 8,000 | 14,000 | 1.60 | .76 | 1.12 | 9,600 | 6,100 | 15,700 |
| Platte | 15,000 | 3,000 | 18,000 | 2.50 | .60 | 2.18 | 37,500 | 1,800 | 39,300 |
| SE dist. | 86,000 | 15,000 | 101,000 | 2.56 | .80 | 2.29 | 219,750 | 12,000 | 231,750 |
| STATE | 410,000 | 110,000 | 520,000 | 2.51 | .80 | 2.15 | 1,030,000 | 88,000 | 1,118,000 |

Alfalfa hay: Acreage harvested, yield and production - 1981

| Counties | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | Acres | | | Tons | | | Tons | | |
| Big Horn | 27,000 | | 27,000 | 3.10 | | 3.10 | 83,700 | | 83,700 |
| Fremont | 66,000 | | 66,000 | 3.50 | | 3.50 | 231,000 | | 231,000 |
| Hot Springs | 15,000 | | 15,000 | 2.60 | | 2.60 | 39,000 | | 39,000 |
| Park | 40,000 | | 40,000 | 3.20 | | 3.20 | 128,000 | | 128,000 |
| Washakie | 12,000 | | 12,000 | 3.20 | | 3.20 | 38,400 | | 38,400 |
| NW dist. | 160,000 | | 160,000 | 3.25 | | 3.25 | 520,100 | | 520,100 |
| Campbell | 1,500 | 16,000 | 17,500 | 2.20 | .80 | .92 | 3,300 | 12,800 | 16,100 |
| Crook | 5,000 | 37,000 | 42,000 | 1.90 | .70 | .84 | 9,500 | 25,900 | 35,400 |
| Johnson | 31,000 | 3,000 | 34,000 | 2.40 | .90 | 2.27 | 74,400 | 2,700 | 77,100 |
| Sheridan | 27,000 | 11,000 | 38,000 | 3.30 | 1.25 | 2.71 | 89,100 | 13,800 | 102,900 |
| Weston | 1,500 | 8,000 | 9,500 | 2.00 | .60 | .82 | 3,000 | 4,800 | 7,800 |
| NE dist. | 66,000 | 75,000 | 141,000 | 2.72 | .80 | 1.70 | 179,300 | 60,000 | 239,300 |
| Lincoln | 45,000 | 14,000 | 59,000 | 2.40 | 1.35 | 2.15 | 108,000 | 18,900 | 126,900 |
| Sublette | 13,000 | | 13,000 | 1.50 | | 1.50 | 19,500 | | 19,500 |
| Teton | 11,000 | 1,500 | 12,500 | 2.20 | .80 | 2.03 | 24,200 | 1,200 | 25,400 |
| Uinta | 10,000 | | 10,000 | 1.80 | | 1.80 | 18,000 | | 18,000 |
| West dist. | 79,000 | 15,500 | 94,500 | 2.15 | 1.30 | 2.01 | 169,700 | 20,100 | 189,800 |
| Albany | 3,000 | | 3,000 | 2.60 | | 2.60 | 7,800 | | 7,800 |
| Carbon | 10,000 | 1,000 | 11,000 | 2.20 | 1.20 | 2.11 | 22,000 | 1,200 | 23,200 |
| Natrona | 18,000 | 500 | 18,500 | 2.40 | 1.00 | 2.36 | 43,200 | 500 | 43,700 |
| Sweetwater | 6,000 | | 6,000 | 1.80 | | 1.80 | 10,800 | | 10,800 |
| SC dist. | 37,000 | 1,500 | 38,500 | 2.26 | 1.13 | 2.22 | 83,800 | 1,700 | 85,500 |
| Converse | 26,000 | 1,500 | 27,500 | 2.10 | .80 | 2.03 | 54,600 | 1,200 | 55,800 |
| Goshen | 32,000 | 2,000 | 34,000 | 4.00 | 1.60 | 3.86 | 128,000 | 3,200 | 131,200 |
| Laramie | 9,000 | 1,500 | 10,500 | 2.90 | 1.00 | 2.63 | 26,100 | 1,500 | 27,600 |
| Niobrara | 7,000 | 8,000 | 15,000 | 2.80 | .70 | 1.68 | 19,600 | 5,600 | 25,200 |
| Platte | 16,000 | 3,000 | 19,000 | 2.90 | .70 | 2.55 | 46,400 | 2,100 | 48,500 |
| SE dist. | 90,000 | 16,000 | 106,000 | 3.05 | .85 | 2.72 | 274,700 | 13,600 | 288,300 |
| STATE | 432,000 | 108,000 | 540,000 | 2.84 | .88 | 2.45 | 1,227,600 | 95,400 | 1,323,000 |

Other hay: Acreage harvested, yield and production - 1980

| Counties | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | Acres | | | Tons | | | Tons | | |
| Big Horn | 4,400 | 100 | 4,500 | 2.30 | .80 | 2.27 | 10,120 | 80 | 10,200 |
| Fremont | 23,500 | 500 | 24,000 | 1.51 | .60 | 1.49 | 35,450 | 300 | 35,750 |
| Hot Springs | 6,000 | 500 | 6,500 | 2.20 | .70 | 2.08 | 13,200 | 350 | 13,550 |
| Park | 7,800 | 200 | 8,000 | 1.60 | .80 | 1.58 | 12,480 | 160 | 12,640 |
| Washakie | 1,800 | 200 | 2,000 | 1.50 | .80 | 1.43 | 2,700 | 160 | 2,860 |
| NW dist. | 43,500 | 1,500 | 45,000 | 1.70 | .70 | 1.67 | 73,950 | 1,050 | 75,000 |
| Campbell | 800 | 21,200 | 22,000 | .80 | .60 | .61 | 640 | 12,720 | 13,360 |
| Crook | 1,200 | 11,800 | 13,000 | .90 | .50 | .54 | 1,080 | 5,900 | 6,980 |
| Johnson | 2,600 | 2,400 | 5,000 | 1.40 | .70 | 1.06 | 3,640 | 1,680 | 5,320 |
| Sheridan | 8,000 | 11,000 | 19,000 | 1.23 | .80 | .98 | 9,800 | 8,800 | 18,600 |
| Weston | 400 | 5,600 | 6,000 | 1.10 | .38 | .42 | 440 | 2,100 | 2,540 |
| NE dist. | 13,000 | 52,000 | 65,000 | 1.20 | .60 | .72 | 15,600 | 31,200 | 46,800 |
| Lincoln | 35,000 | 14,000 | 49,000 | 1.50 | .94 | 1.34 | 52,500 | 13,200 | 65,700 |
| Sublette | 117,000 | 4,000 | 121,000 | 1.11 | .90 | 1.10 | 129,350 | 3,600 | 132,950 |
| Teton | 6,000 | 2,000 | 8,000 | 1.90 | .80 | 1.63 | 11,400 | 1,600 | 13,000 |
| Uinta | 33,000 | 2,000 | 35,000 | 1.30 | .70 | 1.27 | 42,900 | 1,400 | 44,300 |
| West dist. | 191,000 | 22,000 | 213,000 | 1.24 | .90 | 1.20 | 236,150 | 19,800 | 255,950 |
| Albany | 108,000 | 14,000 | 122,000 | .90 | .62 | .87 | 97,400 | 8,700 | 106,100 |
| Carbon | 100,000 | 5,000 | 105,000 | 1.30 | .90 | 1.28 | 130,000 | 4,500 | 134,500 |
| Natrona | 7,000 | 2,000 | 9,000 | .90 | .70 | .86 | 6,300 | 1,400 | 7,700 |
| Sweetwater | 7,000 | 1,000 | 8,000 | 1.50 | .80 | 1.41 | 10,500 | 800 | 11,300 |
| SC dist. | 222,000 | 22,000 | 244,000 | 1.10 | .70 | 1.06 | 244,200 | 15,400 | 259,600 |
| Converse | 10,000 | 5,000 | 15,000 | 1.39 | .50 | 1.09 | 13,850 | 2,500 | 16,350 |
| Goshen | 6,000 | 8,000 | 14,000 | 1.10 | .50 | .76 | 6,600 | 4,000 | 10,600 |
| Laramie | 23,000 | 22,000 | 45,000 | 1.10 | .95 | 1.02 | 25,300 | 20,800 | 46,100 |
| Niobrara | 2,500 | 11,500 | 14,000 | .90 | .50 | .57 | 2,250 | 5,750 | 8,000 |
| Platte | 9,000 | 1,000 | 10,000 | 1.40 | 1.00 | 1.36 | 12,600 | 1,000 | 13,600 |
| SE dist. | 50,500 | 47,500 | 98,000 | 1.20 | .72 | .97 | 60,600 | 34,050 | 94,650 |
| STATE | 520,000 | 145,000 | 665,000 | 1.21 | .70 | 1.10 | 630,500 | 101,500 | 732,000 |

Other hay: Acreage harvested, yield and production - 1981

| Counties | Acres harvested | | | Yield per acre | | | Production | | |
|---|---|---|---|---|---|---|---|---|---|
| | Irrig. | Non | Total | Irrig. | Non | Total | Irrig. | Non | Total |
| | Acres | | | Tons | | | Tons | | |
| Big Horn | 4,000 | | 4,000 | 2.40 | | 2.40 | 9,600 | | 9,600 |
| Fremont | 22,600 | 900 | 23,500 | 1.63 | .50 | 1.59 | 36,800 | 450 | 37,250 |
| Hot Springs | 5,500 | 500 | 6,000 | 2.10 | .70 | 1.98 | 11,550 | 350 | 11,900 |
| Park | 7,200 | 300 | 7,500 | 1.90 | .70 | 1.86 | 13,710 | 210 | 13,920 |
| Washakie | 1,700 | 300 | 2,000 | 1.54 | .70 | 1.42 | 2,620 | 210 | 2,830 |
| NW dist. | 41,000 | 2,000 | 43,000 | 1.81 | .61 | 1.76 | 74,280 | 1,220 | 75,500 |
| Campbell | 700 | 23,300 | 24,000 | .90 | .70 | .71 | 630 | 16,310 | 16,940 |
| Crook | 1,000 | 15,000 | 16,000 | 1.00 | .60 | .63 | 1,000 | 9,000 | 10,000 |
| Johnson | 3,000 | 1,000 | 4,000 | 1.90 | .70 | 1.60 | 5,700 | 700 | 6,400 |
| Sheridan | 9,800 | 7,200 | 17,000 | 1.85 | .80 | 1.41 | 18,170 | 5,760 | 23,930 |
| Weston | 500 | 7,500 | 8,000 | 1.20 | .60 | .64 | 600 | 4,500 | 5,100 |
| NE dist. | 15,000 | 54,000 | 69,000 | 1.74 | .67 | .90 | 26,100 | 36,270 | 62,370 |
| Lincoln | 33,000 | 13,000 | 46,000 | 1.60 | .90 | 1.40 | 52,800 | 11,700 | 64,500 |
| Sublette | 119,000 | 4,000 | 123,000 | 1.18 | .80 | 1.16 | 140,000 | 3,200 | 143,200 |
| Teton | 7,000 | 3,000 | 10,000 | 1.70 | .80 | 1.43 | 11,900 | 2,400 | 14,300 |
| Uinta | 39,000 | 3,000 | 42,000 | 1.60 | .70 | 1.54 | 62,400 | 2,100 | 64,500 |
| West dist. | 198,000 | 23,000 | 221,000 | 1.35 | .84 | 1.30 | 267,100 | 19,400 | 286,500 |
| Albany | 104,000 | 13,000 | 117,000 | 1.00 | .70 | .97 | 104,000 | 9,100 | 113,100 |
| Carbon | 101,000 | 5,000 | 106,000 | 1.40 | .90 | 1.38 | 141,400 | 4,500 | 145,900 |
| Natrona | 6,500 | 1,500 | 8,000 | 1.20 | .80 | 1.13 | 7,800 | 1,200 | 9,000 |
| Sweetwater | 7,500 | 1,500 | 9,000 | 1.29 | .80 | 1.21 | 9,700 | 1,200 | 10,900 |
| SC dist. | 219,000 | 21,000 | 240,000 | 1.20 | .76 | 1.16 | 262,900 | 16,000 | 278,900 |
| Converse | 9,000 | 4,000 | 13,000 | 1.40 | .50 | 1.12 | 12,600 | 2,000 | 14,600 |
| Goshen | 7,700 | 8,300 | 16,000 | 1.50 | .60 | 1.03 | 11,550 | 4,980 | 16,530 |
| Laramie | 20,000 | 25,000 | 45,000 | 1.20 | .84 | 1.00 | 24,000 | 21,000 | 45,000 |
| Niobrara | 3,500 | 9,500 | 13,000 | 1.40 | .50 | .74 | 4,900 | 4,750 | 9,650 |
| Platte | 10,800 | 1,200 | 12,000 | 1.47 | .90 | 1.41 | 15,870 | 1,080 | 16,950 |
| SE dist. | 51,000 | 48,000 | 99,000 | 1.35 | .70 | 1.04 | 68,920 | 33,810 | 102,730 |
| STATE | 524,000 | 148,000 | 672,000 | 1.33 | .72 | 1.20 | 699,300 | 106,700 | 806,000 |

# Prices



Average prices received by farmers and ranchers, monthly averages, Wyoming, 1977-1981, U.S. 1981

| Year | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Beef cattle 1/: dollars per cwt. | | | | | | | |
| 1977 | 32.40 | 32.40 | 33.30 | 36.50 | 38.60 | 33.20 | 34.20 | 34.40 | 38.20 | 37.30 | 35.50 | 34.30 |
| 1978 | 37.40 | 41.20 | 46.40 | 51.90 | 52.80 | 50.20 | 49.20 | 49.60 | 60.00 | 62.60 | 55.40 | 55.50 |
| 1979 | 62.00 | 66.00 | 74.50 | 81.80 | 74.70 | 67.30 | 64.40 | 65.80 | 77.20 | 72.80 | 66.50 | 65.40 |
| 1980 | 62.70 | 68.60 | 67.10 | 65.20 | 60.50 | 61.60 | 58.60 | 64.10 | 71.00 | 68.20 | 62.80 | 59.70 |
| 1981 | 57.90 | 60.20 | 59.00 | 64.50 | 60.60 | 59.50 | 54.50 | 57.70 | 62.00 | 59.60 | 54.80 | 50.70 |
| U.S. | | | | | | | | | | | | |
| 1981 | 60.40 | 59.40 | 58.20 | 61.00 | 60.50 | 61.40 | 60.50 | 59.70 | 58.80 | 55.70 | 54.50 | 52.00 |
| | | | | | Cows: dollars per cwt. | | | | | | | |
| 1977 | 25.40 | 25.80 | 26.60 | 30.30 | 27.80 | 25.70 | 25.20 | 26.90 | 27.20 | 26.50 | 25.50 | 26.10 |
| 1978 | 28.30 | 32.00 | 34.60 | 36.30 | 42.00 | 41.10 | 38.90 | 37.80 | 41.20 | 45.80 | 44.30 | 45.10 |
| 1979 | 54.60 | 52.50 | 60.20 | 59.40 | 58.20 | 53.60 | 51.30 | 51.90 | 54.20 | 49.70 | 46.90 | 49.30 |
| 1980 | 51.30 | 55.00 | 50.10 | 46.00 | 43.10 | 47.40 | 44.50 | 47.10 | 49.30 | 47.20 | 45.30 | 44.70 |
| 1981 | 46.10 | 51.60 | 45.20 | 48.00 | 44.80 | 44.20 | 47.80 | 46.30 | 43.60 | 41.30 | 39.30 | 40.70 |
| U.S. | | | | | | | | | | | | |
| 1981 | 43.10 | 45.00 | 43.70 | 44.10 | 42.50 | 42.80 | 42.40 | 42.70 | 41.10 | 38.40 | 36.60 | 35.50 |
| | | | | | Steers and Heifers: dollars per cwt. | | | | | | | |
| 1977 | 35.20 | 34.70 | 35.00 | 37.60 | 41.00 | 37.20 | 38.50 | 35.50 | 39.00 | 39.00 | 39.10 | 39.30 |
| 1978 | 41.30 | 44.80 | 49.10 | 54.00 | 56.00 | 54.60 | 53.60 | 53.10 | 60.90 | 64.20 | 60.70 | 62.10 |
| 1979 | 65.90 | 70.70 | 77.90 | 85.60 | 79.60 | 73.40 | 69.80 | 69.30 | 78.80 | 75.00 | 73.70 | 74.00 |
| 1980 | 70.30 | 75.90 | 72.50 | 68.30 | 63.80 | 66.60 | 66.20 | 68.90 | 72.10 | 71.10 | 70.70 | 67.70 |
| 1981 | 66.10 | 67.30 | 64.10 | 66.80 | 62.90 | 62.80 | 58.80 | 61.50 | 62.80 | 61.20 | 60.50 | 57.60 |
| U.S. | | | | | | | | | | | | |
| 1981 | 64.30 | 62.30 | 61.30 | 63.90 | 63.90 | 64.80 | 64.10 | 63.40 | 62.90 | 59.90 | 59.10 | 57.30 |
| | | | | | Calves: dollars per cwt. | | | | | | | |
| 1977 | 39.40 | 38.00 | 38.00 | 40.80 | 42.70 | 42.40 | 43.00 | 40.70 | 41.80 | 43.80 | 43.90 | 43.20 |
| 1978 | 46.70 | 49.80 | 53.40 | 59.40 | 63.50 | 63.50 | 63.10 | 61.80 | 73.10 | 73.60 | 76.00 | 83.50 |
| 1979 | 87.10 | 96.30 | 98.90 | 107.00 | 105.00 | 93.40 | 99.70 | 90.00 | 96.00 | 92.20 | 92.00 | 96.40 |
| 1980 | 87.90 | 99.00 | 88.90 | 79.10 | 75.50 | 82.70 | 71.30 | 77.60 | 80.60 | 81.90 | 80.10 | 76.90 |
| 1981 | 76.20 | 73.10 | 73.10 | 73.70 | 70.50 | 66.00 | 62.10 | 64.90 | 66.70 | 63.90 | 63.90 | 62.10 |
| U.S. | | | | | | | | | | | | |
| 1981 | 70.40 | 70.60 | 68.80 | 69.60 | 66.00 | 66.30 | 62.00 | 62.30 | 61.40 | 59.00 | 59.40 | 57.70 |

1/ "Cows" and "Steers and Heifers" combined with allowance where necessary for slaughter bulls

Average prices received by farmers and ranchers, monthly averages, Wyoming, 1977-1981, U.S. 1981

| Year | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Sheep: dollars per cwt. | | | | | | | |
| 1977 | 12.00 | 13.00 | 12.00 | 12.00 | 11.00 | 10.30 | 12.20 | 12.20 | 14.00 | 14.00 | 13.90 | 14.00 |
| 1978 | 16.00 | 18.00 | 20.00 | 21.00 | 23.80 | 23.80 | 22.00 | 24.20 | 30.00 | 31.80 | 31.00 | 31.00 |
| 1979 | 35.00 | 35.10 | 34.70 | 34.10 | 32.00 | 32.00 | 33.00 | 33.00 | 33.50 | 30.90 | 31.00 | 29.20 |
| 1980 | 25.00 | 22.00 | 23.00 | 18.00 | 18.00 | 18.00 | 20.00 | 20.80 | 22.50 | 19.20 | 19.80 | 16.00 |
| 1981 | 24.10 | 20.70 | 25.00 | 25.00 | 17.00 | 19.30 | 20.00 | 16.50 | 15.00 | 16.60 | 17.00 | 14.80 |
| U.S. | | | | | | | | | | | | |
| 1981 | 27.40 | 29.00 | 26.10 | 23.40 | 19.50 | 20.30 | 23.00 | 20.40 | 20.30 | 19.70 | 19.10 | 19.20 |
| | | | | | Lambs: dollars per cwt. | | | | | | | |
| 1977 | 49.40 | 49.00 | 48.50 | 46.70 | 55.10 | 50.40 | 49.20 | 49.60 | 51.20 | 53.00 | 53.20 | 61.00 |
| 1978 | 62.90 | 65.70 | 67.90 | 66.00 | 70.00 | 65.00 | 62.00 | 62.20 | 68.50 | 69.40 | 71.20 | 74.40 |
| 1979 | 80.00 | 75.50 | 70.00 | 73.00 | 72.70 | 71.70 | 70.00 | 68.00 | 70.40 | 68.00 | 65.00 | 66.00 |
| 1980 | 62.90 | 62.20 | 70.00 | 57.00 | 74.30 | 75.00 | 77.00 | 70.00 | 66.00 | 64.90 | 64.00 | 57.90 |
| 1981 | 54.60 | 49.80 | 55.80 | 55.80 | 56.00 | 65.40 | 56.40 | 49.90 | 46.20 | 46.30 | 46.20 | 46.60 |
| U.S. | | | | | | | | | | | | |
| 1981 | 54.10 | 55.40 | 56.50 | 58.80 | 63.10 | 65.00 | 59.50 | 56.20 | 50.40 | 50.60 | 47.40 | 47.50 |
| | | | | | Hogs: dollars per cwt. | | | | | | | |
| 1977 | 36.30 | 38.70 | 36.50 | 35.30 | 37.70 | 41.40 | 44.80 | 41.20 | 39.80 | 39.50 | 36.30 | 40.50 |
| 1978 | 42.00 | 45.50 | 44.70 | 43.60 | 44.30 | 45.90 | 46.00 | 45.60 | 47.50 | 48.20 | 44.70 | 48.00 |
| 1979 | 49.20 | 52.20 | 47.10 | 43.40 | 40.30 | 38.60 | 37.40 | 35.10 | 34.10 | 30.10 | 28.10 | 37.00 |
| 1980 | 36.40 | 37.60 | 34.60 | 28.10 | 27.10 | 26.20 | 36.30 | 47.10 | 43.10 | 47.70 | 45.90 | 43.90 |
| 1981 | 40.00 | 41.00 | 38.70 | 38.20 | 39.70 | 46.20 | 48.90 | 49.70 | 49.00 | 44.80 | 41.80 | 39.00 |
| U.S. | | | | | | | | | | | | |
| 1981 | 40.90 | 41.30 | 38.80 | 39.00 | 40.90 | 47.40 | 49.30 | 49.20 | 48.60 | 45.00 | 41.50 | 39.00 |
| | | | | | Wool 1/: cents per pound | | | | | | | |
| 1977 | 69 | 80 | 76 | 75 | 71 | 70 | 66 | 69 | 72 | 62 | 71 | 65 |
| 1978 | 80 | 74 | 75 | 79 | 77 | 72 | 72 | 69 | 71 | 70 | 74 | 73 |
| 1979 | 85 | 83 | 89 | 93 | 93 | 92 | 87 | 83 | 84 | 87 | 93 | 99 |
| 1980 | 94 | 98 | 106 | 103 | 96 | 92 | 90 | 97 | 99 | 96 | 93 | 97 |
| 1981 | 100 | 105 | 105 | 113 | 107 | 96 | 103 | 103 | 81 | 87 | 90 | 88 |
| U.S. | | | | | | | | | | | | |
| 1981 | 84.6 | 88.3 | 91.8 | 101 | 99.8 | 101 | 94.4 | 84.8 | 84.3 | 87.3 | 91.1 | 84.2 |

1/ Average local market price for wool sold, does not include incentive payment

Average prices received by farmers and ranchers, monthly averages, Wyoming, 1977-1981, U.S. 1981

| Year | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Milk sold to plants: dollars per cwt. | | | | | | | |
| 1977 | 9.90 | 9.80 | 9.80 | 9.80 | 9.60 | 9.65 | 9.65 | 9.75 | 9.95 | 10.00 | 10.30 | 10.20 |
| 1978 | 10.10 | 10.10 | 10.10 | 10.10 | 10.10 | 10.10 | 10.10 | 10.40 | 10.60 | 11.10 | 11.50 | 11.90 |
| 1979 | 12.00 | 11.80 | 11.80 | 11.70 | 11.60 | 11.50 | 11.50 | 11.90 | 12.10 | 12.30 | 12.50 | 12.40 |
| 1980 | 12.50 | 12.40 | 12.40 | 12.50 | 12.40 | 12.30 | 12.30 | 12.50 | 12.90 | 13.30 | 13.50 | 13.80 |
| 1981 | 13.40 | 13.50 | 13.40 | 13.30 | 13.20 | 13.00 | 13.00 | 13.00 | 13.20 | 13.50 | 13.60 | 13.70 |
| U.S. | | | | | | | | | | | | |
| 1981 | 14.10 | 14.00 | 13.80 | 13.70 | 13.50 | 13.40 | 13.40 | 13.50 | 13.70 | 14.00 | 14.00 | 14.00 |
| | | | | | Corn: dollars per bushel | | | | | | | |
| 1977 | 2.34 | 2.48 | 2.37 | 2.30 | 2.26 | 2.21 | 2.12 | 1.75 | 1.72 | 1.79 | 2.10 | 2.04 |
| 1978 | 2.09 | 1.97 | 2.26 | 2.24 | 2.31 | 2.42 | 2.39 | 2.18 | 2.15 | 2.29 | 2.13 | 2.22 |
| 1979 | 2.30 | 2.35 | 2.41 | 2.40 | 2.41 | 2.55 | 2.75 | 2.66 | 2.75 | 2.67 | 2.25 | 2.43 |
| 1980 | 2.36 | 2.40 | 2.35 | 2.35 | 2.45 | 2.40 | 2.77 | 3.07 | 3.02 | 3.00 | 3.05 | 3.12 |
| 1981 | 3.14 | 3.22 | 3.10 | 3.16 | 3.24 | 3.51 | 3.39 | 3.34 | 3.14 | 2.44 | 2.63 | 2.33 |
| U.S. | | | | | | | | | | | | |
| 1981 | 3.19 | 3.22 | 3.25 | 3.24 | 3.24 | 3.17 | 3.14 | 2.87 | 2.55 | 2.45 | 2.34 | 2.39 |
| | | | | | Dry edible beans: dollars per cwt. | | | | | | | |
| 1977 | 10.70 | 10.70 | 11.60 | 11.40 | 11.20 | 12.40 | 13.70 | 13.30 | 14.20 | 25.30 | 23.80 | 22.90 |
| 1978 | 21.00 | 21.50 | 19.80 | 18.20 | 17.20 | 17.00 | 15.40 | 15.70 | 14.30 | 16.50 | 14.90 | 16.70 |
| 1979 | 16.00 | 16.20 | 16.50 | 16.80 | 19.00 | 20.40 | 21.30 | 20.80 | 20.00 | 20.30 | 21.90 | 26.10 |
| 1980 | 28.20 | 28.40 | 28.10 | 24.00 | 25.80 | 27.50 | 28.50 | 27.20 | 24.90 | 23.90 | 26.00 | 26.60 |
| 1981 | 28.40 | 28.40 | 28.10 | 28.40 | 32.60 | 36.20 | 29.90 | NA | 23.00 | 21.30 | 19.40 | 16.00 |
| U.S. | | | | | | | | | | | | |
| 1981 | 27.50 | 28.30 | 30.00 | 31.30 | 34.50 | 36.80 | 35.40 | 26.70 | 22.90 | 23.50 | 23.90 | 22.10 |
| | | | | | Hay, All (Baled): dollars per ton | | | | | | | |
| 1977 | 58.00 | 56.50 | 56.50 | 58.50 | 55.00 | 55.50 | 52.50 | 50.50 | 49.00 | 45.00 | 42.50 | 44.00 |
| 1978 | 43.50 | 44.50 | 46.00 | 44.50 | 43.50 | 44.00 | 43.50 | 43.50 | 44.00 | 45.00 | 46.50 | 47.50 |
| 1979 | 51.50 | 54.50 | 55.00 | 51.50 | 48.00 | 49.50 | 52.00 | 55.50 | 59.50 | 55.50 | 56.50 | 56.50 |
| 1980 | 55.50 | 55.50 | 55.50 | 52.00 | 46.00 | 49.00 | 53.00 | 61.00 | 68.00 | 69.50 | 73.50 | 76.50 |
| 1981 | 72.00 | 71.50 | 67.50 | 65.50 | 68.00 | 65.00 | 65.00 | 64.00 | 65.00 | 64.00 | 66.00 | 64.00 |
| U.S. | | | | | | | | | | | | |
| 1981 | 72.80 | 72.50 | 69.80 | 68.20 | 75.50 | 66.80 | 64.10 | 62.90 | 62.70 | 64.20 | 64.70 | 65.90 |

Average prices received by farmers and ranchers, monthly averages, Wyoming, 1977-1981, U.S. 1981

| Year | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Alfalfa hay: dollars per ton | | | | | | | |
| 1977 | 57.50 | 57.00 | 57.00 | 59.00 | 55.00 | 55.00 | 52.00 | 50.00 | 48.00 | 44.00 | 43.50 | 45.00 |
| 1978 | 45.00 | 45.00 | 45.00 | 43.00 | 42.00 | 41.00 | 42.00 | 41.50 | 42.00 | 43.50 | 46.00 | 48.00 |
| 1979 | 51.50 | 55.50 | 55.50 | 51.00 | 46.50 | 48.00 | 52.00 | 56.00 | 60.00 | 56.00 | 56.00 | 56.00 |
| 1980 | 55.00 | 54.00 | 54.00 | 50.00 | 41.50 | 45.00 | 51.50 | 62.50 | 66.00 | 67.50 | 69.50 | 72.00 |
| 1981 | 69.50 | 68.50 | 64.50 | 63.50 | 67.50 | 63.50 | 63.50 | 63.00 | 65.00 | 63.00 | 65.00 | 62.00 |
| U.S. | | | | | | | | | | | | |
| 1981 | 75.90 | 75.40 | 72.40 | 72.10 | 78.60 | 70.20 | 67.10 | 65.60 | 65.70 | 68.10 | 67.80 | 68.70 |
| | | | | | Wheat: dollars per bushel | | | | | | | |
| 1977 | 2.13 | 2.21 | 2.14 | 2.13 | 1.95 | 1.76 | 1.83 | 1.92 | 1.97 | 1.96 | 2.17 | 2.30 |
| 1978 | 2.30 | 2.37 | 2.37 | 2.51 | 2.51 | 2.59 | 2.54 | 2.65 | 2.71 | 2.77 | 2.82 | 2.78 |
| 1979 | 2.77 | 2.88 | 2.69 | 2.75 | 2.89 | 3.13 | 3.46 | 3.46 | 3.58 | 3.66 | 3.72 | 3.68 |
| 1980 | 3.57 | 3.53 | 3.28 | 3.48 | 3.56 | 3.45 | 3.49 | 3.57 | 3.80 | 3.83 | 4.14 | 4.01 |
| 1981 | 4.08 | 3.94 | 3.89 | 3.94 | 3.66 | 3.77 | 3.38 | 3.29 | 3.33 | 3.35 | 3.53 | 3.43 |
| U.S. | | | | | | | | | | | | |
| 1981 | 4.21 | 4.17 | 4.09 | 4.07 | 3.95 | 3.70 | 3.62 | 3.62 | 3.65 | 3.77 | 3.85 | 3.80 |
| | | | | | Feed barley: dollars per bushel | | | | | | | |
| 1977 | 1.95 | 1.91 | 1.95 | 1.92 | 1.92 | 1.78 | 1.87 | 1.44 | 1.39 | 1.43 | 1.44 | 1.65 |
| 1978 | 1.87 | 1.87 | 1.95 | 1.93 | 1.90 | 2.00 | 1.82 | 1.61 | 1.46 | 1.69 | 1.59 | 1.62 |
| 1979 | 1.90 | 1.85 | 1.96 | 1.92 | 1.70 | 2.04 | 2.19 | 1.91 | 1.96 | 2.03 | 1.95 | 2.16 |
| 1980 | 2.14 | 2.02 | 2.09 | 2.06 | 2.11 | 2.11 | 2.15 | 2.24 | 2.33 | 2.43 | 2.55 | 2.95 |
| 1981 | 2.91 | 2.94 | 2.61 | 3.15 | 2.86 | 2.95 | 2.85 | 2.40 | 2.42 | 2.15 | 2.24 | 2.22 |
| U.S. | | | | | | | | | | | | |
| 1981 | 3.09 | 2.98 | 2.99 | 2.90 | 3.01 | 2.98 | 2.36 | 2.23 | 2.32 | 2.30 | 2.29 | 2.29 |
| | | | | | All barley (includes malting barley when marketed): dollars per bushel | | | | | | | |
| 1978 | 1.87 | 1.87 | 3.35 | 1.93 | 1.90 | 2.00 | 2.49 | 2.41 | 2.35 | 2.21 | 1.62 | 1.97 |
| 1979 | 2.16 | 1.90 | 1.96 | 1.92 | 1.70 | 2.04 | 2.53 | 2.58 | 2.70 | 2.54 | 2.59 | 2.51 |
| 1980 | 2.57 | 2.60 | 2.58 | 2.57 | 2.11 | 2.33 | 2.82 | 2.98 | 2.93 | 2.79 | 3.11 | 3.24 |
| 1981 | 3.31 | 3.32 | 3.23 | 3.32 | 2.86 | 2.95 | 3.11 | 3.14 | 3.04 | 2.70 | 3.31 | 2.68 |
| U.S. | | | | | | | | | | | | |
| 1981 | 3.09 | 3.05 | 3.04 | 3.04 | 3.00 | 2.94 | 2.41 | 2.37 | 2.44 | 2.38 | 2.49 | 2.48 |
| | | | | | Oats: dollars per bushel | | | | | | | |
| 1977 | 1.46 | 1.55 | 1.58 | 1.63 | 1.59 | 1.43 | 1.42 | 1.12 | 1.23 | 1.13 | 1.26 | 1.20 |
| 1978 | 1.29 | 1.33 | 1.34 | 1.36 | 1.44 | 1.38 | 1.37 | 1.26 | 1.20 | 1.29 | 1.27 | 1.39 |
| 1979 | 1.39 | 1.51 | 1.39 | 1.47 | 1.54 | 1.48 | 1.58 | 1.43 | 1.42 | 1.41 | 1.46 | 1.55 |
| 1980 | 1.51 | 1.42 | 1.43 | 1.54 | 1.50 | 1.67 | 1.65 | 1.76 | 1.67 | 1.75 | 1.73 | 1.98 |
| 1981 | 2.22 | 2.27 | 2.38 | 2.13 | 2.25 | 2.28 | 2.04 | 2.20 | 2.01 | 2.04 | 2.03 | 2.00 |
| U.S. | | | | | | | | | | | | |
| 1981 | 1.98 | 2.01 | 2.08 | 2.05 | 2.05 | 1.99 | 1.82 | 1.73 | 1.74 | 1.78 | 1.88 | 1.94 |

1/ Insufficient sales

Index numbers of prices received by farmers and ranchers: Wyoming, 1978-81 (1967=100), U.S. 1981

| Year | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Meat Animals | | | | | | |
| 1978 | 194 | 210 | 229 | 246 | 254 | 242 | 236 | 237 | 280 | 289 | 268 | 274 |
| 1979 | 301 | 312 | 333 | 359 | 335 | 308 | 299 | 299 | 338 | 320 | 297 | 297 |
| 1980 | 283 | 303 | 302 | 280 | 280 | 285 | 277 | 292 | 311 | 301 | 283 | 266 |
| 1981 | 253 | 261 | 263 | 280 | 265 | 272 | 247 | 252 | 262 | 253 | 238 | 224 |
| U.S. 1981 | 257 | 254 | 247 | 256 | 256 | 268 | 267 | 264 | 260 | 245 | 237 | 226 |
| | | | | | | Dairy Products | | | | | | |
| 1978 | 197 | 197 | 197 | 197 | 198 | 197 | 197 | 201 | 203 | 208 | 213 | 217 |
| 1979 | 224 | 221 | 222 | 221 | 220 | 219 | 219 | 223 | 226 | 227 | 230 | 228 |
| 1980 | 231 | 230 | 230 | 231 | 229 | 229 | 228 | 231 | 236 | 240 | 243 | 245 |
| 1981 | 239 | 240 | 239 | 238 | 237 | 237 | 237 | 237 | 239 | 242 | 243 | 244 |
| U.S. 1981 | 280 | 278 | 274 | 272 | 268 | 266 | 266 | 268 | 272 | 278 | 278 | 278 |
| | | | | | | Feed grain and hay | | | | | | |
| 1978 | 183 | 186 | 225 | 189 | 188 | 190 | 200 | 195 | 193 | 195 | 185 | 198 |
| 1979 | 212 | 217 | 217 | 209 | 196 | 207 | 227 | 233 | 246 | 232 | 236 | 237 |
| 1980 | 234 | 233 | 233 | 226 | 200 | 217 | 237 | 264 | 278 | 280 | 297 | 313 |
| 1981 | 309 | 309 | 300 | 291 | 289 | 285 | 283 | 285 | 281 | 270 | 289 | 258 |
| U.S. 1981 | 282 | 282 | 282 | 280 | 283 | 274 | 265 | 247 | 226 | 220 | 214 | 219 |
| | | | | | | All livestock and products | | | | | | |
| 1978 | 194 | 206 | 222 | 237 | 243 | 232 | 227 | 228 | 264 | 271 | 255 | 260 |
| 1979 | 285 | 294 | 313 | 335 | 315 | 292 | 284 | 284 | 316 | 302 | 284 | 285 |
| 1980 | 272 | 290 | 290 | 272 | 270 | 274 | 267 | 281 | 297 | 289 | 273 | 261 |
| 1981 | 250 | 256 | 259 | 272 | 261 | 265 | 245 | 249 | 257 | 249 | 236 | 224 |
| U.S. 1981 | 256 | 253 | 247 | 251 | 250 | 257 | 257 | 256 | 254 | 245 | 242 | 233 |
| | | | | | | All crops | | | | | | |
| 1978 | 220 | 224 | 225 | 215 | 211 | 212 | 207 | 210 | 202 | 212 | 205 | 213 |
| 1979 | 213 | 216 | 214 | 215 | 223 | 234 | 246 | 246 | 256 | 269 | 276 | 290 |
| 1980 | 296 | 296 | 290 | 278 | 281 | 288 | 296 | 297 | 330 | 327 | 343 | 346 |
| 1981 | 352 | 350 | 347 | 347 | 357 | 371 | 341 | 320 | 315 | 308 | 308 | 288 |
| U.S. 1981 | 277 | 277 | 280 | 275 | 273 | 265 | 264 | 251 | 232 | 230 | 233 | 234 |
| | | | | | | All commodities | | | | | | |
| 1978 | 200 | 210 | 222 | 232 | 236 | 228 | 222 | 224 | 249 | 258 | 244 | 250 |
| 1979 | 269 | 276 | 290 | 307 | 294 | 279 | 276 | 275 | 303 | 295 | 283 | 286 |
| 1980 | 279 | 289 | 285 | 273 | 272 | 273 | 270 | 281 | 304 | 298 | 289 | 281 |
| 1981 | 273 | 278 | 279 | 289 | 283 | 290 | 267 | 265 | 270 | 263 | 252 | 239 |
| U.S. 1981 | 266 | 264 | 262 | 262 | 260 | 260 | 260 | 253 | 243 | 238 | 237 | 233 |

Average prices paid by farmers and ranchers, monthly averages, Wyoming, 1977-81

| Commodity and Year | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| Per Ton: | | | | | | | | | | | | |
| 14% Protein dairy feed | | | | | | | | | | | | |
| 1977 | 148.00 | 146.00 | 142.00 | 141.00 | 145.00 | 146.00 | 138.00 | 136.00 | 134.00 | 142.00 | 146.00 | 151.00 |
| 1978 | 145.00 | 145.00 | 143.00 | 151.00 | 147.00 | 150.00 | 149.00 | 148.00 | 149.00 | 149.00 | 150.00 | 152.00 |
| 1979 | 157.00 | 152.00 | 153.00 | 149.00 | 153.00 | 157.00 | 159.00 | 155.00 | 163.00 | 165.00 | 158.00 | 164.00 |
| 1980 | 167.00 | 167.00 | 163.00 | 165.00 | 169.00 | 163.00 | 163.00 | 169.00 | 175.00 | 172.00 | 183.00 | 192.00 |
| 1981 | 193.00 | 205.00 | 198.00 | 210.00 | 200.00 | 210.00 | 200.00 | 189.00 | 182.00 | 179.00 | 194.00 | 190.00 |
| Per 100 lbs.: | | | | | | | | | | | | |
| Bran | | | | | | | | | | | | |
| 1977 | 8.30 | 8.20 | 8.30 | 8.20 | 8.20 | 8.30 | 8.20 | 7.80 | 7.80 | 7.90 | 7.90 | 8.00 |
| 1978 | 7.80 | 8.00 | 7.80 | 7.70 | 7.60 | 8.00 | 7.60 | 7.50 | 7.80 | 7.80 | 7.70 | 8.30 |
| 1979 | 8.30 | 8.40 | 8.10 | 8.20 | 8.50 | 8.50 | 8.50 | 8.30 | 8.60 | 8.60 | 8.80 | 8.80 |
| 1980 | 8.60 | 8.80 | 9.30 | 10.00 | 10.00 | 9.90 | 10.00 | 10.00 | 10.00 | 10.50 | 11.00 | 11.00 |
| 1981 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 12.00 | 12.00 | 11.50 | 11.50 | 11.50 | 11.00 |
| Middlings | | | | | | | | | | | | |
| 1977 | 8.40 | 8.50 | 8.40 | 8.40 | 8.40 | 8.30 | 8.30 | 8.10 | 8.20 | 8.20 | 8.20 | 8.20 |
| 1978 | 8.00 | 8.70 | 8.50 | 8.30 | 8.40 | 8.50 | 8.40 | 8.50 | 8.50 | 8.50 | 8.50 | 8.70 |
| 1979 | 8.70 | 8.70 | 8.60 | 8.40 | 8.50 | 8.50 | 8.50 | 8.30 | 8.60 | 8.60 | 8.60 | 8.80 |
| 1980 | 8.60 | 8.60 | 8.70 | 9.60 | 9.60 | 9.60 | 9.60 | 11.00 | 10.50 | 10.00 | 10.50 | 11.00 |
| 1981 | 11.00 | 11.00 | 12.50 | 12.00 | 11.00 | 10.50 | 10.00 | 9.80 | 9.00 | 9.00 | 10.00 | 10.00 |
| Corn meal | | | | | | | | | | | | |
| 1977 | 7.70 | 7.20 | 7.30 | 7.80 | 7.60 | 7.40 | 7.20 | 7.20 | 7.30 | 7.40 | 7.20 | 7.30 |
| 1978 | 6.80 | 7.30 | 7.40 | 7.30 | 7.60 | 7.70 | 7.60 | 7.50 | 7.50 | 7.20 | 7.40 | 7.50 |
| 1979 | 8.10 | 8.10 | 7.60 | 7.60 | 7.70 | 7.80 | 7.80 | 8.20 | 8.30 | 8.00 | 8.10 | 8.10 |
| 1980 | 8.30 | 8.30 | 8.40 | 7.50 | 7.20 | 7.20 | 7.60 | 7.40 | 8.10 | 7.60 | 8.50 | 9.00 |
| 1981 | 9.30 | 9.20 | 9.60 | 9.60 | 9.30 | 9.10 | 9.00 | 8.20 | 8.90 | 9.10 | 9.20 | 9.00 |
| Cottonseed meal, 41% protein | | | | | | | | | | | | |
| 1977 | 12.00 | 12.00 | 12.50 | 14.50 | 14.50 | 15.00 | 14.00 | 14.00 | 13.00 | 13.00 | 13.50 | 14.00 |
| 1978 | 12.50 | 12.50 | 12.00 | 12.50 | 12.50 | 12.00 | 12.00 | 12.00 | 12.00 | 12.00 | 13.00 | 13.00 |
| 1979 | 13.00 | 13.00 | 12.50 | 12.50 | 12.50 | 12.50 | 13.00 | 12.50 | 12.50 | 14.00 | 15.00 | 15.00 |
| 1980 | 14.00 | 14.50 | 14.00 | 13.50 | 13.50 | 12.00 | 13.50 | 13.00 | 12.50 | 14.00 | 15.00 | 16.50 |
| 1981 | 16.50 | 16.50 | 15.50 | 15.50 | 16.50 | 15.50 | 15.00 | 15.00 | 14.50 | 13.50 | 14.00 | 14.00 |

Annual average prices paid by Wyoming farmers--selected commodities

| Commodity | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| PETROLEUM PRODUCTS | | | | | | | | | | | | |
| Gasoline, reg., bulk delivery per gallon | | | | | | | | | | | | |
| 1977 | .570 | .570 | .580 | .590 | .600 | .600 | .600 | .600 | .600 | .600 | .600 | .600 |
| 1978 | .610 | .610 | .610 | .600 | .610 | .630 | .630 | .640 | .630 | .640 | .640 | .660 |
| 1979 | .660 | .680 | .690 | .720 | .750 | .790 | .850 | .880 | .910 | .930 | .960 | .990 |
| 1980 | 1.010 | 1.110 | 1.170 | 1.170 | 1.170 | 1.190 | 1.210 | 1.180 | 1.180 | 1.200 | 1.190 | 1.190 |
| 1981 | 1.240 | 1.320 | 1.340 | 1.280 | 1.310 | 1.310 | 1.300 | 1.290 | 1.300 | 1.280 | 1.300 | 1.290 |
| Diesel Fuel, per gallon | | | | | | | | | | | | |
| 1977 | .420 | .420 | .420 | .430 | .430 | .450 | .440 | .440 | .440 | .450 | .440 | .450 |
| 1978 | .450 | .450 | .460 | .460 | .460 | .460 | .470 | .480 | .470 | .460 | .480 | .490 |
| 1979 | 490 | .500 | .520 | .540 | .600 | .660 | .720 | .790 | .820 | .830 | .880 | .920 |
| 1980 | .960 | 1.050 | 1.060 | 1.040 | 1.040 | 1.020 | 1.030 | 1.020 | 1.020 | 1.020 | 1.010 | 1.040 |
| 1981 | 1.070 | 1.140 | 1.170 | 1.170 | 1.170 | 1.180 | 1.170 | 1.180 | 1.170 | 1.160 | 1.190 | 1.180 |
| Gasoline, unleaded, service station | | | | | | | | | | | | |
| 1977 | Series not started until 1978 | | | | | | | | | | | |
| 1978 | .670 | .680 | .680 | .680 | .680 | .710 | .700 | .710 | .720 | .730 | .710 | .730 |
| 1979 | .740 | .760 | .770 | .810 | .860 | .910 | .950 | .990 | 1.010 | 1.050 | 1.050 | 1.090 |
| 1980 | 1.140 | 1.230 | 1.260 | 1.270 | 1.280 | 1.300 | 1.290 | 1.280 | 1.290 | 1.290 | 1.290 | 1.290 |
| 1981 | 1.310 | 1.400 | 1.430 | 1.430 | 1.450 | 1.420 | 1.400 | 1.380 | 1.400 | 1.400 | 1.410 | 1.400 |
| L. P. Gas, per gallon | | | | | | | | | | | | |
| 1977 | .370 | .370 | .380 | .380 | .390 | .400 | .400 | .400 | .410 | .410 | .420 | .420 |
| 1978 | .430 | .430 | .420 | .420 | .410 | .420 | .410 | .410 | .410 | .410 | .390 | .390 |
| 1979 | .410 | .420 | .420 | .420 | .410 | .420 | .440 | .450 | .480 | .510 | .550 | .580 |
| 1980 | .630 | .640 | .640 | .660 | .660 | .660 | .660 | .670 | .670 | .670 | .690 | .700 |
| 1981 | .710 | .720 | .730 | .740 | .730 | .720 | .720 | .720 | .730 | .740 | .740 | .750 |
| MOTOR SUPPLIES | | | | | | | | | | | | |
| Motor oil, heavy duty (detergent), per gallon | | | | | | | | | | | | |
| 1977 | 2.65 | | | 2.70 | | | 2.85 | | | 2.75 | | |
| 1978 | 2.80 | | | 3.00 | | | 3.15 | | | 3.05 | | |
| 1979 | 3.05 | | | 3.05 | | | 3.30 | | | 3.45 | | |
| 1980 | 4.00 | | | 4.40 | | | 4.80 | | | 4.90 | | |
| 1981 | 4.80 | | | 5.30 | | | 5.60 | | | 6.00 | | |

Annual average prices paid by Wyoming farmers--selected commodities

| Commodity | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| MOTOR SUPPLIES (cont.) | | | | | | | | | | | | |
| Grease, per 14½ oz. cartridge: | | | | | | | | | | | | |
| 1977 | .580 | | .590 | | | .630 | | | | .660 | | |
| 1978 | .650 | | .680 | | | .730 | | | | .730 | | |
| 1979 | .690 | | .740 | | | .740 | | | | .830 | | |
| 1980 | .870 | | .920 | | | 1.000 | | | | 1.050 | | |
| 1981 | 1.100 | | 1.000 | | | 1.100 | | | | 1.100 | | |
| Auto tires, bias-belted, ER78-14, each 1/ | | | | | | | | | | | | |
| 1977 | 43.50 | | 44.50 | | | 45.50 | | | | 45.50 | | |
| 1978 | 47.00 | | 45.00 | | | 44.50 | | | | 44.50 | | |
| 1979 | 45.00 | | 47.50 | | | 48.00 | | | | 51.00 | | |
| 1980 | 52.00 | | 54.00 | | | 55.00 | | | | 54.00 | | |
| 1981 | 50.00 | | 49.50 | | | 51.00 | | | | 51.00 | | |
| Storage batteries, CPR 315-500 Amps, each 2/ | | | | | | | | | | | | |
| 1977 | 47.50 | | 48.00 | | | 50.00 | | | | 52.00 | | |
| 1978 | 51.00 | | 53.00 | | | 53.00 | | | | 55.00 | | |
| 1979 | 58.00 | | 58.00 | | | 60.00 | | | | 61.00 | | |
| 1980 | 66.00 | | 70.00 | | | 68.00 | | | | 70.00 | | |
| 1981 | 66.00 | | 70.00 | | | 70.00 | | | | 69.00 | | |
| Spark plugs, each | | | | | | | | | | | | |
| 1977 | | | 1.60 | | | | | | | 1.60 | | |
| 1978 | | | 1.65 | | | | | | | 1.60 | | |
| 1979 | | | 1.80 | | | | | | | 1.80 | | |
| 1980 | | | 1.85 | | | | | | | 2.00 | | |
| 1981 | | | 2.15 | | | | | | | 2.15 | | |
| Antifreeze, permanent, per gallon | | | | | | | | | | | | |
| 1977 | | | 4.60 | | | | | | | 4.35 | | |
| 1978 | | | 4.60 | | | | | | | 4.40 | | |
| 1979 | | | 4.55 | | | | | | | 4.95 | | |
| 1980 | | | 5.30 | | | | | | | 5.60 | | |
| 1981 | | | 6.20 | | | | | | | 6.00 | | |

1/ Prior to 1981, G-78-15
2/ 66 plates

Annual average prices paid by Wyoming farmers--selected commodities

| Commodity | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| MOTOR SUPPLIES (cont.) | | | | | | | | | | | | |
| Oil filters, spin on type, ea. | | | | | | | | | | | | |
| 1977 | | | | 4.50 | | | | | | 4.40 | | |
| 1978 | | | | 4.80 | | | | | | 4.65 | | |
| 1979 | | | | 4.80 | | | | | | 5.30 | | |
| 1980 | | | | 5.40 | | | | | | 5.80 | | |
| 1981 | | | | 6.30 | | | | | | 6.50 | | |

Annual average prices paid by Mountain States farmers--selected commodities - 1981

| Commodity | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| MACHINERY AND HARDWARE | | | | | | | | | | | | |
| Wheel Tractor, 30-39 PTO or belt h. p. ea. | | | 11,200 | | | 11,500 | | | | 11,300 | | |
| Wheel Tractor, 50-59 PTO or belt h. p. ea. | | | 16,500 | | | 16,500 | | | | 16,900 | | |
| Wheel Tractor, 110-129 PTO or belt h. p. ea. | | | 36,800 | | | 39,400 | | | | 39,000 | | |
| Wheel Tractor, 4-wheel drive 170-240 PTO or belt h.p. ea. | | | 66,500 | | | 71,900 | | | | 74,500 | | |
| Moldboard Plow, 3 bottoms, ea. | | | 4,280 | | | | | | | 4,600 | | |
| Moldboard Plow, 5 bottoms, ea. | | | 6,500 | | | | | | | 7,030 | | |
| Moldboard Plow, 7 bottoms, ea. | | | 9,170 | | | | | | | 9,170 | | |
| Self-propelled combines, medium capacity, ea. | | | | | | 57,200 | | | | 58,100 | | |
| Self-propelled combines, large capacity, ea. | | | | | | 80,200 | | | | 77,800 | | |
| Farm Wagon, (without box), less tires, ea. | | | | | | 1,020 | | | | | | |
| Farm Wagon, gravity unload, with box, less tires, ea. | | | | | | 1,660 | | | | | | |

Annual average prices paid by Mountain States farmers--selected commodities--1981

| Commodity | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| MACHINERY AND HARDWARE (cont.) | | | | | | | | | | | | |
| Shovel, aluminum scoop, ea. | | | | | | | | 21.80 | | | 22.00 | |
| Baler Twine, Per 40 lb. bale | | 24.30 | | | 23.40 | | | 23.40 | | | 24.50 | |
| LUMBER AND BUILDING MATERIAL | | | | | | | | | | | | |
| Framing Lumber, 2"X4", fir, standard & better, per 1,000 board ft. | | 346 | | | 334 | | 327 | 331 | | 318 | | 313 |
| Rough Boards, 1" random width, standard & better, per 1000 board ft. | | 366 | | | 353 | | 357 | 358 | | 357 | | 342 |
| Dressed Boards, 1" random width, #2 & better, per 1000 board ft. | | 618 | | | 609 | | 616 | 601 | | 576 | | 564 |
| Shingles, asphalt 3 in 1 mineral surface, 240 lb., per square | | 34.10 | | | 33.40 | | 33.70 | 33.00 | | 33.10 | | 33.40 |
| Roofing, galvanized steel, 28-29 gauge, per 100 sq. ft. | | 39.00 | | | 40.70 | | 41.00 | 41.70 | | 41.50 | | 41.40 |
| Nails, 8d, common, per lb. | | .668 | | | .725 | | | .710 | | | .691 | |
| Portland Cement, per 94 lbs. (net) | | 5.67 | | | 5.79 | | 5.83 | 5.91 | | 5.84 | | 5.88 |
| Concrete Blocks, 8"X8"X16", per 100 | | 92.40 | | | 92.60 | | 96.10 | 96.40 | | 95.90 | | 94.10 |
| House Paint, exterior, per gallon | | 15.60 | | | 15.40 | | 16.00 | 15.80 | | 15.90 | | 16.30 |
| PESTICIDE MATERIALS | | | | | | | | | | | | |
| Toxaphene (6 lbs./gal.emul. concentrate) per 5 gal. | | | 41.40 | | 41.40 | | | | | | | |
| Parathion (4 lbs./gal.emul. concentrate) per 5 gal. | | | 61.40 | | 59.30 | | | | | | | |

Annual average prices paid by Mountain States farmers--selected commodities - 1981

| Commodity | Jan. | Feb. | March | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dollars | | | | | | | | | | | |
| FERTILIZER | | | | | | | | | | | | |
| 10-34-0, per ton | | | 294 | | | 295 | | | | 299 | | 298 |
| 16-20-0, per ton | | | 221 | | | 221 | | | | 228 | | 228 |
| 18-46-0, per ton | | | 304 | | | 308 | | | | 293 | | 281 |
| Sulfate of ammonia, per ton | | | 169 | | | 177 | | | | 160 | | 170 |
| Ammonium nitrate, per ton | | | 190 | | | 197 | | | | 195 | | 193 |
| Anhydrous ammonia, per ton | | | 257 | | | 263 | | | | 263 | | 264 |
| 32% nitrogen solution, per ton | | | 180 | | | 170 | | | | NA | | NA |
| 44-46% superphosphate, per ton | | | 273 | | | 275 | | | | 278 | | 268 |



Many of the reports listed on page 4 are combined and published in the semi-monthly Wyoming Biweekly Ag. Statistics. Due to budget restraints, there is a minimal charge to non-reporters for the reports. Current reporters will receive these reports without charge. Requests for receiving any of the reports may be obtained by writing this office: Wyoming Crop and Livestock Reporting Service, P. O. Box 1148, Cheyenne, Wyoming 82003. Phone (307) 772-2181.

PLEASE CHECK REPORTS DESIRED (X)

| | | | |
|---|---|---|---|
| 800 | ( ) | BIWEEKLY AG STATISTICS | - (Semi-monthly) - Contains crop, livestock, dairy and poultry production; prices, disposition, income, farm numbers, and special items of current interest. |
| 805 | ( ) | WINTER WHEAT VARIETY | - (Annual) - March |
| 810 | ( ) | BARLEY VARIETY | - (Annual) - July |
| 815 | ( ) | WINTER WHEAT COUNTY ESTIMATES | - (Annual) - March |
| 820 | ( ) | BARLEY COUNTY ESTIMATES | - (Annual) - May |
| 825 | ( ) | HAY COUNTY ESTIMATES | - (Annual) - May |
| 830 | ( ) | SHEEP & LAMB LOSS | - (Annual) - April |
| 835 | ( ) | "WYOMING AGRICULTURAL STATISTICS" | - (Annual Bulletin) - October - Contains all major statistics for the year at the State and County levels. |
| 840 | ( ) | CROP-WEATHER REPORT | - (Weekly) - April through October - Planting and harvesting progress of crops, condition of growing crops and weather data. |